A

Abducens nerve diseases

Comparison of orbital magnetic resonance imaging in Duane syndrome and abducens palsy, 827, 827.e1

Acanthamoeba keratitis

Epidemiological characteristics of a Chicago-area Acanthamoeba keratitis outbreak, 212, 212.e1

Accommodative esotropia

Strabismus surgery for elimination of bifocals in accommodative esotropia, 632

Acquired capillary hemangioma

Acquired capillary hemangioma in the lacrimal sac region, 873

Acquired immunodeficiency syndrome

Ocular tuberculosis in acquired immunodeficiency syndrome, 413, 413.e1

Acrylic intraocular lens

Evaluation of lens epithelial cell migration in vivo at the haptic-optic junction of a one-piece hydrophobic acrylic intraocular lens, 557

Acrysof

Explantation of an AcrySof Natural intraocular lens because of a color vision disturbance (letter), 890

Age factors

Relationship between anisometropia, patient age, and the development of amblyopia (letter), 891

Age-related macular degeneration

Age-related macular degeneration is associated with an increased risk of hip fractures in the Medicare database, 1081

Antivascular endothelial growth factor agents and their development: therapeutic implications in ocular diseases, 660, 660,e1

Autologous translocation of the choroid and retinal pigment epithelium in age-related macular degeneration, 17, 17.e1

Intravitreal avastin: the low cost alternative to lucentis? (editorial), 141

Intravitreal bevacizumab for the management of choroidal neovascularization in age-related macular degeneration, 1

Photodynamic therapy with verteporfin and intravitreal triamcinolone acetonide in the treatment of neovascular age-related macular degeneration, 10, 10.e1

Polymorphisms in *complement factor H* and *hemicentin-1* genes in a Japanese population with dry-type age-related macular degeneration, 1074

Polypoidal choroidal vasculopathy with choroidal vascular hyperpermeability, 601, 601.e1

Prevalence of age-related macular degeneration in Greece: the Thessaloniki Eye Study, 1082

Prevalence of age-related maculopathy in the adult population in China: the Beijing Eye Study, 788, 788.e1

Progression of choroidal neovascularization following injection of pegaptanib sodium (Macugen) in two eyes with

neovascular age-related macular degeneration, 683, 683.e1

Retinal pigment epithelial tear after intravitreal bevacizumab injection, 1070

Retinal pigment epithelial tears after pegaptanib injection for exudative age-related macular degeneration, 160

Retinal pigment epithelium tear after intravitreal bevacizumab for exudative age-related macular degeneration, 1068

Retinal vascular abnormalities and prevalence of age-related macular degeneration in adult Chinese: the Beijing eye study, 688

Risk factors for five-year incident age-related macular degeneration: the Reykjavik Eye Study, 419, 419.e1

Risk factors for photodynamic therapy of predominantly classic choroidal neovascularization in age-related macular degeneration, 441, 441.e1

Trends in cost of major eye diseases to Medicare, 1991 to 2000, 976

Triple therapy of intravitreal triamcinolone, photodynamic therapy, and pegaptanib sodium for choroidal neovascularization, 1072

Alcon Infiniti

Fluidics and heat generation of Alcon Infiniti and Legacy, Bausch & Lomb Millennium, and advanced medical optics Sovereign phacoemulsification systems, 387, 387,e1

Alcon Legacy

Fluidics and heat generation of Alcon Infiniti and Legacy, Bausch & Lomb Millennium, and advanced medical optics Sovereign phacoemulsification systems, 387, 387.e1

Alkali burns

Use of topical human amniotic fluid in the treatment of acute ocular alkali injuries in mice, 271, 271.e1

Allergic contact dermatitis

Allergic contact dermatitis caused by topical eye drops (letter), 706

Amblyopia

Factors associated with a previous diagnosis of strabismus in a population-based sample of 12-year-old Australian children, 1085

Ophthalmic findings in Apert syndrome prior to craniofacial surgery, 328

Relationship between anisometropia, patient age, and the development of amblyopia, 132, 132.e1, (letter), 891

Retinal nerve fiber layer thickness in amblyopic eyes, 247, 247.e1

Amniotic fluid

Use of topical human amniotic fluid in the treatment of acute ocular alkali injuries in mice, 271, 271.e1

Amniotic membrane

Use of fibrin glue in fixation of amniotic membranes in sterile corneal ulceration, 189

Amphotericin B

Periorbital zygomycosis (mucormycosis) treated with posaconazole, 187, 187.e1

Angiogenesis

Antivascular endothelial growth factor agents and their development: therapeutic implications in ocular diseases, 660, 660,e1

Angiography

Intracranial vascular anomalies in patients with morning glory disk anomaly, 644, 644.e1

Angiotensin-converting enzyme inhibitor

Prevention of visual field defect progression with angiotensinconverting enzyme inhibitor in eyes with normal-tension glaucoma, 523

Angle-closure glaucoma

See also Glaucoma

Inferior corneal decompensation following laser peripheral iridotomy in the superior iris, 166

Anisometropia

Ophthalmic findings in Apert syndrome prior to craniofacial surgery, 328

Relationship between anisometropia, patient age, and the development of amblyopia, 132, 132.e1, (letter), 891

Stereopsis in refractive surgery, 218, 218.e1

Anterior chamber

How to measure the whole ocular rigidity? (letter), 706

Anti-B2 glycoprotein 1

Anti-β2 glycoprotein 1 and the anti-phospholipid syndrome,

Anti-phospholipid antibody syndrome

Anti- $\beta 2$ glycoprotein 1 and the anti-phospholipid syndrome, 701

Antiglaucoma agent

Effects of topical antiglaucoma application on conjunctival impression cytology specimens, 185

Antivascular endothelial growth factor agents

Antivascular endothelial growth factor agents and their development: therapeutic implications in ocular diseases, 660, 660.e1

Antiviral agents

Efficacy of oral antiviral prophylaxis in preventing ocular herpes simplex virus recurrences in patients with and without self-reported atopy, 563, 563.e1

Apert syndrome

Ophthalmic findings in Apert syndrome prior to craniofacial surgery, 328

Apolipoprotein E

Apolipoprotein E gene polymorphisms are not associated with diabetic retinopathy: the Atherosclerosis risk in Communities Study, 105

Applanation tonometer

Agreement of rebound tonometer in measuring intraocular pressure with three types of applanation tonometers, 332

Apraclonidine

Efficacy of apraclonidine 0.5% in the diagnosis of Horner syndrome in pediatric patients under low or high illumination, 469, 469.e1

Aqueous humor

Distinct cytokine and chemokine profiles in the aqueous of patients with uveitis and cytoid macular edema, 192

Melatonin concentrations in aqueous humor of glaucoma patients, 325, 325.e1

Argon laser photocoagulation

Transpupillary argon laser photocoagulation and Nd:YAG laser cystotomy for peripheral iris pigment epithelium cyst, 691

Artiflex phakic intraocular lens

See Intraocular lens

Artisan phakic intraocular lens

See Intraocular lens

Aspergillus

Early onset endophthalmitis caused by Aspergillus species following cataract surgery, 509

Aspiration

Phacoemulsification associated corneal damage evaluated by corneal volume, 525

Atopy

Atopic disease and herpes simplex eye disease: a population-based case-control study, 745, 745.e1

Efficacy of oral antiviral prophylaxis in preventing ocular herpes simplex virus recurrences in patients with and without self-reported atopy, 563, 563.e1

Attitude to health

Health literacy and adherence to glaucoma therapy, 223, 223.e1

Autologous fibroblasts

Injection of cultured autologous fibroblasts into the subconjunctival space of rabbits treated with mitomycin C, 259

Autologous serum eye drops

Autologous serum for the treatment of corneal epithelial abrasions in diabetic patients undergoing vitrectomy, 207

Is autologous serum a tonic for the ailing corneal epithelium? (editorial), 316

Autorefraction

Comparison of autorefraction and subjective refraction with and without cyclopegia in primary school children, 68, 68.e1

Avastin

Intravitreal avastin: the low cost alternative to lucentis? (editorial), 141

Intravitreal bevacizumab (Avastin) in the treatment of neovascular glaucoma, 1054

Intravitreal injection of bevacizumab (Avastin) as adjunctive treatment of proliferative diabetic retinopathy, 685

B

Bacteria

Analysis of bacterial cultures in infectious keratitis, 1997 to 2004, 1066

Bacterial culture isolates from hospitalized pediatric patients with conjunctivitis, 678

Endophthalmitis after open globe injury: microbiologic spectrum and susceptibilities of isolates, 852

Basal cell carcinoma

Management of periocular basal and squamous cell carcinoma: a series of 485 cases, 293

Bausch & Lomb Millennium

Fluidics and heat generation of Alcon Infiniti and Legacy, Bausch & Lomb Millennium, and advanced medical optics Sovereign phacoemulsification systems, 387, 387.e1

Bausch & Lomb ReNu®

Contact lens Fusarium "outbreak" (editorial), 146

Behçet disease

Intraocular cytokine environment in active Behçet uveitis, 429, 429, e1

Benign essential blepharospasm

Evaluation of light sensitivity in benign essential blepharospasm, 82, 82.e1

Benzalkonium chloride

In vitro impact of moxifloxacin and gatifloxacin concentration (0.5% vs 0.3%) and the addition of benzalkonium chloride on antibacterial efficacy, 730, 730.e1

Bevacizumah

Absence of histologic retinal toxicity of intravitreal bevacizumab in a rabbit model, 162

Intracameral bevacizumab for iris rubeosis, 158

Intravitreal bevacizumab for the management of choroidal neovascularization in age-related macular degeneration, I

Regression of iris neovascularization after intravitreal injection of bevacizumab in patients with proliferative diabetic retinopathy, 155, 155.e1

Retinal pigment epithelial tear after intravitreal bevacizumab injection, 1070

Retinal pigment epithelium tear after intravitreal bevacizumab for exudative age-related macular degeneration, 1068

Bifocal glasses

Strabismus surgery for elimination of bifocals in accommodative esotropia, 632

Bilateral diffuse uveal melanocytic proliferation

Bilateral diffuse melanocytic proliferation associated with ovarian carcinoma and metastatic malignant amelanotic melanoma, 693

Bilateral lateral rectus recession

Bilateral lateral rectus recession vs unilateral recess-resect procedure for exotropia with a dominant eye (letter), 708

Binocular status after surgery for constant and intermittent exotropia, 822, 822.e1

Bimatoprost

Prevention of dermatologic side effects of bimatoprost 0.03% topical therapy, 1059

Binocular status

Binocular status after surgery for constant and intermittent exotropia, 822, 822.e1

Birdshot chorioretinopathy

Longitudinal cohort study of patients with birdshot chorioretinopathy II: color vision at baseline, 1013

Birth weight

Influence of birth parameters on peripapillary nerve fiber layer and macular thickness in six-year-old children, 505

Blau syndrome

Blau syndrome associated with a CARD 15/NOD2 mutation, 1089

Blepharitis

Allergic contact dermatitis caused by topical eye drops (letter), 706

Blepharoplasty

Surgical repair of lateral canthal web, 339

Blood pressure

Association of blood pressure status with the optic disk structure (editorial), 144

Association of blood pressure status with the optic disk structure in non-glaucoma subjects: the Thessaloniki Eye Study, 60, 60.e1

Blue illumination

Optimization of anterior eye fluorescein viewing, 572, 572.e1

Borrelia hermsii

Borrelia hermsii causing relapsing fever and uveitis, 348

Branch retinal vein occlusion

Intravitreal tissue plasminogen activator to treat macular edema associated with branch retinal vein occlusion, 318

Intravitreal triamcinolone for the treatment of ischemic macular edema associated with branch retinal vein occlusion (letter), 710

Breast cancer

Photodynamic therapy with verteporfin of choroidal malignancy from breast cancer, 885

Bull's eye maculopathy

Bull's-eye maculopathy in an infant with Leigh disease, 186

C

Cancer

Pediatric ophthalmic computed-tomographic scanning and associated cancer risk, 1046

Candidiasis

Ecologic effects on eye banking, 1062

Cannulation

Cannulation of the suprachoroidal space: a novel drug delivery methodology to the posterior segment, 777, 777.e1

Capillary hemangioma

Acquired capillary hemangioma in the lacrimal sac region, 873

Capsular bag distention syndrome

Scheimpflug imaging in late capsular bag distention syndrome after phacoemulsification, 1083

Carboplatin

Ischemic necrosis and atrophy of the optic nerve after periocular carboplatin injection for intraocular retinoblastoma, 310, 310.e1

CARD 15/NOD2

Blau syndrome associated with a CARD 15/NOD2 mutation, 1089

Caruncle

Tumors of the caruncle: a clinicopathologic correlation, 448, 448,e1

Cataract

- Frequency doubling technology perimetry after clear and yellow intraocular lens implantation, 856
- Phacotrabeculectomy with mitomycin C in patients with uveitis, 1005
- Trends in cost of major eye diseases to Medicare, 1991 to 2000, 976

Cataract surgery

- Closure of persistent cyclodialysis cleft using the haptics of the intraocular lens, 676
- Early onset endophthalmitis caused by Aspergillus species following cataract surgery, 509
- Topical ocular hypotensive medication and lens opacification: evidence from the ocular hypertension treatment study, 800, 800.e1

Central corneal thickness

- Agreement of rebound tonometer in measuring intraocular pressure with three types of applanation tonometers, 332
- Central corneal thickness in patients with Weill-Marchesani syndrome, 507
- Comparison of dynamic contour tonometry and Goldmann applanation tonometry in glaucoma patients and healthy subjects, 583
- Evaluating central corneal thickness measurements with noncontact optical low-coherence reflectometry and contact ultrasound pachymetry, 164
- Time to resolution of corneal edema after long-term contact lens wear, 671

Central nervous system lymphoma

Intraocular methotrexate in ocular diseases other than primary central nervous system lymphoma, 883

Central retinal artery

Comparison of retinal vessel measurements in digital vs film images, 875

Central retinal vein

Comparison of retinal vessel measurements in digital vs film images, 875

Central retinal vein occlusion

Retinal blood flow and macular edema after radial optic neurotomy for central retinal vein occlusion (letter), 710

Central serous chorioretinopathy

Role of serum endothelin-1 level in the etiopathogenesis of central serous chorioretinopathy, 349

Chemokines

Distinct cytokine and chemokine profiles in the aqueous of patients with uveitis and cystoid macular edema, 192

Children

See also Infants; Newborns; Premature infants

- Bacterial culture isolates from hospitalized pediatric patients with conjunctivitis, 678
- Comparison of autorefraction and subjective refraction with and without cyclopegia in primary school children, 68, 68.e1

- Corneal hysteresis and intraocular pressure measurement in children using the Reichert ocular response analyzer, 990
- Correctable and non-correctable visual impairment in a population-based sample of 12-year-old Australian children, 112, 112.e1
- Efficacy of apraclonidine 0.5% in the diagnosis of Horner syndrome in pediatric patients under low or high illumination, 469, 469.e1
- Factors associated with a previous diagnosis of strabismus in a population-based sample of 12-year-old Australian children. 1085
- Frequency doubling technology perimetry in normal children, 953
- Herpes zoster ophthalmicus in otherwise healthy children, 393, 393,e1
- Influence of birth parameters on peripapillary nerve fiber layer and macular thickness in six-year-old children, 505
- Pediatric Horner syndrome: etiologies and roles of imaging and urine studies to detect neuroblastoma and other responsible mass lesions, 651, 651.e1
- Pediatric ocular acne rosacea: long-term treatment with systemic antibiotics, 816, 816.e1
- Pediatric ophthalmic computed-tomographic scanning and associated cancer risk, 1046
- Prevalence of eye disorders in young children with eyestrain complaints, 495
- Relationship between anisometropia, patient age, and the development of amblyopia, 132, 132.e1

Choroid

Stiffness of retinal and choroidal tissue: a surface wrinkling analysis of epiretinal membranes and choroidal folds, 435, 435.e1

Choroidal granuloma

Optical coherence tomography in choroidal tuberculosis, 170

Choroidal metastases

Photodynamic therapy with verteporfin of choroidal malignancy from breast cancer, 885

Choroidal neovascularization

- Choroidal ischemia after photodynamic therapy with verteporfin for choroidal neovascularization, 680
- Combined photodynamic therapy and intravitreal triamcinolone acetonide for the treatment of myopic subfoveal choroidal neovascularization, 335
- Expression of VEGF and PEDF in choroidal neovascular membranes following verteporfin photodynamic therapy, 95, 95.e1
- Intravitreal bevacizumab for the management of choroidal neovascularization in age-related macular degeneration, 1
- Progression of choroidal neovascularization following injection of pegaptanib sodium (Macugen) in two eyes with neovascular age-related macular degeneration, 683, 683.e1
- Risk factors for photodynamic therapy of predominantly classic choroidal neovascularization in age-related macular degeneration, 441, 441.e1
- Triple therapy of intravitreal triamcinolone, photodynamic therapy, and pegaptanib sodium for choroidal neovascularization, 1072

Choroidal translocation

Autologous translocation of the choroid and retinal pigment epithelium in age-related macular degeneration, 17, 17.e1

Choroidal tuberculosis

Optical coherence tomography in choroidal tuberculosis, 170

Choroidal vascular hyperpermeability

Polypoidal choroidal vasculopathy with choroidal vascular hyperpermeability, 601, 601.e1

Chronic lymphocytic leukemia

Corneal copper deposition associated with chronic lymphocytic leukemia, 174

Chronic open-angle glaucoma

See also Glaucoma

Optic disc size in chronic glaucoma: the Beijing Eye Study, 168

Ciliary sulcus

Pigment release and secondary glaucoma after implantation of single-piece acrylic intraocular lenses in the ciliary sulcus. 330

Clear corneal cataract surgery

Metaplastic squamous epithelial downgrowth after clear corneal cataract surgery, 695

Climatic condition

Ecologic effects on eye banking, 1062

Cloquet's canal

Persistence of Cloquet's canal in normal healthy eyes, 862

Coagulase-negative Staphylococcus

In vitro impact of moxifloxacin and gatifloxacin concentration (0.5% vs 0.3%) and the addition of benzalkonium chloride on antibacterial efficacy, 730, 730.e1

Color vision

Contrast sensitivity and color vision in HIV-infected individuals without infectious retinopathy, 284, 284.e1

Explantation of an AcrySof Natural intraocular lens because of a color vision disturbance (letter), 890

Longitudinal cohort study of patients with birdshot chorioretinopathy II: color vision at baseline, 1013

Color vision testing

Introducing a new computer-based test for the clinical evaluation of color discrimination, 953, 953.e1

Complement factor H

Polymorphisms in *complement factor* H and *hemicentin-1* genes in a Japanese population with dry-type age-related macular degeneration, 1074

Computed tomography

Correlation between ocular motility and evaluation of computed tomography in orbital blowout fracture, 1019

Pediatric ophthalmic computed-tomographic scanning and associated cancer risk, 1046

Role of high-resolution computed tomography and magnetic resonance imaging in the evaluation of isolated orbital neurofibromas, 456

Confocal microscopy

Epithelial dendritic cell distribution in normal and inflamed human cornea: in vivo confocal microscopy study, 736, 736.e1

Confocal ophthalmoscopy

Agreement and repeatability for standard automated perimetry and confocal scanning laser ophthalmoscopy in the diagnostic innovations in glaucoma study, 381

Measurements of optic disk size with HRT II, Stratus OCT, and funduscopy are not interchangeable, 375

Confocal scanning laser ophthalmoscopy

Comparison of optic disk and retinal nerve fiber layer thickness in nonglaucomatous and glaucomatous patients with high myopia, 858

Congenital stromal corneal dystrophy

Second decorin frame shift mutation in a family with congenital stromal corneal dystrophy, 520

Congenital total white cataract

Novel HSF4 mutation causes congenital total white cataract in a Chinese family, 298, 298.e1

Conjunctiva

Fibrous histiocytoma of the conjunctiva, 1036

Orbital-conjunctival glomangiomas involving two ocular rectus muscles, 511

Conjunctival atrophy

Injection of cultured autologous fibroblasts into the subconjunctival space of rabbits treated with mitomycin C, 259

Conjunctival impression cytology

Effects of topical antiglaucoma application on conjunctival impression cytology specimens, 185

Conjunctival squamous cell carcinoma

Topical cyclosporine-A combined with mitomycin C for conjunctival and corneal squamous cell carcinoma, 673

Conjunctivitis

Bacterial culture isolates from hospitalized pediatric patients with conjunctivitis, 678

Molecular epidemiology of adenoviral conjunctivitis in Hanoi, Vietnam, 1064

Ocular methicillin-resistant Staphylococcus aureus infections in a newborn intensive care cohort, 183

Contact lens

Contact lens Fusarium "outbreak" (editorial), 146

Fungal keratitis associated with non-therapeutic soft contact lenses, 154

Time to resolution of corneal edema after long-term contact lens wear, 671

Contrast sensitivity

Contrast sensitivity and color vision in HIV-infected individuals without infectious retinopathy, 284, 284.e1

Wavefront analysis and contrast sensitivity of aspheric and spherical intraocular lenses: a randomized prospective study, 750, 750.e1

Copper deposition

Corneal copper deposition associated with chronic lymphocytic leukemia, 174

Cornea

Corneal copper deposition associated with chronic lymphocytic leukemia, 174

Epithelial dendritic cell distribution in normal and inflamed human cornea: in vivo confocal microscopy study, 736, 736.e1 Scanning laser polarimetry with variable corneal compensation and optical coherence tomography in titled disk, 475

Corneal decompensation

Inferior corneal decompensation following laser peripheral iridotomy in the superior iris, 166

Corneal disease

Autologous serum for the treatment of corneal epithelial abrasions in diabetic patients undergoing vitrectomy, 207

Is autologous serum a tonic for the ailing corneal epithelium? (editorial), 316

Phototherapeutic keratectomy with intraoperative mitomycin C to prevent recurrent anterior corneal pathology, 490

Corneal edema

Time to resolution of corneal edema after long-term contact lens wear, 671

Corneal endothelial cells

Phacoemulsification associated corneal damage evaluated by corneal volume, 525

Corneal endothelium

Intraoperative mitomycin and corneal endothelium after photorefractive keratectomy, 400

Corneal epithelium

Autologous serum for the treatment of corneal epithelial abrasions in diabetic patients undergoing vitrectomy, 207

Decreased density of corneal basal epithelium and subbasal corneal nerve bundle changes in patients with diabetic retinopathy, 488, 488.e1

Delayed corneal epithelial wound healing after penetrating keratoplasty in individuals with lattice corneal dystrophy, 173

Is autologous serum a tonic for the ailing corneal epithelium? (editorial), 316

Corneal hysteresis

Corneal hysteresis and intraocular pressure measurement in children using the Reichert ocular response analyzer, 990

Corneal infections

Microbial keratitis following corneal transplantation, 1061

Corneal nerve

Decreased density of corneal basal epithelium and subbasal corneal nerve bundle changes in patients with diabetic retinopathy, 488, 488.e1

Corneal opacities

Hypergammaglobulinemia and corneal opacities in patients with human T-cell lymphotrophic virus type-1, 1088

Corneal scarring

Ophthalmic findings in Apert syndrome prior to craniofacial surgery, 328

Corneal sensitivity

Comparison of corneal sensitivity and tear function following epi-LASIK or laser in situ keratomileusis for myopia, 669

Corneal squamous cell carcinoma

Topical cyclosporine-A combined with mitomycin C for conjunctival and corneal squamous cell carcinoma, 673

Corneal subbasal nerve density

Decreased density of corneal basal epithelium and subbasal corneal nerve bundle changes in patients with diabetic retinopathy, 488, 488.e1

Corneal topography

Size of corneal topographic effective optical zone: comparison of standard and customized myopic laser in situ keratomileusis, 227

Corneal transplantation

Ecologic effects on eye banking, 1062

Microbial keratitis following corneal transplantation, 1061

Corneal ulcers

Use of fibrin glue in fixation of amniotic membranes in sterile corneal ulceration, 189

Corneal volume

Phacoemulsification associated corneal damage evaluated by corneal volume, 525

Corticosteroids

Evaluation of the effect on outcomes of the route of administration of corticosteroids in acute Vogt-Koyanagi-Harada disease, 119

Cost analysis

Trends in cost of major eye diseases to Medicare, 1991 to 2000, 976

Craniofacial surgery

Ophthalmic findings in Apert syndrome prior to craniofacial surgery, 328

Cryoglobulinemia

Rubeosis and anterior segment ischemia associated with systemic cryoglobulinemia, 689, 689.e1

Cryptococcus neoformans

Multifocal choroiditis in disseminated Cryptococcus neoformans infection, 346

Cyclodialysis cleft

Closure of persistent cyclodialysis cleft using the haptics of the intraocular lens, 676

Cyclooxygenase 2

Expression of cyclooxygenase 2 in retinoblastoma: primary enucleated eyes and enucleation after conservative treatment, 625, 625.e1

Cyclopegia

Comparison of autorefraction and subjective refraction with and without cyclopegia in primary school children, 68, 68.e1

Cyclosporine

Topical cyclosporine-A combined with mitomycin C for conjunctival and corneal squamous cell carcinoma, 673

CVP1R1

Genotype and phenotype correlations in congenital glaucoma: CYP1B1 mutations, goniodysgenesis, and clinical characteristics, 993

Cystoid macular edema

Distinct cytokine and chemokine profiles in the aqueous of patients with uveitis and cystoid macular edema, 192

Intravitreal triamcinolone compared with macular laser grid photocoagulation for the treatment of cystoid macular edema (letter), 197, 531

Reading performance of patients with uveitis-associated cystoid macular edema, 620, 620.e1

Topical dorzolamide for the treatment of cystoid macular edema in patients with retinitis pigmentosa (letter), 707

Cystotomy

Transpupillary argon laser photocoagulation and Nd:YAG laser cystotomy for peripheral iris pigment epithelium cyst, 691

Cytokines

Distinct cytokine and chemokine profiles in the aqueous of patients with uveitis and cystoid macular edema, 192

Intraocular cytokine environment in active Behçet uveitis, 429, 429, e1

D

Dacryocystocele

Treatment of congenital dacryocystocele, 835, 835.e1

Decompression device

Ocular decompression devices: liquid mercury balloon vs the tungsten powder balloon, 500

Decorin

Second decorin frame shift mutation in a family with congenital stromal corneal dystrophy, 520

Deep lamellar keratoplasty

Comparison of deep lamellar keratoplasty and penetrating keratoplasty for lattice and macular corneal dystrophies, 304

Dendritic cells

Epithelial dendritic cell distribution in normal and inflamed human cornea: in vivo confocal microscopy study, 736, 736.e1

Diabetes mellitus

Apolipoprotein E gene polymorphisms are not associated with diabetic retinopathy: the Atherosclerosis risk in Communities Study, 105

Autologous serum for the treatment of corneal epithelial abrasions in diabetic patients undergoing vitrectomy, 207

Diabetes-associated retinal nerve fiber damage evaluated with scanning laser polarimetry, 88

Intravitreal triamcinolone acetonide in eyes with recurrent postvitrectomy diabetic vitreous hemorrhage, 501

Diabetic macular edema

Intravitreal triamcinolone acetonide for diffuse diabetic macular edema: phase 2 trial comparing 4 mg vs 2 mg, 794, 794.e1

Optical coherence tomographic patterns of diabetic macular edema, 405, 405.e1

Vascular endothelial growth factor is a critical stimulus for diabetic macular edema, 961, 961.e1

Diabetic retinopathy

Apolipoprotein E gene polymorphisms are not associated with diabetic retinopathy: the Atherosclerosis risk in Communities Study, 105

Decreased density of corneal basal epithelium and subbasal corneal nerve bundle changes in patients with diabetic retinopathy, 488, 488.e1

Diabetes-associated retinal nerve fiber damage evaluated with scanning laser polarimetry (letter), 1093

Intravitreal injection of bevacizumab (Avastin) as adjunctive treatment of proliferative diabetic retinopathy, 685

Trends in cost of major eye diseases to Medicare, 1991 to 2000, 976

Diclofenac

Effect of topical prednisolone and diclofenac on the short-term change in morphology of posterior capsular opacification, 550, 550.e1

Diffuse unilateral subacute neuroretinitis

Diffuse unilateral subacute neuroretinitis with unusual findings, 880

Diffusion trace analysis

Assessment of axonal degeneration along the human visual pathway using diffusion trace analysis, 591, 591.e1

Digital images

Comparison of retinal vessel measurements in digital vs film images, 875

Diplopia

Correlation between ocular motility and evaluation of computed tomography in orbital blowout fracture, 1019

Deep lateral wall decompression (letter), 352

Transcaruncular orbital decompression: an alternative procedure for Graves ophthalmology with compressive optic neuropathy (letter), 711

Disease outbreaks

Epidemiological characteristics of a Chicago-area Acanthamoeba keratitis outbreak, 212, 212.e1

Dorzolamide

Topical dorzolamide for the treatment of cystoid macular edema in patients with retinitis pigmentosa (letter), 707

Doxycycline

Pediatric ocular acne rosacea: long-term treatment with systemic antibiotics, 816, 816.e1

Drug administration routes

Evaluation of the effect on outcomes of the route of administration of corticosteroids in acute Vogt-Koyanagi-Harada disease, 119

Topical gel vs subconjunctival lidocaine for intravitreous injection: a randomized clinical trial, 887

Drug contamination

Infectious and noninfectious endophthalmitis after intravitreal high-dosage triamcinolone acetonide (letter), 529

Drug delivery systems

Cannulation of the suprachoroidal space: a novel drug delivery methodology to the posterior segment, 777, 777.e1

Drug dose response relationship

Intravitreal triamcinolone acetonide for diffuse diabetic macular edema: phase 2 trial comparing 4 mg vs 2 mg, 794, 794.e1

Dry eye syndrome

Incidence and risk factors for developing dry eye after myopic LASIK (letter), 355

Successful tear lipid layer treatment for refractory dry eye in office workers by low-dose lipid application on the full-length eyelid margin, 264, 264.e1

Validation and repeatability of a short questionnaire for dry eye syndrome, 125, 125.e1

Duane retraction syndrome

Comparison of orbital magnetic resonance imaging in Duane syndrome and abducens palsy, 827, 827.e1

Dye toxicity

Functional assessment of the possible toxicity of indocyanine green dye in macular hole surgery, 765, 765.e1

Dynamic contour tonometry

Comparison of dynamic contour tonometry and Goldmann applanation tonometry in glaucoma patients and healthy subjects, 583

E

Edema

See Cystoid macular edema; Diabetic macular edema; Macular edema

Elasticity

Stiffness of retinal and choroidal tissue: a surface wrinkling analysis of epiretinal membranes and choroidal folds, 435, 435.e1

Elschnig pearls

Effect of topical prednisolone and diclofenac on the short-term change in morphology of posterior capsular opacification, 550, 550.e1

Emmetropia

Hypermetropia is not associated with hypertension: the Blue Mountains Eye Study (letter), 359

End-stage glaucoma

See also Glaucoma

Risk of sudden visual loss following filtration surgery in endstage glaucoma (letter), 199

Endophthalmitis

Acute endophthalmitis in eyes treated prophylactically with gatifloxacin and moxifloxacin, 721, 721.e1

Early onset endophthalmitis caused by Aspergillus species following cataract surgery, 509

Endophthalmitis after open globe injury: microbiologic spectrum and susceptibilities of isolates, 852

Infectious and noninfectious endophthalmitis after intravitreal high-dosage triamcinolone acetonide (letter), 529

Endothelin-1

Role of serum endothelin-1 level in the etiopathogenesis of central serous chorioretinopathy, 349

Enucleation

Expression of cyclooxygenase 2 in retinoblastoma: primary enucleated eyes and enucleation after conservative treatment, 625, 625.e1

Epiretinal membrane

Comparison of visual function after epiretinal membrane removal by 20-gauge and 25-gauge vitrectomy, 513

Disappearance of myelinated retinal nerve fibers after pars plana vitrectomy, 521

Stiffness of retinal and choroidal tissue: a surface wrinkling analysis of epiretinal membranes and choroidal folds, 435, 435.e1

Epithelial cells

Evaluation of lens epithelial cell migration in vivo at the haptic-optic junction of a one-piece hydrophobic acrylic intraocular lens, 557

Ocular surface reconstruction with combination of cultivated autologous oral mucosal epithelial transplantation and penetrating keratoplasty, 757, 757.e1

Epithelial cyst

Transpupillary argon laser photocoagulation and Nd:YAG laser cystotomy for peripheral iris pigment epithelium cyst, 691

Epithelial downgrowth

Metaplastic squamous epithelial downgrowth after clear corneal cataract surgery, 695

Erythromycin

Pediatric ocular acne rosacea: long-term treatment with systemic antibiotics, 816, 816.e1

Esterified estrogens

Esterified estrogens combined with methyltestosterone raise intraocular pressure in postmenopausal women, 494

Estrogen

Risk factors for posterior vitreous detachment: a case-control study, 931

Ethnicity

Apolipoprotein E gene polymorphisms are not associated with diabetic retinopathy: the Atherosclerosis risk in Communities Study, 105

Exophthalmos

Deep lateral wall decompression (letter), 352

Exotropia

Bilateral lateral rectus recession vs unilateral recess-resect procedure for exotropia with a dominant eye (letter), 708

Binocular status after surgery for constant and intermittent exotropia, 822, 822.e1

Factors associated with a previous diagnosis of strabismus in a population-based sample of 12-year-old Australian children, 1085

Ophthalmic findings in Apert syndrome prior to craniofacial surgery, 328

Eye disorders

Antivascular endothelial growth factor agents and their development: therapeutic implications in ocular diseases, 660, 660.e1

Atopic disease and herpes simplex eye disease: a populationbased case-control study, 745, 745.e1

Efficacy of oral antiviral prophylaxis in preventing ocular herpes simplex virus recurrences in patients with and without self-reported atopy, 563, 563.e1

Intraocular methotrexate in ocular diseases other than primary central nervous system lymphoma, 883

Prevalence of eye disorders in young children with eyestrain complaints, 495

Validation and test characteristics of a 10-item neuro-ophthalmic supplement to the NEI-VFQ-25, 1026

Eye drops

Allergic contact dermatitis caused by topical eye drops (letter), 706

Prevention of dermatologic side effects of bimatoprost 0.03% topical therapy, 1059

Eve movements

Correlation between ocular motility and evaluation of computed tomography in orbital blowout fracture, 1019

Eyelash growth

Prevention of dermatologic side effects of bimatoprost 0.03% topical therapy, 1062

Eyelid neoplasms

Management of periocular basal and squamous cell carcinoma: a series of 485 cases, 293

Evelids

Successful tear lipid layer treatment for refractory dry eye in office workers by low-dose lipid application on the full-length eyelid margin, 264, 264.e1

Surgical repair of lateral canthal web, 339

Temporary suture tarsorrhaphy, 344

Eyestrain

Prevalence of eye disorders in young children with eyestrain complaints, 495

F

Fibrin glue

Use of fibrin glue in fixation of amniotic membranes in sterile corneal ulceration, 189

Fibrous histiocytoma

Fibrous histiocytoma of the conjunctiva, 1036

Film images

Comparison of retinal vessel measurements in digital vs film images, 875

Filtration surgery

Risk of sudden visual loss following filtration surgery in endstage glaucoma (letter), 199

Fluidics

Fluidics and heat generation of Alcon Infiniti and Legacy, Bausch & Lomb Millennium, and advanced medical optics Sovereign phacoemulsification systems, 387, 387.e1

Fluorescein

Optimization of anterior eye fluorescein viewing, 572, 572.e1

Fluoroquinolones

In vitro activity of fluoroquinolones, vancomycin, and gentamicin against methicillin-resistant Staphylococcus aureus ocular isolates, 726, 726.e1

Fluorouracil

Systemic absorption of 5-fluorouracil during vitrectomy, 194

Foreign bodies

Role of Scheimpflug imaging in traumatic intralenticular foreign body, 675

Fovea centralis

Combined photodynamic therapy and intravitreal triamcinolone acetonide for the treatment of myopic subfoveal choroidal neovascularization, 335

Foveal thickness

Ultra-high resolution optical coherence tomography assessment of photoreceptors in retinitis pigmentosa and related diseases, 945, 945.e1

Frame shift mutation

Second decorin frame shift mutation in a family with congenital stromal corneal dystrophy, 520

Frequency doubling perimetry

Frequency doubling technology perimetry after clear and yellow intraocular lens implantation, 856

Frequency doubling technology perimetry in normal children, 983

Funduscopy

Measurements of optic disk size with HRT II, Stratus OCT, and funduscopy are not interchangeable, 375

Fungal keratitis

Fungal keratitis associated with non-therapeutic soft contact lenses, 154

Fusarium keratitis

Contact lens Fusarium "outbreak" (editorial), 146

G

Gas-assisted posterior vitreous detachment

See Posterior vitreous detachment

Gatifloxacin

Acute endophthalmitis in eyes treated prophylactically with gatifloxacin and moxifloxacin, 721, 721.e1

In vitro impact of moxifloxacin and gatifloxacin concentration (0.5% vs 0.3%) and the addition of benzalkonium chloride on antibacterial efficacy, 730, 730.e1

Gene mutation

Glaucoma case-control study of the WDR36 gene D658G sequence variant, 324

Novel HSF4 mutation causes congenital total white cataract in a Chinese family, 298, 298.e1

Gentamicin

In vitro activity of fluoroquinolones, vancomycin, and gentamicin against methicillin-resistant Staphylococcus aureus ocular isolates, 726, 726.e1

Gestational age

Influence of birth parameters on peripapillary nerve fiber layer and macular thickness in six-year-old children, 505

Glaucoma

See also Normal-tension glaucoma; Open-angle glaucoma; Primary open-angle glaucoma; Secondary glaucoma

Agreement and repeatability for standard automated perimetry and confocal scanning laser ophthalmoscopy in the diagnostic innovations in glaucoma study, 381

Agreement of rebound tonometer in measuring intraocular pressure with three types of applanation tonometers, 332

Assessment of retinal nerve fiber layer using optical coherence tomography and scanning laser polarimetry in progressive glaucomatous optic neuropathy, 1056

Association of blood pressure status with the optic disk structure (editorial), 144

Baseline optical coherence tomography predicts the development of glaucomatous change in glaucoma suspects, 576, 576.e1

Central corneal thickness in patients with Weill-Marchesani syndrome, 507

Comparison of dynamic contour tonometry and Goldmann applanation tonometry in glaucoma patients and healthy subjects, 583

Comparison of optic disk and retinal nerve fiber layer thickness

- in nonglaucomatous and glaucomatous patients with high myopia, 858
- Corneal hysteresis and intraocular pressure measurement in children using the Reichert ocular response analyzer, 990
- Correlation between hemifield visual field damage and corresponding parapapillary atrophy in normal-tension glaucoma, 40, 40.e1
- Cost-effectiveness of monotherapy treatment of glaucoma and ocular hypertension with the lipid class of medications (letter), 354
- Diabetes-associated retinal nerve fiber damage evaluated with scanning laser polarimetry, 88
- Frequency of optic disk hemorrhages in adult Chinese in rural and urban China: the Beijing Eye Study, 241, 241.e1
- Genotype and phenotype correlations in congenital glaucoma: CYP1B1 mutations, goniodysgenesis, and clinical characteristics, 993
- Intracameral bevacizumab for iris rubeosis, 158
- Intravitreal bevacizumab (Avastin) in the treatment of neovascular glaucoma, 1054
- Phacotrabeculectomy with mitomycin C in patients with uveitis, 1005
- Pigment release and secondary glaucoma after implantation of single-piece acrylic intraocular lenses in the ciliary sulcus, 330
- Scanning laser polarimetry with variable corneal compensation and optical coherence tomography in titled disk, 475
- Trends in cost of major eye diseases to Medicare, 1991 to 2000, 976

Glomangioma

Orbital-conjunctival glomangiomas involving two ocular rectus muscles, 511

Goldmann applanation tonometry

Comparison of dynamic contour tonometry and Goldmann applanation tonometry in glaucoma patients and healthy subjects, 583

Goniodysgenesis

Genotype and phenotype correlations in congenital glaucoma: CYP1B1 mutations, goniodysgenesis, and clinical characteristics, 993

Graves ophthalmology

Transcaruncular orbital decompression: an alternate procedure for Graves ophthalmology with compressive optic neuropathy (letters), 711, 889

Graves ophthalmopathy

Pathogenesis of Graves ophthalmopathy: implications for prediction, prevention, and treatment, 147, 147.e1

H

Haptic-optic junction

Evaluation of lens epithelial cell migration in vivo at the haptic-optic junction of a one-piece hydrophobic acrylic intraocular lens, 557

Head

Pediatric ophthalmic computed-tomographic scanning and associated cancer risk, 1046

Head circumference

Influence of birth parameters on peripapillary nerve fiber layer and macular thickness in six-year-old children, 505

Head trauma

Postmortem orbital findings in shaken baby syndrome, 233, 233.e1

Health Insurance Portability and Accountability Act

HIPAA and research: how have the first two years gone? (letters), 356, 530

Heat generation

Fluidics and heat generation of Alcon Infiniti and Legacy, Bausch & Lomb Millennium, and advanced medical optics Sovereign phacoemulsification systems, 387, 387.e1

Heidelberg Retina Tomograph

Agreement and repeatability for standard automated perimetry and confocal scanning laser ophthalmoscopy in the diagnostic innovations in glaucoma study, 381

Helminths

Diffuse unilateral subacute neuroretinitis with unusual findings, 880

Hemicentin-1

Polymorphisms in *complement factor H* and *hemicentin-1* genes in a Japanese population with dry-type age-related macular degeneration, 1074

Hemodialysis

Intraocular pressure change during hemodialysis, 337

Herpes simplex

- Atopic disease and herpes simplex eye disease: a populationbased case-control study, 745, 745.e1
- Efficacy of oral antiviral prophylaxis in preventing ocular herpes simplex virus recurrences in patients with and without self-reported atopy, 563, 563.e1

Herpes zoster ophthalmicus

Herpes zoster ophthalmicus in otherwise healthy children, 393, 393,e1

Hip fractures

Age-related macular degeneration is associated with an increased risk of hip fractures in the Medicare database, 1081

HIPAA

See Health Insurance Portability and Accountability Act

His158Arg mutation

Novel His158Arg mutation in TIMP3 causes a late-onset form of Sorsby fundus dystrophy, 839, 839.e1

Homocysteine

Homocysteine and retinal emboli: the Blue Mountains Eye Study, 322

Horner syndrome

- Efficacy of apraclonidine 0.5% in the diagnosis of Horner syndrome in pediatric patients under low or high illumination, 469, 469.e1
- Pediatric Horner syndrome: etiologies and roles of imaging and urine studies to detect neuroblastoma and other responsible mass lesions, 651, 651.e1

Hospitalization

Effect of hospitalization on intraocular pressure in patients with high tension and normal tension glaucoma, 179

HSF4

Novel HSF4 mutation causes congenital total white cataract in a Chinese family, 298, 298.e1

Human adenovirus

Molecular epidemiology of adenoviral conjunctivitis in Hanoi, Vietnam, 1064

Human immunodeficiency virus

Contrast sensitivity and color vision in HIV-infected individuals without infectious retinopathy, 284, 284.e1

Human T-cell lymphotropic virus type-1

Hypergammaglobulinemia and corneal opacities in patients with human T-cell lymphotrophic virus type-1, 1088

Immunologic markers, uveitis, and keratoconjunctivitis sicca associated with human T-cell lymphotropic virus type 1, 811, 811.e1

Hvaluronic acid

Autologous serum for the treatment of corneal epithelial abrasions in diabetic patients undergoing vitrectomy, 207

Hypercupremia

Corneal copper deposition associated with chronic lymphocytic leukemia, 174

Hypergammaglobulinemia

Hypergammaglobulinemia and corneal opacities in patients with human T-cell lymphotrophic virus type-1, 1088

Hypermetropia

Hypermetropia is not associated with hypertension: the Blue Mountains Eye Study (letter), 359

Hyperopia

Factors associated with a previous diagnosis of strabismus in a population-based sample of 12-year-old Australian children, 1085

Hypertension

See also Ocular hypertension

Hypermetropia is not associated with hypertension: the Blue Mountains Eye Study (letter), 359

Hypertrichosis

Prevention of dermatologic side effects of bimatoprost 0.03% topical therapy, 1059

Hypotony

Closure of persistent cyclodialysis cleft using the haptics of the intraocular lens, 676

1

Idiopathic intracranial hypertension

Ophthalmoparesis in idiopathic intracranial hypertension, 878

Puberty as a risk factor for less favorable visual outcome in idiopathic intracranial hypertension, 279, 279.e1

Idiopathic juxtafoveolar retinal telangiectasis

Morphologic features of group 2A idiopathic juxtafoveolar retinal telangiectasis in three-dimensional optical coherence tomography, 340

Idiopathic polypoidal choroidal vasculopathy

Recurrent bullous retinal detachments from photodynamic therapy for idiopathic polypoidal choroidal vasculopathy, 1079

Ultrasonographic characteristics and treatment outcomes of surgery for vitreous hemorrhage in idiopathic polypoidal choroidal vasculopathy, 608, 608.e1

Indocvanine green

Functional assessment of the possible toxicity of indocyanine green dye in macular hole surgery, 765, 765.e1

Idiopathic macular hole surgery with low-concentration infracyanine green-assisted peeling of the internal limiting membrane, 771, 771.e1

Infants

See also Children; Newborn; Premature infants

Bull's-eye maculopathy in an infant with Leigh disease, 186

Infectious retinopathy

Contrast sensitivity and color vision in HIV-infected individuals without infectious retinopathy, 284, 284.e1

Inflammation

Epithelial dendritic cell distribution in normal and inflamed human cornea: in vivo confocal microscopy study, 736, 736.e1

Pathogenesis of Graves ophthalmopathy: implications for prediction, prevention, and treatment, 147, 147.e1

Infracyanine green

See Indocyanine green

Institutional review board

HIPAA and research: how have the first two years gone? (letter), 356

Insulin-like growth factor 1 receptor

Pathogenesis of Graves ophthalmopathy: implications for prediction, prevention, and treatment, 147, 147.e1

Intensive care, neonatal

Ocular methicillin-resistant Staphylococcus aureus infections in a newborn intensive care cohort, 183

Interferon alfa-2b

Topical interferon alfa-2b for the treatment of recalcitrant ocular surface squamous neoplasia, 568, 568.e1

Internal limiting membrane

Idiopathic macular hole surgery with low-concentration infracyanine green-assisted peeling of the internal limiting membrane, 771, 771.e1

Tractional internal limiting membrane detachment in highly myopic eyes, 850

Intracranial vascular anomalies

Intracranial vascular anomalies in patients with morning glory disk anomaly, 644, 644.e1

Intraocular fluid leakage

25-Gauge scleral tunnel transconjunctival vitrectomy, 871

Intraocular lens

Closure of persistent cyclodialysis cleft using the haptics of the intraocular lens, 676

Evaluation of lens epithelial cell migration in vivo at the haptic-optic junction of a one-piece hydrophobic acrylic intraocular lens, 557

- Explantation of an AcrySof Natural intraocular lens because of a color vision disturbance (letter), 890
- Frequency doubling technology perimetry after clear and yellow intraocular lens implantation, 856
- Pigment release and secondary glaucoma after implantation of single-piece acrylic intraocular lenses in the ciliary sulcus, 330
- Scheimpflug imaging in late capsular bag distention syndrome after phacoemulsification, 1083
- Wavefront analysis and contrast sensitivity of aspheric and spherical intraocular lenses: a randomized prospective study, 750, 750.e1

Intraocular pressure

- Agreement of rebound tonometer in measuring intraocular pressure with three types of applanation tonometers, 332
- Association of blood pressure status with the optic disk structure (editorial), 144
- Comparison of dynamic contour tonometry and Goldmann applanation tonometry in glaucoma patients and healthy subjects, 583
- Corneal hysteresis and intraocular pressure measurement in children using the Reichert ocular response analyzer, 990
- Effect of hospitalization on intraocular pressure in patients with high tension and normal tension glaucoma, 179
- Esterified estrogens combined with methyltestosterone raise intraocular pressure in postmenopausal women, 494
- Intraocular pressure change during hemodialysis, 337
- Intravitreal triamcinolone acetonide for diffuse diabetic macular edema: phase 2 trial comparing 4 mg vs 2 mg, 794, 794.e1
- Ocular decompression devices: liquid mercury balloon vs the tungsten powder balloon, 500
- Risk of sudden visual loss following filtration surgery in endstage glaucoma (letter), 199

Intubation

New technique for lacrimal system intubation, 252, 252.e1

Iodine

Primary orbital melanoma treated with iodine-125 plaque radiotherapy, 864

Iris

- Inferior corneal decompensation following laser peripheral iridotomy in the superior iris, 166
- Iris-supported phakic lenses (rigid vs foldable version) for treating moderately high myopia: randomized paired eye comparison, 909, 909.e1
- Regression of iris neovascularization after intravitreal injection of bevacizumab in patients with proliferative diabetic retinopathy, 155, 155.e1
- Rubeosis and anterior segment ischemia associated with systemic cryoglobulinemia, 689, 689.e1

Iris pigment epithelium

Transpupillary argon laser photocoagulation and Nd:YAG laser cystotomy for peripheral iris pigment epithelium cyst, 691

Iris rubeosis

Intracameral bevacizumab for iris rubeosis, 158

Ischemia

- Choroidal ischemia after photodynamic therapy with verteporfin for choroidal neovascularization, 680
- Intravitreal triamcinolone for the treatment of ischemic macular edema associated with branch retinal vein occlusion (letter), 710
- Ischemic necrosis and atrophy of the optic nerve after periocular carboplatin injection for intraocular retinoblastoma, 310, 310.e1
- Rubeosis and anterior segment ischemia associated with systemic cryoglobulinemia, 689, 689.e1

K

Keratitis

Analysis of bacterial cultures in infectious keratitis, 1997 to 2004, 1066

Keratoacanthoma

Tumors of the caruncle: a clinicopathologic correlation, 448, 448.e1

Keratoconjunctivitis sicca

Immunologic markers, uveitis, and keratoconjunctivitis sicca associated with human T-cell lymphotropic virus type 1, 811, 811.e1

Keratoconus

- Baseline factors predictive of incident penetrating keratoplasty in keratoconus, 923, 923.e1
- Keratoconus: why and when do we turn to surgical therapy (editorial), 1044

Keratoplasty

See also Penetrating keratoplasty

Ecologic effects on eye banking, 1062

L

Lacrimal apparatus diseases

New technique for lacrimal system intubation, 252, 252.e1

Lacrimal sac

Acquired capillary hemangioma in the lacrimal sac region, 873

LASEK

See Laser epithelial keratomileusis

Laser epithelial keratomileusis

Control-matched comparison of laser epithelial keratomileusis and laser in situ keratomileusis for low to moderate myopia, 901

Laser in situ keratomileusis

- Comparison of corneal sensitivity and tear function following epi-LASIK or laser in situ keratomileusis for myopia, 669
- Control-matched comparison of laser epithelial keratomileusis and laser in situ keratomileusis for low to moderate myopia, 901
- Incidence and risk factors for developing dry eye after myopic LASIK (letter), 355
- Size of corneal topographic effective optical zone: comparison of standard and customized myopic laser in situ keratomileusis, 227

Laser iridotomy

Inferior corneal decompensation following laser peripheral iridotomy in the superior iris, 166

LASIK

See Laser in situ keratomileusis

Lateral canthal web

Surgical repair of lateral canthal web, 339

Lattice corneal dystrophy

Comparison of deep lamellar keratoplasty and penetrating keratoplasty for lattice and macular corneal dystrophies, 304

Delayed corneal epithelial wound healing after penetrating keratoplasty in individuals with lattice corneal dystrophy, 173

Leber congenital amaurosis

Screening genes of the retinoid metabolism: novel LRAT mutation in Leber congenital amaurosis, 702

Leigh disease

Bull's-eye maculopathy in an infant with Leigh disease, 186

Lens opacification

Topical ocular hypotensive medication and lens opacification: evidence from the ocular hypertension treatment study, 800, 800.e1

Lidocaine

Topical gel vs subconjunctival lidocaine for intravitreous injection: a randomized clinical trial, 887

Light sensitivity

Evaluation of light sensitivity in benign essential blepharospasm, 82, 82.e1

Lighting

Efficacy of apraclonidine 0.5% in the diagnosis of Horner syndrome in pediatric patients under low or high illumination, 469, 469.e1

Lipid layer

Successful tear lipid layer treatment for refractory dry eye in office workers by low-dose lipid application on the full-length eyelid margin, 264, 264.e1

Lipids

Cost-effectiveness of monotherapy treatment of glaucoma and ocular hypertension with the lipid class of medications (letter), 354

Literacy

Health literacy and adherence to glaucoma therapy, 223, 223.e1

LRAT mutation

Screening genes of the retinoid metabolism: novel LRAT mutation in Leber congenital amaurosis, 702

Lucantie

Intravitreal avastin: the low cost alternative to lucentis? (editorial), 141

N

Macuger

Progression of choroidal neovascularization following injection of pegaptanib sodium (Macugen) in two eyes with neovascular age-related macular degeneration, 683, 683.e1

Macula

Evaluation of macular changes before and after successful retinal detachment surgery using stratus-optical coherence tomography, 176 Influence of birth parameters on peripapillary nerve fiber layer and macular thickness in six-year-old children, 505

Triple therapy of intravitreal triamcinolone, photodynamic therapy, and pegaptanib sodium for choroidal neovascularization, 1072

Macular corneal dystrophy

Comparison of deep lamellar keratoplasty and penetrating keratoplasty for lattice and macular corneal dystrophies, 304

Macular cyst

Diffuse unilateral subacute neuroretinitis with unusual findings, 880

Macular degeneration

See Age-related macular degeneration

Macular edema

Intravitreal tissue plasminogen activator to treat macular edema associated with branch retinal vein occlusion, 318

Intravitreal triamcinolone for the treatment of ischemic macular edema associated with branch retinal vein occlusion (letter), 710

Retinal blood flow and macular edema after radial optic neurotomy for central retinal vein occlusion (letter), 710

Macular hole(s)

Functional assessment of the possible toxicity of indocyanine green dye in macular hole surgery, 765, 765.e1

Idiopathic macular hole surgery with low-concentration infracyanine green-assisted peeling of the internal limiting membrane, 771, 771.e1

Natural course of macular retinoschisis in highly myopic eyes without macular hole or retinal detachment, 497

Optical coherence tomographic documentation of the formation of a traumatic macular hole, 866

Optical coherence tomography evaluation of idiopathic macular hole treatment by gas-assisted posterior vitreous detachment, 869

Pars plana vitrectomy and perfluoropropane (C₃F₈) tamponade for retinal detachment due to myopic macular hole: a prognostic factor analysis, 938, 938.e1

Scleral buckling with macular plombe for eyes with myopic macular retinoschisis and retinal detachment without macular hole, 483

Ultrastructure of the vitreomacular interface in full-thickness idiopathic macular holes: a consecutive analysis of 100 cases (letter), 892

Macular laser grid photocoagulation

Intravitreal triamcinolone compared with macular laser grid photocoagulation for the treatment of cystoid macular edema (letter), 197, 531

Macular plombe

Scleral buckling with macular plombe for eyes with myopic macular retinoschisis and retinal detachment without macular hole, 483

Magnetic resonance imaging

Comparison of orbital magnetic resonance imaging in Duane syndrome and abducens palsy, 827, 827.e1

Pediatric Horner syndrome: etiologies and roles of imaging and urine studies to detect neuroblastoma and other responsible mass lesions, 651, 651.e1

Role of high-resolution computed tomography and magnetic resonance imaging in the evaluation of isolated orbital neurofibromas, 456

Malignant amelanotic melanoma

Bilateral diffuse melanocytic proliferation associated with ovarian carcinoma and metastatic malignant amelanotic melanoma, 693

Medical research

HIPAA and research: how have the first two years gone? (letters), 356, 530

Medicare

Trends in cost of major eye diseases to Medicare, 1991 to 2000, 976

Melatonin

Melatonin concentrations in aqueous humor of glaucoma patients, 325, 325.e1

Mercury

Ocular decompression devices: liquid mercury balloon vs the tungsten powder balloon, 500

Metastases

Bilateral diffuse melanocytic proliferation associated with ovarian carcinoma and metastatic malignant amelanotic melanoma, 693

Methicillin-resistant Staphylococcus aureus

In vitro activity of fluoroquinolones, vancomycin, and gentamicin against methicillin-resistant Staphylococcus aureus ocular isolates, 726, 726.e1

Ocular methicillin-resistant Staphylococcus aureus infections in a newborn intensive care cohort, 183

Methotrexate

Intraocular methotrexate in ocular diseases other than primary central nervous system lymphoma, 883

Methyltestosterone

Esterified estrogens combined with methyltestosterone raise intraocular pressure in postmenopausal women, 494

Microbial keratitis

Microbial keratitis following corneal transplantation, 1061

Microbial sensitivity tests

Endophthalmitis after open globe injury: microbiologic spectrum and susceptibilities of isolates, 852

Migraine

Evaluation of light sensitivity in benign essential blepharospasm, 82, 82.e1

Mitomycin C

Injection of cultured autologous fibroblasts into the subconjunctival space of rabbits treated with mitomycin C, 259

Intraoperative mitomycin and corneal endothelium after photorefractive keratectomy, 400

Phacotrabeculectomy with mitomycin C in patients with uveitis, 1005

Phototherapeutic keratectomy with intraoperative mitomycin C to prevent recurrent anterior corneal pathology, 490

Topical cyclosporine-A combined with mitomycin C for conjunctival and corneal squamous cell carcinoma, 673

MMP3 gene

Evaluation of MMP3 and TIMP1 as candidate genes for high myopia in young Taiwanese men, 518

Mohs' micrographic surgery

Management of periocular basal and squamous cell carcinoma: a series of 485 cases, 293

Monotherapy

Cost-effectiveness of monotherapy treatment of glaucoma and ocular hypertension with the lipid class of medications (letter), 354

Morning glory disk anomaly

Intracranial vascular anomalies in patients with morning glory disk anomaly, 644, 644.e1

Moxifloxacir

Acute endophthalmitis in eyes treated prophylactically with gatifloxacin and moxifloxacin, 721, 721.e1

In vitro impact of moxifloxacin and gatifloxacin concentration (0.5% vs 0.3%) and the addition of benzalkonium chloride on antibacterial efficacy, 730, 730.e1

Mucormycosis

Periorbital zygomycosis (mucormycosis) treated with posaconazole, 187, 187.e1

Multifocal choroiditis

Multifocal choroiditis in disseminated Cryptococcus neoformans infection, 346

Multiple sclerosis

Utility of the National Eye Institute VFQ-25 Questionnaire in a heterogeneous group of multiple sclerosis patients, 464

Mutation

Rod and cone opsin mislocalization in an autopsy eye from a carrier of X-linked retinitis pigmentosa with a Gly436Asp mutation in the RPGR gene, 515

Mycotic keratitis

Sensitive and rapid polymerase chain reaction based diagnosis of mycotic keratitis through single stranded conformation polymorphism (letter), 198

Myelopathy

Immunologic markers, uveitis, and keratoconjunctivitis sicca associated with human T-cell lymphotropic virus type 1, 811, 811.e1

Myopia

Combined photodynamic therapy and intravitreal triamcinolone acetonide for the treatment of myopic subfoveal choroidal neovascularization, 335

Comparison of corneal sensitivity and tear function following epi-LASIK or laser in situ keratomileusis for myopia, 669

Comparison of optic disk and retinal nerve fiber layer thickness in nonglaucomatous and glaucomatous patients with high myopia, 858

Control-matched comparison of laser epithelial keratomileusis and laser in situ keratomileusis for low to moderate myopia, 901

Evaluation of MMP3 and TIMP1 as candidate genes for high myopia in young Taiwanese men, 518

Factors associated with a previous diagnosis of strabismus in a population-based sample of 12-year-old Australian children, 1085

Functional outcome and patient satisfaction after Artisan phakic intraocular lens implantation for the correction of myopia, 31, 31.e1

- Incidence and risk factors for developing dry eye after myopic LASIK (letter), 355
- Iris-supported phakic lenses (rigid vs foldable version) for treating moderately high myopia: randomized paired eye comparison, 909, 909.e1
- Natural course of macular retinoschisis in highly myopic eyes without macular hole or retinal detachment, 497
- Pars plana vitrectomy and perfluoropropane (C₃F₈) tamponade for retinal detachment due to myopic macular hole: a prognostic factor analysis, 938, 938.e1
- Polypoidal choroidal vasculopathy in tilted disk syndrome and high myopia with staphyloma, 970
- Scleral buckling with macular plombe for eyes with myopic macular retinoschisis and retinal detachment without macular hole. 483
- Size of corneal topographic effective optical zone: comparison of standard and customized myopic laser in situ keratomileusis, 227
- Tractional internal limiting membrane detachment in highly myopic eyes, 850

N

Nasolacrimal probing

Treatment of congenital dacryocystocele, 835, 835.e1

Nd:YAG laser

Transpupillary argon laser photocoagulation and Nd:YAG laser cystotomy for peripheral iris pigment epithelium cyst, 691

NEI-VFQ-25

Validation and test characteristics of a 10-item neuro-ophthalmic supplement to the NEI-VFQ-25, 1026

Neovascularization

See also Choroidal neovascularization

Regression of iris neovascularization after intravitreal injection of bevacizumab in patients with proliferative diabetic retinopathy, 155, 155.e1

Rubeosis and anterior segment ischemia associated with systemic cryoglobulinemia, 689, 689.e1

Nerve fiber layer

Influence of birth parameters on peripapillary nerve fiber layer and macular thickness in six-year-old children, 505

Neuroblastoma

Pediatric Horner syndrome: etiologies and roles of imaging and urine studies to detect neuroblastoma and other responsible mass lesions, 651, 651.e1

Neurofibromas

Role of high-resolution computed tomography and magnetic resonance imaging in the evaluation of isolated orbital neurofibromas, 456

Newborns

See also Children; Infants; Premature infants

Ocular methicillin-resistant Staphylococcus aureus infections in a newborn intensive care cohort, 183

Pilot study on in vivo evaluation of retinal vascular maturity in newborn infants in the context of retinopathy of prematurity, 181

Normal-tension glaucoma

See also Glaucoma

Prevention of visual field defect progression with angiotensinconverting enzyme inhibitor in eyes with normal-tension glaucoma, 523

0

Obituaries

Charles Schepens, MD, 362

Ocular acne rosacea

Pediatric ocular acne rosacea: long-term treatment with systemic antibiotics, 816, 816.e1

Ocular hypertension

- Agreement of rebound tonometer in measuring intraocular pressure with three types of applanation tonometers, 332
- Cost-effectiveness of monotherapy treatment of glaucoma and ocular hypertension with the lipid class of medications (letter), 354
- Topical ocular hypotensive medication and lens opacification: evidence from the ocular hypertension treatment study, 800, 800.e1

Ocular hypotensive medication

Topical ocular hypotensive medication and lens opacification: evidence from the ocular hypertension treatment study, 800, 800.e1

Ocular injury

Use of topical human amniotic fluid in the treatment of acute ocular alkali injuries in mice, 271, 271.e1

Ocular misalignment

Occult thyroid eye disease in patients with unexplained ocular misalignment identified by standardized orbital echography, 75, 75.e1

Ocular motility

See Eye movements

Ocular rigidity

How to measure the whole ocular rigidity? (letter), 706

Ocular surface

Functional visual acuity in Stevens-Johnson syndrome, 917

Ocular surface squamous neoplasia

Topical interferon alfa-2b for the treatment of recalcitrant ocular surface squamous neoplasia, 568, 568.e1

Ocular tuberculosis

Ocular tuberculosis in acquired immunodeficiency syndrome, 413, 413.e1

Ofloxacin

Successful tear lipid layer treatment for refractory dry eye in office workers by low-dose lipid application on the full-length eyelid margin, 264, 264.e1

Open-angle glaucoma

See also Glaucoma

Effect of hospitalization on intraocular pressure in patients with high tension and normal tension glaucoma, 179

Health literacy and adherence to glaucoma therapy, 223, 223.e1

Open globe injury

Endophthalmitis after open globe injury: microbiologic spectrum and susceptibilities of isolates, 852

Opsin

Rod and cone opsin mislocalization in an autopsy eye from a carrier of X-linked retinitis pigmentosa with a Gly436Asp mutation in the RPGR gene, 515

Opthalmoparesis

Ophthalmoparesis in idiopathic intracranial hypertension, 878

Ontic disk

- Association of blood pressure status with the optic disk structure (editorial), 144
- Association of blood pressure status with the optic disk structure in non-glaucoma subjects: the Thessaloniki Eye Study, 60, 60, e1
- Baseline optical coherence tomography predicts the development of glaucomatous change in glaucoma suspects, 576, 576.e1
- Comparison of optic disk and retinal nerve fiber layer thickness in nonglaucomatous and glaucomatous patients with high myopia, 858
- Measurements of optic disk size with HRT II, Stratus OCT, and funduscopy are not interchangeable, 375
- Optic disc size in chronic glaucoma: the Beijing Eye Study, 168

Optic disk hemorrhage

Frequency of optic disk hemorrhages in adult Chinese in rural and urban China: the Beijing Eye Study, 241, 241.e1

Optic disk tilt

Scanning laser polarimetry with variable corneal compensation and optical coherence tomography in titled disk, 475

Optic nerve atrophy

Ischemic necrosis and atrophy of the optic nerve after periocular carboplatin injection for intraocular retinoblastoma, 310, 310.e1

Optic nerve head

Persistence of Cloquet's canal in normal healthy eyes, 862

Optic nerve necrosis

Ischemic necrosis and atrophy of the optic nerve after periocular carboplatin injection for intraocular retinoblastoma, 310, 310.e1

Optic nerve sheath hemorrhage

Postmortem orbital findings in shaken baby syndrome, 233, 233.e1

Optic nerve sheath meningioma

Optic nerve sheath meningioma: visual improvement during radiation treatment, 343

Optic neuropathy

- Assessment of axonal degeneration along the human visual pathway using diffusion trace analysis, 591, 591.e1
- Assessment of retinal nerve fiber layer using optical coherence tomography and scanning laser polarimetry in progressive glaucomatous optic neuropathy, 1059
- Frequency of optic disk hemorrhages in adult Chinese in rural and urban China: the Beijing Eye Study, 241, 241.e1
- Transcaruncular orbital decompression: an alternate procedure for Graves ophthalmology with compressive optic neuropathy (letters), 711, 889

Optical coherence tomography

- Assessment of retinal nerve fiber layer using optical coherence tomography and scanning laser polarimetry in progressive glaucomatous optic neuropathy, 1056
- Baseline optical coherence tomography predicts the development of glaucomatous change in glaucoma suspects, 576, 576.e1
- Comparison of optic disk and retinal nerve fiber layer thickness in nonglaucomatous and glaucomatous patients with high myopia, 858
- Evaluation of macular changes before and after successful retinal detachment surgery using stratus-optical coherence tomography, 176
- Measurements of optic disk size with HRT II, Stratus OCT, and funduscopy are not interchangeable, 375
- Morphologic features of group 2A idiopathic juxtafoveolar retinal telangiectasis in three-dimensional optical coherence tomography, 340
- Natural course of macular retinoschisis in highly myopic eyes without macular hole or retinal detachment, 497
- Optical coherence tomographic documentation of the formation of a traumatic macular hole, 866
- Optical coherence tomographic patterns of diabetic macular edema, 405, 405.e1
- Optical coherence tomography evaluation of idiopathic macular hole treatment by gas-assisted posterior vitreous detachment, 869
- Optical coherence tomography in choroidal tuberculosis, 170
- Persistence of Cloquet's canal in normal healthy eyes, 862 Retinal nerve fiber layer thickness in amblyopic eyes, 247,
- Scanning laser polarimetry with variable corneal compensation and optical coherence tomography in titled disk, 475
- Third-generation optical coherence tomography findings in punctate retinal toxoplasmosis, 503, 503.e1
- Ultra-high resolution optical coherence tomography assessment of photoreceptors in retinitis pigmentosa and related diseases, 945, 945.e1

Optical low-coherence reflectometry

Evaluating central corneal thickness measurements with noncontact optical low-coherence reflectometry and contact ultrasound pachymetry, 164

Oral mucosa

247.e1

Ocular surface reconstruction with combination of cultivated autologous oral mucosal epithelial transplantation and penetrating keratoplasty, 757, 757.e1

Orbit

- Comparison of orbital magnetic resonance imaging in Duane syndrome and abducens palsy, 827, 827.e1
- Orbital-conjunctival glomangiomas involving two ocular rectus muscles, 511
- Pediatric ophthalmic computed-tomographic scanning and associated cancer risk, 1046
- Periorbital zygomycosis (mucormycosis) treated with posaconazole, 187, 187.e1

Orbital cysts

Giant orbital cysts after strabismus surgery, 697

Orbital echography

Occult thyroid eye disease in patients with unexplained ocular misalignment identified by standardized orbital echography, 75, 75.e1

Orbital fracture

Correlation between ocular motility and evaluation of computed tomography in orbital blowout fracture, 1019

Orbital melanoma

Primary orbital melanoma treated with iodine-125 plaque radiotherapy, 864

Orbital surgical decompression

Deep lateral wall decompression (letter), 352

Orbital tumors

Role of high-resolution computed tomography and magnetic resonance imaging in the evaluation of isolated orbital neurofibromas, 456

Otolith-ocular reflex

Static otolith-ocular reflex reflects superior oblique muscle disorder, 849

Outcomes

Binocular status after surgery for constant and intermittent exotropia, 822, 822.e1

Comparison of visual function after epiretinal membrane removal by 20-gauge and 25-gauge vitrectomy, 513

Functional assessment of the possible toxicity of indocyanine green dye in macular hole surgery, 765, 765.e1

Intravitreal triamcinolone compared with macular laser grid photocoagulation for the treatment of cystoid macular edema (letter), 531

Iris-supported phakic lenses (rigid vs foldable version) for treating moderately high myopia: randomized paired eye comparison, 909, 909.e1

Management of periocular basal and squamous cell carcinoma: a series of 485 cases, 293

Pediatric ocular acne rosacea: long-term treatment with systemic antibiotics, 816, 816.e1

Puberty as a risk factor for less favorable visual outcome in idiopathic intracranial hypertension, 279, 279.e1

Stereopsis in refractive surgery, 218, 218.e1

Ultrasonographic characteristics and treatment outcomes of surgery for vitreous hemorrhage in idiopathic polypoidal choroidal vasculopathy, 608, 608.e1

Ovarian carcinoma

Bilateral diffuse melanocytic proliferation associated with ovarian carcinoma and metastatic malignant amelanotic melanoma, 693

F

Pain measurement

Patient perceptions of discomfort and changes in vision and functional status associated with intravitreal triamcinolone injection, 492

Parapapillary atrophy

Correlation between hemifield visual field damage and corresponding parapapillary atrophy in normal-tension glaucoma, 40, 40.e1

Pars plana vitrectomy

Disappearance of myelinated retinal nerve fibers after pars plana vitrectomy, 521

Functional assessment of the possible toxicity of indocyanine green dye in macular hole surgery, 765, 765.e1

Idiopathic macular hole surgery with low-concentration infracyanine green-assisted peeling of the internal limiting membrane, 771, 771,e1

Pars plana vitrectomy and perfluoropropane (C₃F₈) tamponade for retinal detachment due to myopic macular hole: a prognostic factor analysis, 938, 938.e1

Patient adherence

Health literacy and adherence to glaucoma therapy, 223, 223.e1

Patient perception

Patient perceptions of discomfort and changes in vision and functional status associated with intravitreal triamcinolone injection, 492

Pediatrics

See Children; Infants; Newborns; Premature Infants

Pegaptanib

Retinal pigment epithelial tears after pegaptanib injection for exudative age-related macular degeneration, 160

Triple therapy of intravitreal triamcinolone, photodynamic therapy, and pegaptanib sodium for choroidal neovascularization, 1072

Penetrating keratoplasty

Baseline factors predictive of incident penetrating keratoplasty in keratoconus, 923, 923.e1

Comparison of deep lamellar keratoplasty and penetrating keratoplasty for lattice and macular corneal dystrophies, 304

Delayed corneal epithelial wound healing after penetrating keratoplasty in individuals with lattice corneal dystrophy, 173

Keratoconus: why and when do we turn to surgical therapy (editorial), 1044

Microbial keratitis following corneal transplantation, 1061

Ocular surface reconstruction with combination of cultivated autologous oral mucosal epithelial transplantation and penetrating keratoplasty, 757, 757.e1

Perimetry

Agreement and repeatability for standard automated perimetry and confocal scanning laser ophthalmoscopy in the diagnostic innovations in glaucoma study, 381

Persfluoropropane

Pars plana vitrectomy and perfluoropropane (C₃F₈) tamponade for retinal detachment due to myopic macular hole: a prognostic factor analysis, 938, 938.e1

Phacoemulsification

Fluidics and heat generation of Alcon Infiniti and Legacy, Bausch & Lomb Millennium, and advanced medical optics Sovereign phacoemulsification systems, 387, 387.e1

Phacodynamics: an aspiration flow vs vacuum comparison, 320

Phacoemulsification associated corneal damage evaluated by corneal volume, 525

Scheimpflug imaging in late capsular bag distention syndrome after phacoemulsification, 1083

Phacotrabeculectomy

Phacotrabeculectomy with mitomycin C in patients with uveitis. 1005

Phakic intraocular lens

Functional outcome and patient satisfaction after Artisan phakic intraocular lens implantation for the correction of myopia, 31, 31.e1

Iris-supported phakic lenses (rigid vs foldable version) for treating moderately high myopia: randomized paired eye comparison, 909, 909.e1

Photodynamic therapy

Choroidal ischemia after photodynamic therapy with verteporfin for choroidal neovascularization, 680

Combined photodynamic therapy and intravitreal triamcinolone acetonide for the treatment of myopic subfoveal choroidal neovascularization, 335

Expression of VEGF and PEDF in choroidal neovascular membranes following verteporfin photodynamic therapy, 95, 95.e1

Photodynamic therapy with verteporfin and intravitreal triamcinolone acetonide in the treatment of neovascular age-related macular degeneration, 10, 10.e1

Photodynamic therapy with verteporfin of choroidal malignancy from breast cancer, 885

Recurrent bullous retinal detachments from photodynamic therapy for idiopathic polypoidal choroidal vasculopathy, 1085

Risk factors for photodynamic therapy of predominantly classic choroidal neovascularization in age-related macular degeneration, 441, 441.e1

Triple therapy of intravitreal triamcinolone, photodynamic therapy, and pegaptanib sodium for choroidal neovascularization, 1072

Photophobia

Photophobia associated with a demyelinating lesion of the retrochiasmal visual pathway, 854

Photoreceptors

Ultra-high resolution optical coherence tomography assessment of photoreceptors in retinitis pigmentosa and related diseases, 945, 945.e1

Photorefractive keratectomy

Intraoperative mitomycin and corneal endothelium after photorefractive keratectomy, 400

Phototherapeutic keratectomy

Phototherapeutic keratectomy with intraoperative mitomycin C to prevent recurrent anterior corneal pathology, 490

Pigment

Pigment release and secondary glaucoma after implantation of single-piece acrylic intraocular lenses in the ciliary sulcus, 330

Pigment epithelium derived factor

Expression of VEGF and PEDF in choroidal neovascular membranes following verteporfin photodynamic therapy, 95, 95.e1

Pigment epithelium detachment

Retinal pigment epithelial tears after pegaptanib injection for exudative age-related macular degeneration, 160 Risk factors for five-year incident age-related macular degeneration: the Reykjavik Eye Study, 419, 419.e1

Polymerase chain reaction

Molecular epidemiology of adenoviral conjunctivitis in Hanoi, Vietnam, 1064

Sensitive and rapid polymerase chain reaction based diagnosis of mycotic keratitis through single stranded conformation polymorphism (letter), 198

Polypoidal choroidal vasculopathy

Polypoidal choroidal vasculopathy in tilted disk syndrome and high myopia with staphyloma, 970

Polypoidal choroidal vasculopathy with choroidal vascular hyperpermeability, 601, 601.e1

Portal color sort test

Introducing a new computer-based test for the clinical evaluation of color discrimination, 953, 953.e1

Posaconazole

Periorbital zygomycosis (mucormycosis) treated with posaconazole, 187, 187.e1

Posterior capsule opacification

Evaluation of lens epithelial cell migration in vivo at the haptic-optic junction of a one-piece hydrophobic acrylic intraocular lens. 557

Scheimpflug imaging in late capsular bag distention syndrome after phacoemulsification, 1083

Posterior chamber

How to measure the whole ocular rigidity? (letter), 706

Posterior hyaloidal traction

Optical coherence tomographic patterns of diabetic macular edema, 405, 405.e1

Posterior vitreous detachment

Optical coherence tomography evaluation of idiopathic macular hole treatment by gas-assisted posterior vitreous detachment, 869

Risk factors for posterior vitreous detachment: a case-control study, 931

Ultrastructure of the vitreomacular interface in full-thickness idiopathic macular holes: a consecutive analysis of 100 cases (letter), 892

Postmenopause

Esterified estrogens combined with methyltestosterone raise intraocular pressure in postmenopausal women, 494

Prednisolone

Effect of topical prednisolone and diclofenac on the short-term change in morphology of posterior capsular opacification, 550, 550.e1

Premature infants

See also Children; Infants; Newborns

Retinopathy of prematurity: two distinct mechanisms that underlie zone 1 and zone 2 disease, 46, 46.e1

Primary open-angle glaucoma

See also Glaucoma

Glaucoma case-control study of the WDR36 gene D658G sequence variant, 324

Melatonin concentrations in aqueous humor of glaucoma patients, 325, 325.e1

Proliferative diabetic retinopathy

Intraocular methotrexate in ocular diseases other than primary central nervous system lymphoma, 883

Regression of iris neovascularization after intravitreal injection of bevacizumab in patients with proliferative diabetic retinopathy, 155, 155.e1

Pseudomonas aeruginosa

In vitro impact of moxifloxacin and gatifloxacin concentration (0.5% vs 0.3%) and the addition of benzalkonium chloride on antibacterial efficacy, 730, 730.e1

Puberty

Puberty as a risk factor for less favorable visual outcome in idiopathic intracranial hypertension, 279, 279.e1

Q

Questionnaire

Validation and repeatability of a short questionnaire for dry eye syndrome, 125, 125.e1

R

Radial optic neurotomy

Retinal blood flow and macular edema after radial optic neurotomy for central retinal vein occlusion (letter), 710

Radiation therapy

Optic nerve sheath meningioma: visual improvement during radiation treatment, 343

Primary orbital melanoma treated with iodine-125 plaque radiotherapy, 864

Randot tests

Real depth vs randot stereotests, 699

Ranibizumab

Vascular endothelial growth factor is a critical stimulus for diabetic macular edema, 961, 961.e1

Reading performance

Reading performance of patients with uveitis-associated cystoid macular edema, 620, 620.e1

Real depth tests

Real depth vs randot stereotests, 699

Rebound tonometer

Agreement of rebound tonometer in measuring intraocular pressure with three types of applanation tonometers, 332

Recess-resect procedure

Bilateral lateral rectus recession vs unilateral recess-resect procedure for exotropia with a dominant eye (letter), 708

Binocular status after surgery for constant and intermittent exotropia, 822, 822.e1

Rectus muscles

Orbital-conjunctival glomangiomas involving two ocular rectus muscles, 511

Defraction

Comparison of autorefraction and subjective refraction with and without cyclopegia in primary school children, 68, 68.e1

Correctable and non-correctable visual impairment in a population-based sample of 12-year-old Australian children, 112, 112.e1

Refractive surgery

Stereopsis in refractive surgery, 218, 218.e1

Reichert ocular response analyzer

Corneal hysteresis and intraocular pressure measurement in children using the Reichert ocular response analyzer, 990

Relapsing fever

Borrelia hermsii causing relapsing fever and uveitis, 348

Retinal blood flow

Retinal blood flow and macular edema after radial optic neurotomy for central retinal vein occlusion (letter), 710

Retinal detachment

Early vitreous surgery for aggressive posterior retinopathy of prematurity, 636, 636.e1

Evaluation of macular changes before and after successful retinal detachment surgery using stratus-optical coherence tomography, 176

Natural course of macular retinoschisis in highly myopic eyes without macular hole or retinal detachment, 497

Pars plana vitrectomy and perfluoropropane (C_3F_8) tamponade for retinal detachment due to myopic macular hole: a prognostic factor analysis, 938, 938.e1

Recurrent bullous retinal detachments from photodynamic therapy for idiopathic polypoidal choroidal vasculopathy, 1079

Scleral buckling with macular plombe for eyes with myopic macular retinoschisis and retinal detachment without macular hole, 483

Tractional internal limiting membrane detachment in highly myopic eyes, 850

Retinal druser

Risk factors for five-year incident age-related macular degeneration: the Reykjavik Eye Study, 419, 419.e1

Retinal dystrophy

Screening genes of the retinoid metabolism: novel LRAT mutation in Leber congenital amaurosis, 702

Retinal emboli

Homocysteine and retinal emboli: the Blue Mountains Eye Study, 322

Retinal ganglion cells

Assessment of axonal degeneration along the human visual pathway using diffusion trace analysis, 591, 591.e1

Retinal nerve fiber layer

Assessment of retinal nerve fiber layer using optical coherence tomography and scanning laser polarimetry in progressive glaucomatous optic neuropathy, 1056

Baseline optical coherence tomography predicts the development of glaucomatous change in glaucoma suspects, 576, 576,e1

Comparison of optic disk and retinal nerve fiber layer thickness in nonglaucomatous and glaucomatous patients with high myopia, 858

Diabetes-associated retinal nerve fiber damage evaluated with scanning laser polarimetry, 88, (letter), 1093

Retinal nerve fiber layer thickness in amblyopic eyes, 247, 247.e1

Scanning laser polarimetry with variable corneal compensation and optical coherence tomography in titled disk, 475

Retinal nerve fibers

Disappearance of myelinated retinal nerve fibers after pars plana vitrectomy, 521

Retinal pigment epithelium

Autologous translocation of the choroid and retinal pigment epithelium in age-related macular degeneration, 17, 17.e1

Ocular findings among Thalassemia patients, 704

Retinal pigment epithelial tear after intravitreal bevacizumab injection, 1070

Retinal pigment epithelial tears after pegaptanib injection for exudative age-related macular degeneration, 160

Retinal pigment epithelium tear after intravitreal bevacizumab for exudative age-related macular degeneration, 1068

Retinal thickness

Optical coherence tomographic patterns of diabetic macular edema, 405, 405.e1

Retinal toxicity

Absence of histologic retinal toxicity of intravitreal bevacizumab in a rabbit model, 162

Retinal toxoplasmosis

Third-generation optical coherence tomography findings in punctate retinal toxoplasmosis, 503, 503.e1

Retinal vascular abnormalities

Retinal vascular abnormalities and prevalence of age-related macular degeneration in adult Chinese: the Beijing eye study, 688

Retinal vascularization

Pilot study on in vivo evaluation of retinal vascular maturity in newborn infants in the context of retinopathy of prematurity, 181

Retinal vein occlusion

Intravitreal bevacizumab (Avastin) in the treatment of neovascular glaucoma, 1054

Retinitis pigmentosa

Screening genes of the retinoid metabolism: novel LRAT mutation in Leber congenital amaurosis, 702

Topical dorzolamide for the treatment of cystoid macular edema in patients with retinitis pigmentosa (letter), 707

Ultra-high resolution optical coherence tomography assessment of photoreceptors in retinitis pigmentosa and related diseases, 945, 945.e1

Retinoblastoma

Expression of cyclooxygenase 2 in retinoblastoma: primary enucleated eyes and enucleation after conservative treatment, 625, 625.e1

Ischemic necrosis and atrophy of the optic nerve after periocular carboplatin injection for intraocular retinoblastoma, 310, 310.e1

Retinopathy of prematurity

Early vitreous surgery for aggressive posterior retinopathy of prematurity, 636, 636.e1

Pilot study on in vivo evaluation of retinal vascular maturity in newborn infants in the context of retinopathy of prematurity. 181

Retinopathy of prematurity: two distinct mechanisms that underlie zone 1 and zone 2 disease, 46, 46.e1

Retinoschisis

Natural course of macular retinoschisis in highly myopic eyes without macular hole or retinal detachment, 497

Scleral buckling with macular plombe for eyes with myopic macular retinoschisis and retinal detachment without macular hole. 483

Retrobulbar anesthesia

Visual sensation during vitrectomy under retrobulbar anesthesia (letter), 357

Retrochiasmal demyelination

Photophobia associated with a demyelinating lesion of the retrochiasmal visual pathway, 854

Risk factors

Risk factors for photodynamic therapy of predominantly classic choroidal neovascularization in age-related macular degeneration, 441, 441.e1

Risk factors for posterior vitreous detachment: a case-control study, 931

Rods and cones

Rod and cone opsin mislocalization in an autopsy eye from a carrier of X-linked retinitis pigmentosa with a Gly436Asp mutation in the RPGR gene, 515

RPGR gene

Rod and cone opsin mislocalization in an autopsy eye from a carrier of X-linked retinitis pigmentosa with a Gly436Asp mutation in the RPGR gene, 515

Rubeosis

Rubeosis and anterior segment ischemia associated with systemic cryoglobulinemia, 689, 689.e1

S

Scanning laser polarimetry

Assessment of retinal nerve fiber layer using optical coherence tomography and scanning laser polarimetry in progressive glaucomatous optic neuropathy, 1056

Diabetes-associated retinal nerve fiber damage evaluated with scanning laser polarimetry, 88, (letter), 1093

Scanning laser polarimetry with variable corneal compensation and optical coherence tomography in titled disk, 475

Scheimpflug imaging system

Role of Scheimpflug imaging in traumatic intralenticular foreign body, 675

Scheimpflug imaging in late capsular bag distention syndrome after phacoemulsification, 1083

Scleral buckling

Scleral buckling with macular plombe for eyes with myopic macular retinoschisis and retinal detachment without macular hole, 483

Scleral tunnel

25-Gauge scleral tunnel transconjunctival vitrectomy, 871

Shaken baby syndrome

Postmortem orbital findings in shaken baby syndrome, 233, 233.e1

Silicone

New technique for lacrimal system intubation, 252, 252.e1

Single nucleotide polymorphisms

Evaluation of MMP3 and TIMP1 as candidate genes for high myopia in young Taiwanese men, 518

Polymorphisms in *complement factor H* and *hemicentin-1* genes in a Japanese population with dry-type age-related macular degeneration, 1074

Sjögren syndrome

Functional visual acuity in Stevens-Johnson syndrome, 917

Skin pigmentation

Prevention of dermatologic side effects of bimatoprost 0.03% topical therapy, 1059

Slit-lamp blue illumination

Optimization of anterior eye fluorescein viewing, 572, 572.e1

Sorsby fundus dystrophy

Novel His158Arg mutation in TIMP3 causes a late-onset form of Sorsby fundus dystrophy, 839, 839.e1

Sovereign

Fluidics and heat generation of Alcon Infiniti and Legacy, Bausch & Lomb Millennium, and advanced medical optics Sovereign phacoemulsification systems, 387, 387.e1

Squamous cell carcinoma

Management of periocular basal and squamous cell carcinoma: a series of 485 cases, 293

Staphylococcus aureus

See also Methicillin-resistant Staphylococcus aureus

In vitro impact of moxifloxacin and gatifloxacin concentration (0.5% vs 0.3%) and the addition of benzalkonium chloride on antibacterial efficacy, 730, 730.e1

Staphyloma

Polypoidal choroidal vasculopathy in tilted disk syndrome and high myopia with staphyloma, 970

Stereoacuity

Real depth vs randot stereotests, 699

Stereopsis

Stereopsis in refractive surgery, 218, 218.e1

Stevens-Johnson syndrome

Functional visual acuity in Stevens-Johnson syndrome, 917

Strabismus

Factors associated with a previous diagnosis of strabismus in a population-based sample of 12-year-old Australian children, 1085

Ophthalmic findings in Apert syndrome prior to craniofacial surgery, 328

Relationship between anisometropia, patient age, and the development of amblyopia (letter), 891

Strabismus surgery

Giant orbital cysts after strabismus surgery, 697

Strabismus surgery for elimination of bifocals in accommodative esotropia, 632

Subconjunctival space

Injection of cultured autologous fibroblasts into the subconjunctival space of rabbits treated with mitomycin C, 259

Subtenon injections

Intravitreal triamcinolone acetonide concentration after subtenon injection, 860

Superior oblique palsy

Static otolith-ocular reflex reflects superior oblique muscle disorder, 849

Suprachoroidal space

Cannulation of the suprachoroidal space: a novel drug delivery methodology to the posterior segment, 777, 777.e1

Surgery

Keratoconus: why and when do we turn to surgical therapy (editorial), 1044

Surgical flaps

Surgical repair of lateral canthal web, 339

Suture technique

Temporary suture tarsorrhaphy, 344

T

T lymphocytes

Immunologic markers, uveitis, and keratoconjunctivitis sicca associated with human T-cell lymphotropic virus type 1, 811, 811.e1

Tarsorrhaphy

Temporary suture tarsorrhaphy, 344

Tear function

Comparison of corneal sensitivity and tear function following epi-LASIK or laser in situ keratomileusis for myopia, 669

Thalassemia

Ocular findings among Thalassemia patients, 704

Thyroid eye disease

Occult thyroid eye disease in patients with unexplained ocular misalignment identified by standardized orbital echography, 75, 75.e1

Thyrothropin receptor

Pathogenesis of Graves ophthalmopathy: implications for prediction, prevention, and treatment, 147, 147.e1

Tilted disk syndrome

Polypoidal choroidal vasculopathy in tilted disk syndrome and high myopia with staphyloma, 970

TIMP1 gene

Evaluation of MMP3 and TIMP1 as candidate genes for high myopia in young Taiwanese men, 518

Tissue inhibitor of metalloproteinase 3

Novel His158Arg mutation in TIMP3 causes a late-onset form of Sorsby fundus dystrophy, 839, 839.e1

Tissue plasminogen activator

Intravitreal tissue plasminogen activator to treat macular edema associated with branch retinal vein occlusion, 318

Tomography

See Computed tomography; Optical coherence tomography

Transcaruncular orbital decompression

Transcaruncular orbital decompression: an alternate procedure for Graves ophthalmology with compressive optic neuropathy (letters), 711, 889

Transconjunctival vitrectomy

25-Gauge scleral tunnel transconjunctival vitrectomy, 871

Transplantation

Ocular surface reconstruction with combination of cultivated autologous oral mucosal epithelial transplantation and penetrating keratoplasty, 757, 757.e1

Trauma

Optical coherence tomographic documentation of the formation of a traumatic macular hole, 866

Role of Scheimpflug imaging in traumatic intralenticular foreign body, 675

Treatment outcome

Phototherapeutic keratectomy with intraoperative mitomycin C to prevent recurrent anterior corneal pathology, 490

Triamcinolone acetonide

Cannulation of the suprachoroidal space: a novel drug delivery methodology to the posterior segment, 777, 777.e1

Combined photodynamic therapy and intravitreal triamcinolone acetonide for the treatment of myopic subfoveal choroidal neovascularization, 335

Infectious and noninfectious endophthalmitis after intravitreal high-dosage triamcinolone acetonide (letter), 529

Intravitreal triamcinolone acetonide concentration after subtenon injection, 860

Intravitreal triamcinolone acetonide for diffuse diabetic macular edema: phase 2 trial comparing 4 mg vs 2 mg, 794, 794.e1

Intravitreal triamcinolone acetonide in eyes with recurrent postvitrectomy diabetic vitreous hemorrhage, 501

Intravitreal triamcinolone compared with macular laser grid photocoagulation for the treatment of cystoid macular edema (letter), 197, 531

Intravitreal triamcinolone for the treatment of ischemic macular edema associated with branch retinal vein occlusion (letter), 710

Measurement of the actual dose of triamcinolone acetonide delivered by common techniques of intravitreal injection, 597, 597.e1

Patient perceptions of discomfort and changes in vision and functional status associated with intravitreal triamcinolone injection, 492

Photodynamic therapy with verteporfin and intravitreal triamcinclone acetonide in the treatment of neovascular age-related macular degeneration, 10, 10,e1

Triple therapy of intravitreal triamcinolone, photodynamic therapy, and pegaptanib sodium for choroidal neovascularization, 1072

Tungsten

Ocular decompression devices: liquid mercury balloon vs the tungsten powder balloon, 500

U

Ultrasound

Ultrasonographic characteristics and treatment outcomes of surgery for vitreous hemorrhage in idiopathic polypoidal choroidal vasculopathy, 608, 608.e1

Ultrasound pachymetry

Evaluating central corneal thickness measurements with noncontact optical low-coherence reflectometry and contact ultrasound pachymetry, 164

Urine catecholamine metabolite studies

Pediatric Horner syndrome: etiologies and roles of imaging and urine studies to detect neuroblastoma and other responsible mass lesions, 651, 651.e1

Uveitis

Borrelia hermsii causing relapsing fever and uveitis, 348

Distinct cytokine and chemokine profiles in the aqueous of patients with uveitis and cystoid macular edema, 192

Immunologic markers, uveitis, and keratoconjunctivitis sicca associated with human T-cell lymphotropic virus type 1, 811, 811,e1

Intraocular cytokine environment in active Behçet uveitis, 429, 429,e1

Intraocular methotrexate in ocular diseases other than primary central nervous system lymphoma, 883

Phacotrabeculectomy with mitomycin C in patients with uveitis. 1005

Reading performance of patients with uveitis-associated cystoid macular edema, 620, 620.e1

\mathbf{v}

Vacuum

Phacodynamics: an aspiration flow vs vacuum comparison, 320

Vancomycin

In vitro activity of fluoroquinolones, vancomycin, and gentamicin against methicillin-resistant Staphylococcus aureus ocular isolates, 726, 726.e1

Vascular endothelial growth factors

Antivascular endothelial growth factor agents and their development: therapeutic implications in ocular diseases, 660, 660.e1

Expression of VEGF and PEDF in choroidal neovascular membranes following verteporfin photodynamic therapy, 95, 95,e1

Vascular endothelial growth factor is a critical stimulus for diabetic macular edema, 961, 961.e1

Verteporfin

Choroidal ischemia after photodynamic therapy with verteporfin for choroidal neovascularization, 680

Expression of VEGF and PEDF in choroidal neovascular membranes following verteporfin photodynamic therapy, 95, 95.e1

Photodynamic therapy with verteporfin and intravitreal triamcinolone acetonide in the treatment of neovascular age-related macular degeneration, 10, 10.e1

Photodynamic therapy with verteporfin of choroidal malignancy from breast cancer, 885

Vision

Patient perceptions of discomfort and changes in vision and functional status associated with intravitreal triamcinolone injection, 492

Vision disorders

Utility of the National Eye Institute VFQ-25 Questionnaire in a heterogeneous group of multiple sclerosis patients, 464

Vision tests

- Prevalence of eye disorders in young children with eyestrain complaints, 495
- Validation and test characteristics of a 10-item neuro-ophthalmic supplement to the NEI-VFQ-25, 1026

Visual acuity

- Changes in visual acuity in a population over a 15-year period: the beaver dam eye study, 539, 539.e1
- Combined photodynamic therapy and intravitreal triamcinolone acetonide for the treatment of myopic subfoveal choroidal neovascularization, 335
- Contrast sensitivity and color vision in HIV-infected individuals without infectious retinopathy, 284, 284.e1
- Functional visual acuity in Stevens-Johnson syndrome, 917
- Intravitreal triamcinolone compared with macular laser grid photocoagulation for the treatment of cystoid macular edema (letter), 197
- Intravitreal triamcinolone for the treatment of ischemic macular edema associated with branch retinal vein occlusion (letter), 710
- Iris-supported phakic lenses (rigid vs foldable version) for treating moderately high myopia: randomized paired eye comparison, 909, 909.e1
- Longitudinal cohort study of patients with birdshot chorioretinopathy II: color vision at baseline, 1013
- Ocular findings among Thalassemia patients, 704
- Optic nerve sheath meningioma: visual improvement during radiation treatment, 343
- Optical coherence tomographic patterns of diabetic macular edema, 405, 405.e1
- Reading performance of patients with uveitis-associated cystoid macular edema, 620, 620.e1
- Stereopsis in refractive surgery, 218, 218.e1

Visual field

- Correlation between hemifield visual field damage and corresponding parapapillary atrophy in normal-tension glaucoma, 40, 40,e1
- Frequency doubling technology perimetry in normal children, 983

Visual field defects

- Photophobia associated with a demyelinating lesion of the retrochiasmal visual pathway, 854
- Prevention of visual field defect progression with angiotensinconverting enzyme inhibitor in eyes with normal-tension glaucoma, 523
- Puberty as a risk factor for less favorable visual outcome in idiopathic intracranial hypertension, 279, 279.e1

Visual function

- Comparison of visual function after epiretinal membrane removal by 20-gauge and 25-gauge vitrectomy, 513
- Wavefront analysis and contrast sensitivity of aspheric and spherical intraocular lenses: a randomized prospective study, 750, 750.e1

Visual Function Questionnaire

Utility of the National Eye Institute VFQ-25 Questionnaire in a heterogeneous group of multiple sclerosis patients, 464

Visual impairment

- Correctable and non-correctable visual impairment in a population-based sample of 12-year-old Australian children, 112, 112.e1
- Prevalence of age-related maculopathy in the adult population in China: the Beijing Eye Study, 788, 788.e1

Visual loss

- Changes in visual acuity in a population over a 15-year period: the beaver dam eye study, 539, 539.e1
- Herpes zoster ophthalmicus in otherwise healthy children, 393, 393.e1
- Risk of sudden visual loss following filtration surgery in endstage glaucoma (letter), 199

Visual sensation

Visual sensation during vitrectomy under retrobulbar anesthesia (letter), 357

Visual sensory pathway

Assessment of axonal degeneration along the human visual pathway using diffusion trace analysis, 591, 591.e1

Vitamin B6

Risk factors for posterior vitreous detachment: a case-control study, 931

Vitrectomy

- See also Pars plana vitrectomy; Transconjunctival vitrectomy
- Autologous serum for the treatment of corneal epithelial abrasions in diabetic patients undergoing vitrectomy, 207
- Comparison of visual function after epiretinal membrane removal by 20-gauge and 25-gauge vitrectomy, 513
- Early vitreous surgery for aggressive posterior retinopathy of prematurity, 636, 636.e1
- Intravitreal triamcinolone acetonide in eyes with recurrent postvitrectomy diabetic vitreous hemorrhage, 501
- Systemic absorption of 5-fluorouracil during vitrectomy, 194
- Visual sensation during vitrectomy under retrobulbar anesthesia (letter), 357

Vitreomacular interface

Ultrastructure of the vitreomacular interface in full-thickness idiopathic macular holes: a consecutive analysis of 100 cases (letter), 892

Vitreous hemorrhage

- Intravitreal triamcinolone acetonide in eyes with recurrent postvitrectomy diabetic vitreous hemorrhage, 501
- Ultrasonographic characteristics and treatment outcomes of surgery for vitreous hemorrhage in idiopathic polypoidal choroidal vasculopathy, 608, 608.e1

Vitreous surgery

Ultrasonographic characteristics and treatment outcomes of surgery for vitreous hemorrhage in idiopathic polypoidal choroidal vasculopathy, 608, 608.e1

Vitreous traction

Ultrastructure of the vitreomacular interface in full-thickness idiopathic macular holes: a consecutive analysis of 100 cases (letter), 892

Vogt-Koyanagi-Harada disease

Evaluation of the effect on outcomes of the route of administration of corticosteroids in acute Vogt-Koyanagi-Harada disease, 119

W

Wavefront analysis

Wavefront analysis and contrast sensitivity of aspheric and spherical intraocular lenses: a randomized prospective study, 750, 750.e1

WDR36

Glaucoma case-control study of the WDR36 gene D658G sequence variant, 324

Weill-Marchesani syndrome

Central corneal thickness in patients with Weill-Marchesani syndrome, 507

Wound healing

Autologous serum for the treatment of corneal epithelial abrasions in diabetic patients undergoing vitrectomy, 207

Delayed corneal epithelial wound healing after penetrating keratoplasty in individuals with lattice corneal dystrophy, 173

Is autologous serum a tonic for the ailing corneal epithelium? (editorial), 316

X

X-linked retinitis pigmentosa

Rod and cone opsin mislocalization in an autopsy eye from a carrier of X-linked retinitis pigmentosa with a Gly436Asp mutation in the RPGR gene, 515

A

AABERG, T. M., Jr: See SCHMACK, I., 310

ABDULNOUR, R. E.: See TAHER, A., 704

ABE, H.: See UEKI, S., 591

ABE, T.: See FUSE, N., 1074

ADAM, A.: See TATAR, O., 95

ADAMIAN, M., PAWLYK, B. S., HONG, D.-H., and BER-SON, E. L.: Rod and cone opsin mislocalization in an autopsy eye from a carrier of X-linked retinitis pigmentosa with a Gly436Asp mutation in the RPGR gene, 515

ADAMS, W. H., DIGRE, K. B., PATEL, B. C. K., ANDERSON, R. L., WARNER, J. E. A., and KATZ, B. J.: The evaluation of light sensitivity in benign essential blepharospasm, 82

ADAMS, W., BRINTON, J., FLOYD, M., and OLSON, R. J.: Phacodynamics: An aspiration flow vs vacuum comparison, 320

ADAN, C.: See FREITAS, D. D., 393

AFSHARI, N. A.: See WRIGHT, T. M., 1061

AFSHARI, N. A.: See YEH, D. L., 1066

AGENTO, C., COSENTINO, MJ.: Laser in situ keratomileusis: ablation on the flap and stromal bed in a primary treatment, 533

AGRAWAL, J.: See AGRAWAL, S., 199

AGRAWAL, S., AGRAWAL, J., and AGRAWAL, T. P.: Risk of sudden visual loss following filtration surgery in end-stage glaucoma, 199

AGRAWAL, T. P.: See AGRAWAL, S., 199

AHN, J. K.: See PARK, U.-C., 1005

AHN, J. K., YU, H. G., CHUNG, H., and PARK, Y. G.: Intraocular cytokine environment in active Behçet uveitis. 429

AIRIANI, S., TROKEL, S. L., LEE, S. M., and BRAUNSTEIN, R. E.: Evaluating central corneal thickness measurements with noncontact optical low-coherence reflectometry and contact ultrasound pachymetry, 164

AKANUMA, M.: See JIN, X.-H., 1064

AKIN, T.: See KARADAYI, K., 359

AKOVA, Y. A.: See CETINKAYA, A., 816

ALARAKHIA, K.: See GAYER, S., 500

ALDAVE, A. J., KING, J. A., KIM, B. T., and HOPP, L.: Corneal copper deposition associated with chronic lymphocytic leukemia, 174

ALFONSO, E. C., MILLER, D., CANTU-DIBILDOX, J., O'BRIEN, T. P., and SCHEIN, O. D.: Fungal keratitis associated with non-therapeutic soft contact lenses, 154

ALLINGHAM, R. R.: See MUIR, K. W., 223

ALVARADO, J. A.: See HOLLANDER, D. A., 993

ALVARENGA, L. S.: See FREITAS, D. D., 393

ANASTASOPOULOS, E.: See TOPOUZIS, F., 60

ANASTASOPOULOS, E.: See TOPOUZIS, F., 1076

ANASTASOPOULOS, E.: See TOPOUZIS, F., 200

ANASTASOPOULOS, E., YU, F., and COLEMAN, A. L.:

Age-related macular degeneration is associated with an increased risk of hip fractures in the medicare database, 1081

ANDERSON, P.: See KHONG, J. J., 328

ANDERSON, R. L.: See ADAMS, W. H., 82

ANDERSON, R. L.: See MCINNES, A. W., 344

ANDREOLA, C., RIBEIRO, M. P. D., DE CARLI, C. R. S., GOUVEA, A. L. F., and CURI, A. L. L.: Multifocal choroiditis in disseminated Cryptococcus neoformans infection. 346

ANG, L. P. K.: See LIM, L. S., 166

ANSARI-SHAHREZAEI, S.: See ERGUN, E., 10

ANTECKA, E.: See FILHO, J. P. S., 625

AOKI, K.: See JIN, X.-H., 1064

AOUN, E.: See TAHER, A., 704

APPLE, D. J.: See NIXON, D. R., 557

APUSHKIN, M. A.: See GROVER, S., 707

ARAIE, M.: See KADONOSONO, K., 513

ARAIE, M.: See KAWANO, J., 40

ARNARSSON, A., SVERRISSON, T., STEFÁNSSON, E., SIGURDSSON, H., SASAKI, H., SASAKI, K., and JONASSON, F.: Risk factors for five-year incident agerelated macular degeneration: the Reykjavik Eye Study, 419

ARNAUD, B.: See SÉNÉCHAL, A., 702

ARNDT, C.: See SÉNÉCHAL, A., 702

ARNÉ, I.-L.: See COULLET, I., 909

ASLANIDES, I. M., TSIKLIS, N. S., OZKILIC, E., COSKUN-SEVEN, E., PALLIKARIS, I. G., JANKOV, M. R.: The effect of topical apraclonidine on subconjunctival hemorrhage and flap adherence in LASIK patients, 714

ATENAFU, E.: See WYGNANSKI-JAFFE, T., 233

ATKINSON, D. S., Jr. See LENHART, P. D., 644

AU EONG, K.-G.: See SANGTAM, T., 357

AUDREN, F., LECLEIRE-COLLET, A., ERGINAY, A., HA-OUCHINE, B., BENOSMAN, R., BERGMANN, J.-F., GAUDRIC, A., and MASSIN, P.: Intravitreal triamcinolone acetonide for diffuse diabetic macular edema: phase 2 trial comparing 4 mg vs 2 mg, 794

AUNG, T.: See LIM, L. S., 166

AVITABILE, T., LONGO, A., and REIBALDI, A.: Reply to Bobbili, R. B.: Intravitreal triamcinolone compared with macular laser grid photocoagulation for the treatment of cystoid macular edema, 531

AVITABILE, T., LONGO, A., and REIBALDI, A.: Reply to Erdinç, A.: Intravitreal triamcinolone compared with macular laser grid photocoagulation for the treatment of cystoid macular edema, 197

AYRES, B. D., HAMMERSMITH, K. M., LAIBSON, P. R., and RAPUANO, C. J.: Phototherapeutic keratectomy with intraoperative mitomycin C to prevent recurrent anterior corneal pathology, 490

AZAR, D. T.: See TOBAIGY, F. M., 901

AZUMA, N., ISHIKAWA, K., HAMA, Y., HIRAOKA, M., SUZUKI, Y., and NISHINA, S.: Early vitreous surgery for aggressive posterior retinopathy of prematurity, 636

B

BABA, T.: See HIROOKA, K., 523

BABA, T.: See SHIMADA, N., 497

BABA, T., TANAKA, S., MAESAWA, A., TERAMATSU, T., NODA, Y., and YAMAMOTO, S.: Scleral buckling with macular plombe for eyes with myopic macular retinoschisis and retinal detachment without macular hole, 483

BABOVIC-VUKSANOVIC, D.: See PARK, W. C., 456

BABU, R. B., SUDHARSHAN, S., KUMARASAMY, N., THERESE, L., and JYOTIRMAY BISWAS, MS, FNAMS

BAHN, R. S.: See GARRITY, J. A., 147

BAKRI, S. J., CAMERON, J. D., MCCANNEL, C. A., PU-LIDO, J. S., and MARLER, R. J.: Absence of histologic retinal toxicity of intravitreal bevacizumab in a rabbit model, 162

BALCER, L. J.: See RAPHAEL, B. A., 1026

BALCER, L. J.: See VOLPE, N. J., 75

BALDESCHI, L., LINDEBOOM, R., MACANDIE, K., WAKELKAMP, I. M. M. J., WIERSINGA, W. M., and HINTSCHICH, C.: Reply to Frankel, J.: Deep lateral wall decompression, 353

BAN, Y.: See DOSHIRO, A., 337

BANDELLO, F.: See LANZETTA, P., 771

BARATZ, K. H.: See HARDWIG, P. W., 883

BARBONI, P.: See SAVINI, G., 355

BARBOSA, A. S.: See MELO, G. B., 858

BARCIA, M. G.: See CARRERO, J. L., 529

BARILE, G. R.: See D. OBER, M., 597

BARISANI-ASENBAUER, T.: See KISS, C. G., 620

BARKANA, Y., HARIZMAN, N., GERBER, Y., LIEBMANN, J. M., and RITCH, R.: The efficacy of a nurse-led preoperative cataract assessment and postoperative care clinic. 375

BARLEON, L., HOFFMANN, E. M., BERRES, M., PFEIFFER, N., and GRUS, F. H.: Comparison of dynamic contour tonometry and Goldmann Applanation Tonometry in glaucoma patients and healthy subjects, 583

BARRY, M. A., ROSENBERG, J., CHEN, S., MSHAR, P., LEGUEN, F., ROBERTSON, C., GENESE, C., TAN, C., BRESNITZ, E., HOHNSON, G., ANAND, M., SMITH, P., KAINER, M. A., SAVIOLA, J., EYDELMAN, M., SCHULTZ, D., O'DONNELL, K., PARK, B. J., SRINIVASAN, A., WANNEMUEHLER, K., ARDUINO, M., NOBLE-WANG, J., JACOBSON, L., BRANDT, M., FRIDKIN, S., CHANG, D., BURWELL, L. A., CARPENTER, L. R., LEWIS, F. M. T., SCHAFFZIN, J. K., and SOSA L.: Fusarium keratitis-multiple states 2006, 201

BARTZ-SCHMIDT, K. U., THE TUEBINGEN BEVACI-ZUMAB STUDY GROUP: See GRISANTI, S., 158

BARTZ-SCHMIDT, K. U.: See TATAR, O., 95

BASHSHUR, Z.: See TAHER, A., 704

BASHSHUR, Z. F., BAZARBACHI, A., SCHAKAL, A.,

HADDAD, Z. A., EL HAIBI, C. P., and NOUREDDIN, B. N.: Intravitreal bevacizumab for the management of choroidal neovascularization in age-related macular degeneration, 1

BAZ, P.: See TAHER, A., 704

BAZALGETTE, C.: See SÉNÉCHAL, A., 702

BAZARBACHI, A.: See BASHSHUR, Z. F., 1

BEAHM: See XIAO, Y., 693

BEATTY, S.: See SANGTAM, T., 357

BECKER, B. B.: The treatment of congenital dacryocystocele,

BEHRENS, A.: See HERRETES, S., 271

BEISER, J. A.: See HERMAN, D. C., 800

BELDEN, C.: See MILLS, D. M., 1046

BELMONT, J.: See CHHABRA, S., 852

BELSKY, D.: See SALM, M., 976

BENGER, R.: See NEMET, A. Y., 293

BENOSMAN, R.: See AUDREN, F., 794

BERGMANN, J.-F.: See AUDREN, F., 794

BERNAL, A.: See GAYER, S., 500

BERNARDINO, C. R., CHANG, E. L., and RUBIN, P. A. D.: Transcaruncular orbital decompression: an alternative procedure for Graves ophthalmopathy with compressive optic neuropathy, 711

BERRES, M.: See BARLEON, L., 583

BERSON, E. L.: See ADAMIAN, M., 515

BERT, R. J., PATZ, S., OSSIANI, M., CARUTHERS, S. D., JARA, H., KREJZA, J., FREDDO, T.: High-resolution MR imaging of the human eye 2005, 895

BHATT, D. L., FOX, K. A., HACKE, W., BERGER, P. B., BLACK, H. R., BODEN, W. E., CACOUB, P., COHEN, E. A., CREAGER, M. A., EASTON, J. D., FLATHER, M. D., HAFFNER, S. M., HAMM, C. W., HANKEY, G. J., JOHNSTON, S. C., MAK, K. H., MAS, J. L., MONTALESCOT, G., PEARSON, T. A., STEG, P. G., STEINHUBL, S. R., WEBER, M. A., BRENNAN, D. M., FABRY-RIBAUDO, L., TOPOL, E. J.: Clopidogrel and aspirin versus aspirin alone for the prevention of atherothrombotic events 2006, 366

BIESTER, S.: See GRISANTI, S., 158

BILGE, A. H.: See KARADAYI, K., 359

BINKLEY, J.: See LIN, R. J., 839

BIOUSSE, V.: See BRUCE, B. B., 878

BIOUSSE, V.: See LENHART, P. D., 644

BIRCH, E. E.: See LESKE, D. A., 699

BISOL, T.: See REZENDE, R. A., 563

BLUMENKRANZ, M. S.: See LIN, R. J., 839

BOBBILI, R. B., and MATHAI, A.: Intravitreal triamcinolone compared with macular laser grid photocoagulation for the treatment of cystoid macular edema, 531

BODEN, C.: See NG, D., 381

BOMAN, H.: See RØDAHL, E., 520

BONOMO, P. P.: See JORGE, R., 869

BOOTSMA, S. J.: See TAHZIB, N. G., 31

BORRUAT, F.-X.: See KAWASAKI, A., 854

BOTTÓS, J.: See ROCHA, K. M., 750

BOTTÓS, K.: See ROCHA, K. M., 750

BOURNE, R. R. A.: See NG, D., 381

BOWD, C.: See LALEZARY, M., 576

BOWD, C.: See NG, D., 381

BOWMAN, C. B.: See CALLANAN, D., 509

BRABET, P.: See SÉNÉCHAL, A., 702

BRADLEY, E. A.: See LEE, H. B. H., 339

BRASSEUR, G.: See LECLEIRE-COLLET, A., 176

BRAUNSTEIN, R. E.: See AIRIANI, S., 164

BRAY, M. S.: See LIEW, G., 105

BREDRUP, C.: See RØDAHL, E., 520

BREZIN, A. P.: See HOLLAND, G. N., 1013

BRINTON, J.: See ADAMS, W., 320

BRITO-MELO, G. E. A.: See PINHEIRO, S. R. A. A., 811

BROMAN, A. T.: See HERRETES, S., 271

BROWN, G. C.: See CHHABRA, S., 852

BRUCE, B. B., NEWMAN, N. J., and BIOUSSE, V.: Ophthalmoparesis in idiopathic intracranial hypertension, 878

BRUCE, B. B., ZHANG, X., KEDAR, S., NEWMAN, N. J., BIOUSSE, V.: Traumatic homonymous hemianopia, 1097

BRUN, J.: See CHIQUET, C., 325

BUEHL, W.: See NEUMAYER, T., 550

BUETTNER, H.: See HARDWIG, P. W., 883

BUGGAGE, R. R.: See PATRONAS, M., 1088

BURING, J. E.: See GULATI, A., 125

BURNIER, M. N., Jr: See FILHO, J. P. S., 625

BURROUGHS, J. R.: See MCINNES, A. W., 344

BUSSE, H.: See UHLIG, C. E., 189

C

CALLANAN, D., SCOTT, I. U., MURRAY, T. G., OXFORD, K. W., BOWMAN, C. B., and FLYNN, H. W., Jr: Early onset endophthalmitis caused by Aspergillus species following cataract surgery, 509

CALUCCI, D.: See ORÉFICE, I. L., 503

CAMERON, J. D.: See BAKRI, S. J., 162

CAMERON, J. D.: See OLSEN, T. W., 777

CAMPOCHIARO, P. A.: See DONG NGUYEN, Q., 961

CAMPOS, W.: See ORÉFICE, J. L., 503

CANO, M.: See HERRETES, S., 271

CANTU-DIBILDOX, J.: See ALFONSO, E. C., 154

CARDENAS, G.: See GAYER, S., 500

CARDILLO, J. A.: See JORGE, R., 869

CARNEIRO-PROIETTI, A. B. F., GIPH (INTERDISCIPLINARY HTLV-I/II RESEARCH GROUP): See PINHEIRO, S. R. A. A., 811

CARPINETO, P.: See MASTROPASQUA, L., 736

CARREL, H.: See CHANG, P.-Y., 488

CARRERO, J. L., FLORES, I. P., and BARCIA, M. G.: Infectious and noninfectious endophthalmitis after intravitreal high-dosage triamcinolone acetonide, 529

CATALAN-SOARES, B. C.: See PINHEIRO, S. R. A. A., 811

CENTOFANTI, M., ODDONE, F., CHIMENTI, S., TANGA, L., CITARELLA, L., and MANNI, G.: Prevention of dermatologic side effects of bimatoprost 0.03% topical therapy, 1059

ÇETINKAYA, A., and AKOVA, Y. A.: Pediatric ocular acne rosacea: long-term treatment with systemic antibiotics, 816

CHALITA, M. R.: See ROCHA, K. M., 750

CHALLA, P.: See MUIR, K. W., 223

CHAN, A.: See WITKIN, A. J., 945

CHAN, P. S. T.: See UY, H. S., 330

CHANG, E. L.: See BERNARDINO, C. R., 711

CHANG, P.-Y., CARREL, H., HUANG, J.-S., WANG, 1.-J., HOU, Y.-C., CHEN, W.-L., WANG, J.-Y., and HU, F.-R.: Decreased density of corneal basal epithelium and subbasal corneal nerve bundle changes in patients with diabetic retinopathy, 488

CHANG, S.: See D. OBER, M., 597

CHANG, T. C.: See LIAO, S. L., 712

CHANG, T. C.: See LIAO, S. L., 889

CHANG, D. C., GRANT, G. B., O'DONNELL, K., WANNE-MUEHLER, K. A., NOBLE-WANG, J., RAO, C. Y., JACOBSON, L. M., CROWELL, C. S., SNEED, R. S., LEWIL, F. M. T., SCHAFFZIN, J. K., KAINER, M. A., GENESE, C. A., ALFONSO, E. C., JONES, D. B., SRINIVASAN, A., FRIDKIN, S. K., PARK, B. J.: Multistate outbreak of Fusarium keratitis associated with use of a contact lens solution, 896

CHAN-LING, T.: See FLYNN, J. T., 46

CHAR, D. H.: See STONE, D. U., 695

CHATAWAY, J., PORTER, B., RIAZI, A., HEANEY, D., WATT, H., HOBART, J., THOMPSON, A.: Home versus outpatient administration of intravenous steroids for multiple-sclerosis relapses: a randomized controlled trial, 535

CHAUDHRY, N. A.: See LIGGETT, P. E., 1072

CHAYET, A. S.: See MORALES, A. J., 400

CHEN, A.-H.: See CHOONG, Y.-F., 68

CHEN, D.: See WANG, L., 252

CHEN, J.-T.: See CHEN, P.-L., 469

CHEN, P.-L., HSIAO, C.-H., CHEN, J.-T., LU, D.-W., and CHEN, W.-Y.: Efficacy of apraclonidine 0.5% in the diagnosis of Horner syndrome in pediatric patients under low or high illumination, 469

CHEN, S. D. M., SUNDARAM, V., PATEL, C. K., and LOCHHEAD, J.: Reply to Er, H.: Intravitreal triamcinolone for the treatment of ischemic macular edema associated with branch retinal vein occlusion, 710

CHEN, W.-L.: See CHANG, P.-Y., 488

CHEN, W.-Y.: See CHEN, P.-L., 469

CHEN, P. R., AMIN-HANJANI, S., ALBUQUERQUE, F. C., MCDOUGALL, C., ZABRAMSKI, J. M., SPETZLER, R. F.: Outcome of oculomotor nerve palsy from posterior communicating artery aneurysms: comparison of clipping and coiling, 1098

CHEUNG, B. T. O.: See LAM, R. F., 938

CHHABRA, S., KUNIMOTO, D. Y., KAZI, L., REGILLO, C. D., HO, A. C., BELMONT, J., MAGUIRE, J., VANDER, J., and BROWN, G. C.: Endophthalmitis

after open globe injury: microbiologic spectrum and susceptibilities of isolates, 852

CHIHARA, E.: See TAKAHASHI, H., 88

CHIKAMA, T.-I.: See KAWAMOTO, K., 173

CHILOV, M.: See NEMET, A. Y., 293

CHIMENTI, S.: See CENTOFANTI, M., 1059

CHIQUET, C., CLAUSTRAT, B., THURET, G., BRUN, J., COOPER, H. M., and DENIS, P.: Melatonin concentrations in aqueous humor of glaucoma patients, 325

CHIU HUBBARD, C., ARMSTRONG, L., ROGERS, J., JACQUES, G., CHYLACK, P., HANKINSON, L., WILLETT, S., TAYLOR, W., A.: Dietary glycemic index and carbohydrate in relation to early age-related macular degeneration, 535

CHOONG, Y.-F., CHEN, A.-H., and GOH, P.-P.: A comparison of autorefraction and subjective refraction with and without cycloplegia in primary school children, 68

CHOPLIN, N. T.: Diabetes-associated retinal nerve fiber damage evaluated with scanning laser polarimetry, 1093

CHUA, B., KIFLEY, A., WONG, T. Y., and MITCHELL, P.: Homocysteine and retinal emboli: The Blue Mountains Eye Study, 322

CHUNG, H.: See AHN, J. K., 429

CHUNG, H.: See LEE, S. Y., 501

CHUO, J. Y., LEE, T. Y. Y., HOLLANDS, H., MORRIS, A. H., REYES, R. C., ROSSITER, J. D., MEREDITH, S. P., and MABERLEY, D. A. L.: Risk factors for posterior vitreous detachment: a case-control study, 931

CHYLACK, L. T., Jr: See HERMAN, D. C., 800

CIANCAGLINI, M.: See MASTROPASQUA, L., 736

CIFTCI, F.: See KARADAYI, K., 359

CIMOLAI, N.: Ocular methicillin-resistant staphylococcus aureus infections in a newborn intensive care cohort, 183

CITARELLA, L.: See CENTOFANTI, M., 1059

CLAUSTRAT, B.: See CHIQUET, C., 325

CLEARY, P. E.: See KEANE, P. A., 701

COCKERHAM, K. P.: See RUTAR, T., 187

COHEN, E. J.: See REZENDE, R. A., 563

COLEMAN, A. L.: See ANASTASOPOULOS, E., 1081

COLEMAN, A. L.: See TOPOUZIS, F., 60

COLEMAN, A. L.: See TOPOUZIS, F., 1076

COLINA, J.: See LIGGETT, P. E., 1072

CONSTON, S. R.: See OLSEN, T. W., 777

COOPER, H. M.: See CHIQUET, C., 325

CORNUT, P.-L.: See MAUGET-FAYSSE, M., 970

CORREA, Z. M. S.: See FILHO, J. P. S., 625

COSTA, R. A.: See JORGE, R., 869

COSTA, R. A.: See ORÉFICE, J. L., 503

COSTELLO, F., COUPLAND, S., HODGE, W., LORELLO, G. R., KOROLUK, J., PAN, Y. I., FREEDMAN, M. S., ZACKON, D. H., KARDON, R. H.: Quantifying axonal loss after optic neuritis with optical coherence tomography, 715

COULLET, J., GUËLL, J.-L., FOURNIÉ, P., GRANDJEAN, H., GAYTAN, J., ARNÉ, J.-L., and MALECAZE, F.: Irissupported phakic lenses (rigid vs foldable version) for treating moderately high myopia: randomized paired eye comparison, 909

COUPER, D. J.: See LIEW, G., 105

COUTINHO, A. B.: See FILHO, J. P. S., 625

CRAIG, J. E.: See HEWITT, A. W., 324

CRAWFORD, J. B.: See STONE, D. U., 695

CRETEN, O., SPILEERS, W., and STALMANS, P.: Systemic absorption of 5-fluorouracil during vitrectomy, 194

CRUICKSHANKS, K. J.: See KLEIN, R., 539

CURI, A. L. L.: See ANDREOLA, C., 346

CURTIS, T. H., STOUT, A. U., DRACK, A. V., and DURAI-RAJ, V. D.: Giant orbital cysts after strabismus surgery, 697

D

DAHAN, K.: See SNYERS, B., 1089

DANA, R.: See GULATI, A., 125

DARHAD, U.: See NAKAMURA, M., 332

DAVID, D.: See KHONG, I. I., 328

DAVIS, N. L., WETLI, C. V., SHAKIN, J. L.: The retina in forensic medicine. Applications of ophthalmic endoscopy: the first 100 cases, 718

DE CARLI, C. R. S.: See ANDREOLA, C., 346

DE FREITES AM, MELO BCV, MENDONCA CN, MACHADO RP, and ROCHA FJ.

DE GROOT-MIJNES, J. D. F.: See VAN KOOIJ, B., 192

DE PAIVA, C. S., and PFLUGFELDER, S. C.: Reply to Savini, G.: The incidence and risk factors for developing dry eye after myopic LASIK, 356

DE POTTER, P., LEVECQ, L., GODFRAIND, C., and RE-NARD, L.: Primary orbital melanoma treated with iodine-125 plaque radiotherapy, 864

DE SCHRYVER, E. L., ALGRA, A., DONDERS, R. C., VAN GIJN, J., KAPPELLE, L. J.: Type of stroke after transient monocular blindness or retinal infarction of presumed arterial origin, 534

DESPRIET, D. D. G., KLAVER, C. W., WITTEMAN, J. C. M., BERGEN, A. A. B., KARDYS, I., DE MAAT, M. P. M., BOEKHOORN, S. S., VINGERLING, J. R., HOFMAN, A., OOSTRA, B. A., UITTERLINDEN, A. G., STIJNEN, T., VAN DUIJN, C. M., DE JONG, P. T. V. M.: Revised diagnostic criteria for neuromyelitis optica, 716

DECKEL, Y.: See NEMET, A. Y., 293

DEL BORRELLO, M.: See LANZETTA, P., 771

DEL PRIORE, L. V.: Stiffness of retinal and choroidal tissue: a surface wrinkling analysis of epiretinal membranes and choroidal folds, 435

DELLE NOCI, N.: See QUERQUES, G., 892

DEMER, J. L.: See KANG, N.-Y., 827

DEN BAKKER, M. A.: See LEROUX, K., 873

DEN, S.: See KAWASHIMA, M., 304

DENHAM, D.: See GAYER, S., 500

DENIS, P.: See CHIQUET, C., 325

DERAMO, V. A., LAI, J. C., FASTENBERG, D. M., and UDELL, I. J.: Acute endophthalmitis in eyes treated prophylactically with gatifloxacin and moxifloxacin, 721

DETORAKIS, E. T.: See KALYVIANAKI, M. I., 669

DI NICOLA, M.: See MASTROPASQUA, L., 736

DIEHN, J. J., DIEHN, M., MARMOR, M. F., BROWN, P. O.: Differential gene expression in anatomical compartments of the human eye, 717

DIGRE, K. B.: See ADAMS, W. H., 82

DIMASI, D. P.: See HEWITT, A. W., 324

DO, D. V.: See DONG NGUYEN, Q., 961

DOGRU, M.: See GOTO, E., 264

DOGRU, M.: See KAIDO, M., 917

DOI, L. M.: See MELO, G. B., 858

DOMIG, D.: See ILIEV, M. E., 1054

DONAHUE, S. P.: Reply to Lempert, P.: Relationship between anisometropia, patient age, and the development of amblyopia, 891

DONAHUE, S. P.: Relationship between anisometropia, patient age, and the development of amblyopia, 132

DOSHIRO, A., BAN, Y., KOBAYASHI, L., YOSHIDA, Y., and UCHIYAMA, H.: Intraocular pressure change during hemodialysis, 337

DRACK, A. V.: See CURTIS, T. H., 697

DREXLER, W.: See WITKIN, A. J., 945

DUA, H. S.: See MASTROPASQUA, L., 736

DUH, E. J.: See HERRETES, S., 271

DUKER, J. S.: See KAGEMANN, L., 862

DUKER, J. S.: See WITKIN, A. J., 945

DUNCAN, R.: See GAYER, S., 500

DUONG, H. Q., MCLEAN, I. W., and DONALD E. BEAHM,

DURAIRAJ, V. D.: See CURTIS, T. H., 697

E

EAGLE, R. C., Jr: See KIM, H. J., 1036

EAGLE, R. C., Jr: See SHIELDS, J. A., 511

ECKARDT, C.: See TATAR, O., 95

EDRINGTON, T. B.: See GORDON, M. O., 923

EDWARDS, A. R.: See REPKA, M. X., 247

EGE, E.: See THOMAS, E. R., 860

EGGINK, F. A. G. J.: See TAHZIB, N. G., 31

EHRLICH, R.: See STIEBEL-KALISH, H., 279

EL HAIBI, C. P.: See BASHSHUR, Z. F., 1

ELDER, J. E.: See WYGNANSKI-JAFFE, T., 233

ELHAYANY, A.: See KAISERMAN, I., 441

ENZENAUER, R. W.: See WYGNANSKI-JAFFE, T., 233

ER, H.: Intravitreal triamcinolone for the treatment of ischemic macular edema associated with branch retinal vein occlusion, 710

ERBILEN, E.: See TUNC, M., 673

ERDINÇ, A., and ÖZDEK, S. C.: Intravitreal triamcinolone compared with macular laser grid photocoagulation for the treatment of cystoid macular edema, 197

ERGINAY, A.: See AUDREN, F., 794

ERGUN, E., MAÁR, N., ANSARI-SHAHREZAEI, S., WIMP-ISSINGER, B., KREPLER, K., WEDRICH, A., and STUR, M.: Photodynamic therapy with verteporfin and intravitreal triamcinolone acetonide in the treatment of neovascular age-related macular degeneration, 10 ERIE, J. C.: See HARDWIG, P. W., 883

ETSUO, C.: See HIROKAZU, T., 1093

F

FARAH, M. E.: See JORGE, R., 869

FARKAS, ÁGNES: See FERENCZ, M., 765

FASTENBERG, D. M.: See DERAMO, V. A., 721

FEKRAT, S.: See WILLIAMS, A. J., 521

FEKRAT, S.: See WILLIAMS, A. J., 683

FENG, X.: See OLSEN, T. W., 777

FERENCZ, M., SOMFAI, G. M., FARKAS, ÁGNES, KOVÁCS, I., LESCH, B., RÉCSÁN, Z., NEMES, J., and SALACZ, G.: Functional assessment of the possible toxicity of indocyanine green dye in macular hole surgery, 765

FERNANDEZ, M.: See MARTICORENA, J., 335

FERRIER, N. J.: See MOSHER, A., 875

FILHO, J. P. S., MARTINS, M. C., CORREA, Z. M. S., ODASHIRO, A. N., ANTECKA, E., COUTINHO, A. B., MACEDO, C. R., VIANNA, R. N. G., and BURNIER, M. N., Jr: The expression of cyclooxygenase 2 in retinoblastoma: primary enucleated eyes and enucleation after conservative treatment, 625

FINDL, O.: See NEUMAYER, T., 550

FINK, B. A.: See GORDON, M. O., 923

FISCHER, D. H.: See SHAH, C. P., 1070

FISHMAN, G. A.: See GROVER, S., 707

FLAMMER, J.: See HAUFSCHILD, T., 179

FLORES, I. P.: See CARRERO, J. L., 529

FLOYD, M.: See ADAMS, W., 320

FLOYD, M. S., VALENTINE, J. R., and OLSON, R. J.: Fluidics and heat generation of Alcon Infiniti and Legacy, Bausch & Lomb Millennium, and Advanced Medical Optics Sovereign phacoemulsification systems, 387

FLYNN, H. W., Jr: See CALLANAN, D., 509

FLYNN, J. T., and CHAN-LING, T.: Retinopathy of prematurity: two distinct mechanisms that underlie zone 1 and zone 2 disease, 46

FOLDEN, D. V.: See OLSEN, T. W., 777

FOROOGHIAN, F.: See NOBLE, J., 464

FOURNIÉ, P.: See COULLET, J., 909

FOWLER, C. W.: See PETERSON, R. C., 572

FRANKEL, J., and HITCH, A.: Deep lateral wall decompression, 352

FRATTOLILLO, A.: See LANZETTA, P., 771

FREDRICK, D. R.: See HOLLANDER, D. A., 993

FREITAS, D. D., MARTINS, E. N., ADAN, C., AL-VARENGA, L. S., and PAVAN-LANGSTON, D.: Herpes zoster ophthalmicus in otherwise healthy children, 393

FREITAS, J. F.: See REZENDE, R. A., 563

FRIEDMAN, D. S.: Reply to Kushner, B. J.: HIPAA and research: How have the first two years gone?, 357

FRIEDMAN, D. S.: Reply to Parsa, C. F.: HIPAA and research: how have the first two years gone?, 530

FRIEDMAN, S. M., and MARGO, C. E.: Topical gel vs subconjunctival lidocaine for intravitreous injection: a randomized clinical trial, 887

FROHMAN, E., COSTELLO, F., ZIVADINOV, R., STUVE, O., CONGER, A., WINSLOW, H., TRIP, A., FROHMAN, T., BALCER, L.: Optical coherence tomography in multiple sclerosis, 1097

FUIII, Y.: See UEKI, S., 591

FUIIMOTO, J. G.: See KAGEMANN, L., 862

FUJIMOTO, J. G.: See WITKIN, A. J., 945

FUJIMURA, T.: See HIROOKA, K., 523

FUJIOKA, M.: See NAKAMURA, M., 332

FUKAGAWA, K.: See GOTO, E., 264

FURUTA, M., YAGO, K., IIDA, T.: Correlation between ocular motility and evaluation of computed tomography in orbital blowout fracture, 1019

FUSE, N., MIYAZAWA, A., MENGKEGALE, M., YOSHIDA, M., WAKUSAWA, R., ABE, T., and TAMAI, M.: Polymorphisms in Complement Factor H and Hemicentin-1 Genes in a Japanese Population With Dry-type Age-related Macular Degeneration, 1074

FUTAGAMI, S.: See SHIMADA, N., 497

G

GABRIELE, M. L.: See KAGEMANN, L., 862

GALETTA, K. M.: See RAPHAEL, B. A., 1026

GALETTA, S. L.: See RAPHAEL, B. A., 1026

GALETTA, S. L.: See VOLPE, N. J., 75

GANDORFER, A., and KAMPIK, A.: Reply to Querques, G.: Ultrastructure of the vitreomacular interface in fullthickness idiopathic macular holes: a consecutive analysis of 100 cases, 892

GANGNON, R. E.: See KLEIN, R., 539

GARDINER, S. K.: See QUINN, L. M., 983

GARG, S. J.: See SHAH, C. P., 1070

GARRITY, J. A., and BAHN, R. S.: Pathogenesis of graves ophthalmopathy: implications for prediction, prevention, and treatment, 147

GARRITY, J. A.: See PARK, W. C., 456

GATON, D. D.: See STIEBEL-KALISH, H., 279

GAUDRIC, A.: See AUDREN, F., 794

GAYER, S., DENHAM, D., ALARAKHIA, K., BERNAL, A., CARDENAS, G., DUNCAN, R., and PAREL, J.-M.: Ocular decompression devices: liquid mercury balloon vs the tungsten powder balloon, 500

GAYTAN, J.: See COULLET, J., 909

GEHLBACH, P. L.: See HERRETES, S., 271

GERBER, Y.: See BARKANA, Y., 375

GHANEM, R. C.: See TOBAIGY, F. M., 901

GINDERDEUREN, R. V.: See RØDAHL, E., 520

GIUFFRE, G.: Topical dorzolamide for the treatment of cystoid macular edema in patients with retinitis pigmentosa, 707

GLOBE, D. R.: See RAPHAEL, B. A., 1026

GODFRAIND, C.: See DE POTTER, P., 864

GOH, P.-P.: See CHOONG, Y.-F., 68

GOLDENBERG-COHEN, N.: See REPKA, M. X., 247

GOLDSTEIN, L. B., ADAMS, R., ALBERTS, M. J., APPEL, L. J., BRASS, L. M., BUSHNELL, C. D., CULEBRAS, A., DEGRABA, T. J., GORELICK, P. B., GUYTON, J. R., HART, R. G., HOWARD, G., KELLY-HAYES, M., NIXON, J. V., SACCO, R. L.: American Heart Association; American Stroke Association Stroke Council. Primary prevention of ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council: co-sponsored by the Atherosclerotic Peripheral Vascular Disease Interdisciplinary Working Group; Cardiovascular Nursing Council; Clinical Cardiology Council; Nutrition, Physical Activity, and Metabolism Council; and the Quality of Care and Outcomes Research Interdisciplinary Working Group, 716

GOMEZ-ULLA, F.: See MARTICORENA, J., 335

GOMI, F.: See OSHIMA, Y., 155

GORDON, M. O.: See HERMAN, D. C., 800

GORDON, M. O., STEGER-MAY, K., SZCZOTKA-FLYNN, L., RILEY, C., JOSLIN, C. E., WEISSMAN, B. A., FINK, B. A., EDRINGTON, T. B., OLAFSSON, H. E., ZADNIK, K.: Baseline factors predictive of incident penetrating keratoplasty in keratoconus, 923

GORDON, Y. J.: See KOWALSKI, R. P., 730

GOTO, E., DOGRU, M., FUKAGAWA, K., UCHINO, M., MATSUMOTO, Y., SAIKI, M., and TSUBOTA, K.: Successful tear lipid layer treatment for refractory dry eye in office workers by low-dose lipid application on the full-length eyelid margin, 264

GOTO, T.: See TAKAHASHI, H., 88

GOTOH, N.: See SASAHARA, M., 601

GOUVEA, A. L. F.: See ANDREOLA, C., 346

GRANDIEAN, H.: See COULLET, J., 909

GRAY, T. L.: See KHONG, J. J., 328

GREENFIELD, D. S.: See SEHI, M., 1056

GREWAL, D.: See GREWAL, S. P. S., 675

GREWAL, D.: See JAIN, R., 1083

GREWAL, S. P. S.: See JAIN, R., 1083

GREWAL, S. P. S., JAIN, R., GUPTA, R., and GREWAL, D.: Role of Scheimpflug imaging in traumatic intralenticular foreign body, 675

GRISANTI, S.: See TATAR, O., 95

GRISANTI, S., BIESTER, S., PETERS, S., TATAR, O., ZIEMSSEN, F., BARTZ-SCHMIDT, K. U., and THE TUEBINGEN BEVACIZUMAB STUDY GROUP

GRITZ, D. C.: See PRABRIPUTALOONG, T., 745

GROPPE, M.: See UHLIG, C. E., 189

GROSSNIKLAUS, H. E.: See SCHMACK, I., 310

GROVER, S., APUSHKIN, M. A., and FISHMAN, G. A.: Reply to Giuffre, G.: Topical dorzolamide for the treatment of cystoid macular edema in patients with retinitis pigmentosa, 707

GRUS, F. H.: See BARLEON, L., 583

GUËLL, J.-L.: See COULLET, J., 909

GULATI, A., SULLIVAN, R., BURING, J. E., SULLIVAN, D. A., DANA, R., and SCHAUMBERG, D. A.: Validation and repeatability of a short questionnaire for dry eye syndrome, 125

GULATI, N.: See ROTH, D. B., 492

GUPTA, R.: See GREWAL, S. P. S., 675

GUPTA, R.: See JAIN, R., 1083

GUREWITSCH, E. D.: See HERRETES, S., 271

H

HADDAD, Z. A.: See BASHSHUR, Z. F., 1

HAFFNER, G.: See LIGGETT, P. E., 1072

HAINSWORTH, D. P.: See THOMAS, E. R., 860

HALL, G. S.: See TARABISHY, A. B., 678

HALLAK, J. A.: See TOBAIGY, F. M., 901

HALLER, J. A.: See DONG NGUYEN, Q., 961

HAMA, Y.: See AZUMA, N., 636

HAMASAKI, I., HASEBE, S., and OHTSUKI, H.: Static otolith-ocular reflex reflects superior oblique muscle disorder, 849

HAMÉDANI, M.: See KAESER, P.-F., 448

HAMEL, C. P.: See SÉNÉCHAL, A., 702

HAMMERSMITH, K.: See REZENDE, R. A., 563

HAMMERSMITH, K. M.: See AYRES, B. D., 490

HAMMERTON, M.: See KHONG, J. J., 328

HAN, D. P.: See PRAKASH, M., 1079

HANGAI, M.: See YU, S., 475

HAOUCHINE, B.: See AUDREN, F., 794

HARA, Y.: See UEDA, T., 856

HARDER, B.: See JONAS, J. B., 529

HARDWIG, P. W., PULIDO, J. S., ERIE, J. C., BARATZ, K. H., and BUETTNER, H.: Intraocular methotrexate in ocular diseases other than primary central nervous system lymphoma, 883

HARIZMAN, N.: See BARKANA, Y., 375

HARRIS, A.: See TOPOUZIS, F., 60

HARRIS, A.: See TOPOUZIS, F., 1076

HASEBE, S.: See HAMASAKI, I., 849

HASSAN, S. S., and WILHELMUS, K. R.: Ecologic effects on eye banking, 1062

HATTORI, T.: See SHIMADA, H., 871

HAUFSCHILD, T., ORGÜL, S., and FLAMMER, J.: Effect of hospitalization on intraocular pressure in patients with high tension and normal tension glaucoma, 179

HERMAN, D. C., GORDON, M. O., BEISER, J. A., CHY-LACK, L. T., Jr, LAMPING, K. A., SCHEIN, O. D., SOLTAU, J. B., KASS, M. A.: Topical ocular hypotensive medication and lens opacification: evidence from the Ocular Hypertension Treatment Study, 800

HERNDON, L. W.: See MUIR, K. W., 223

HERRETES, S., SUWAN-APICHON, O., PIROUZMANESH, A., REYES, J. M. G., BROMAN, A. T., CANO, M., GEHLBACH, P. L., GUREWITSCH, E. D., DUH, E. J., and BEHRENS, A.: Use of topical human amniotic fluid in the treatment of acute ocular alkali injuries in mice, 271

HEUSSEN, F. M. A.: See JOUSSEN, A. M., 17

HEWITT, A. W., DIMASI, D. P., MACKEY, D. A., and CRAIG, J. E.: A glaucoma case-control study of the WDR36 gene D658G sequence variant, 324

HINTSCHICH, C.: See BALDESCHI, L., 353

HIRAOKA, M.: See AZUMA, N., 636

HIRAOKA, M.: See SUZUKI, H., 525

HIROKAZU, T., MASAKI, T., MASAMI, P., and ETSUO, C.: Reply to Choplin, N. T.: Diabetes-associated retinal nerve fiber damage evaluated with scanning laser polarimetry, 1093

HIROOKA, K., BABA, T., FUJIMURA, T., and SHIRAGA, F.: Prevention of visual field defect progression with angiotensin-converting enzyme inhibitor in eyes with normaltension glaucoma, 523

HITCH, A.: See FRANKEL, J., 352

HO, A. C.: See CHHABRA, S., 852

HO, C.-L.: See LIM, L. S., 166

HOFFMANN, E. M.: See BARLEON, L., 583

HOGARTY, M. D.: See MAHONEY, N. R., 651

HOLCOMBE, D. J., and LEE, G. A.: Topical interferon alfa-2b for the treatment of recalcitrant ocular surface squamous neoplasia, 568

HOLLAND, G. N.: See SHAH, K. H., 284

HOLLAND, G. N.: See TELANDER, D. G., 689

HOLLAND, G. N., SHAH, K. H., MONNET, D., BREZIN, A. P., YU, F., NUSINOWITZ, S., and LEVINSON, R. D.: Longitudinal cohort study of patients with birdshot chorioretinopathy II: Color Vision at Baseline, 1013

HOLLANDER, D. A., SARFARAZI, M., STOILOV, I., WOOD, I. S., FREDRICK, D. R., and ALVARADO, J. A.: Genotype and phenotype correlations in congenital glaucoma: CYP1B1 mutations, goniodysgenesis, and clinical characteristics, 993

HOLLANDS, H.: See CHUO, J. Y., 931

HOLMES, J. M.: See LESKE, D. A., 699

HONG, D.-H.: See ADAMIAN, M., 515

HONG, S., LEE, C. S., SEO, K. Y., SEONG, G. J., and HONG, Y. J.: Effects of topical antiglaucoma application on conjunctival impression cytology specimens, 185

HONG, Y. J.: See HONG, S., 185

HOPP, L.: See ALDAVE, A. J., 174

HORI, J.: See SUZUKI, H., 525

HORIGUCHI, M.: See HORIO, N., 710

HORIO, N., and HORIGUCHI, M.: Reply to Taneja, N.: Retinal blood flow and macular edema after radial optic neurotomy for central retinal vein occlusion, 710

HORTON, J. C.: See VAGEFI, M. R., 343

HOU, Y.-C.: See CHANG, P.-Y., 488

HSI, E.: See LIANG, C.-L., 518

HSIAO, C.-H.: See CHEN, P.-L., 469

HSU, J.: See SHAH, C. P., 1070

HSU YANG, H., CHAO, F., CHEN, A., CHUNG, Y., SHENG, C., HU, W., HH.: Distribution of carotid arterial lesions in Chinese patients with transient monocular blindness, 1098

HU, F.-R.: See CHANG, P.-Y., 488

HU, L.: See WANG, Y., 241

HUANG, J.-S.: See CHANG, P.-Y., 488

HUBBARD, G. B.: See SCHMACK, I., 310

HUGHES MAY, L., TALBOT, K., PARSONS, J., MA.: Wound dehiscence after penetrating keratoplasty: clinical characteristics of 51 cases treated at Bascom Palmer Eye Institute, 895Measurements of optic disk size with HRT II.

HUMBERT, G.: See SÉNÉCHAL, A., 702

HUNG, K.-S.: See LIANG, C.-L., 518

HUSSAIN, N.: See JALALI, S., 608

HUTCHINSON, A. K.: See LENHART, P. D., 644

HUYNH, S. C.: See ROBAEI, D., 112

HUYNH, S. C.: See WANG, X. Y., 505

HWANG, J.-M., and KEE, C.: Injection of cultured autologous fibroblasts into the subconjunctival space of rabbits treated with mitomycin, 259

HWANG, J.-M.: See JEOUNG, J. W., 709

I

IGARASHI, T.: See SUZUKI, H., 525

IIDA, T.: See FURUTA, M., 1019

IIDA, T.: See KOIZUMI, H., 340

IKUNO, Y.: See SAYANAGI, K., 850

ILIEV, M. E., DOMIG, D., WOLF-SCHNURRBURSCH, U., WOLF, S., and SARRA, G.-M.: Intravitreal bevacizumab (Avastin®) in the Treatment of Neovascular Glaucoma, 1054

INATOMI, T., NAKAMURA, T., KOJYO, M., KOIZUMI, N., SOTOZONO, C., and KINOSHITA, S.: Ocular surface reconstruction with combination of cultivated autologous oral mucosal epithelial transplantation and penetrating keratoplasty, 757

INOUE, M.: See SHINODA, K., 358

IP, J. M., ROBAEI, D., ROCHTCHINA, E., and MITCHELL, P.: Prevalence of eye disorders in young children with eyestrain complaints, 495

ISHIKAWA, H.: See KAGEMANN, L., 862

ISHIKAWA, K.: See AZUMA, N., 636

ISHIKO, H.: See JIN, X.-H., 1064

ISOLA, V., PECE, A., and PARODI, M. B.: Choroidal ischemia after photodynamic therapy with verteporfin for choroidal neovascularization, 680

ISOLA, V., PECE, A., and PIERRO, L.: Photodynamic therapy with verteporfin of choroidal malignancy from breast cancer, 885

I

JACOBS, D. A.: See RAPHAEL, B. A., 1026

JAIN, R.: See GREWAL, S. P. S., 675

JAIN, R., GREWAL, D., GUPTA, R., and GREWAL, S. P. S.: Scheimpflug imaging in late capsular bag distention syndrome after phacoemulsification, 1083

JALALI, S., MADHAVI, C., PRAMOD REDDY, G., and NUTHETI, R.: Pilot study on in vivo evaluation of retinal vascular maturity in newborn infants in the context of retinopathy of prematurity, 181

JALALI, S., PARRA, S. L., MAJJI, A. B., HUSSAIN, N., and SHAH, V. A.: Ultrasonographic characteristics and treatment outcomes of surgery for vitreous hemorrhage in idiopathic polypoidal choroidal vasculopathy, 608 JENG, B. H.: See TARABISHY, A. B., 678

JEOUNG, J. W., LEE, M. J., and HWANG, J.-M.: Reply to Procianoy, E.: Bilateral lateral rectus recession vs unilateral recess-resect procedure for exotropia with a dominant eye, 709

JESUDASAN, C. A. N.: See SALMAN, A., 170

JI, B.: See KE, T., 298

JIN, X.-H., ISHIKO, H., THANH HA, N., OHGUCHI, T., AKANUMA, M., AOKI, K., and OHNO, S.: Molecular epidemiology of adenoviral conjunctivitis in Hanoi, Vietnam, 1064

JOERES, S.: See JOUSSEN, A. M., 17

JOHNSON, C. A.: See QUINN, L. M., 983

JONAS, J. B.: Association of blood pressure status with the optic disk structure, 144

JONAS, J. B.: See SPANDAU, U. H. M., 1068

JONAS, J. B.: See WANG, Y., 241

JONAS, J. B.: See XU, L., 688

JONAS, J. B., HUA YANG: See LI, Y., 788

JONAS, J. B., KREISSIG, I., SPANDAU, U. H., and HARDER, B.: Reply to Carrero, J. L.: Infectious and noninfectious endophthalmitis after intravitreal high-dosage triamcinolone acetonide, 529

JONAS, J. B., XU, L., ZHANG, L., WANG, Y., and WANG, Y.:
Optic disk size in chronic glaucoma: The Beijing Eye
Study, 168

JONASSON, F.: See ARNARSSON, A., 419

JONESCU-CUYPERS, C.: See TOPOUZIS, F., 60

JORGE, R., COSTA, R. A., CARDILLO, J. A., UNO, F., BONOMO, P. P., and FARAH, M. E.: Optical coherence tomography evaluation of idiopathic macular hole treatment by gas-assisted posterior vitreous detachment, 869

JOSE RODRIGUEZ-CID, M.: See MARTICORENA, J., 335

JOSLIN, C. E.: See GORDON, M. O., 923

JOSLIN, C. E., TU, E. Y., MCMAHON, T. T., PASSARO, D. J., STAYNER, L. T., and SUGAR, J.: Epidemiological characteristics of a Chicago-area Acanthamoeba keratitis outbreak, 212

JOUSSEN, A. M., HEUSSEN, F. M. A., JOERES, S., LLACER, H., PRINZ, B., ROHRSCHNEIDER, K., MAAIJWEE, K. J. M., VAN MEURS, J., and KIRCHHOF, B.: Autologous translocation of the choroid and retinal pigment epithelium in age-related macular degeneration, 17

JUO, S. H.: See LIANG, C.-L., 518

K

KADONOSONO, K., YAMAKAWA, T., UCHIO, E., YANAGI, Y., TAMAKI, Y., and ARAIE, M.: Comparison of visual function after epiretinal membrane removal by 20-gauge and 25-gauge vitrectomy, 513

KAESER, P.-F., UFFER, S., ZOGRAFOS, L., and HAMÉDANI, M.: Tumors of the caruncle: a clinicopathologic correlation, 448

KAGEMANN, L., WOLLSTEIN, G., ISHIKAWA, H., GAB-RIELE, M. L., SRINIVASAN, V. J., WOJTKOWSKI, M., DUKER, J. S., FUJIMOTO, J. G., and SCHUMAN, J. S.: Persistence of Cloquet's canal in normal healthy eves, 862

KAIDO, M., DOGRU, M., YAMADA, M., SOTOZONO, C., KINOSHITA, S., SHIMAZAKI, J., and TSUBOTA, K.: Functional visual acuity in Stevens-Johnson Syndrome, 917

KAISER, P. K.: Antivascular endothelial growth factor agents and their development: therapeutic implications in ocular diseases, 660

KAISER, P. K.: See KIM, B. Y., 405

KAISER, R.: See SHAH, C. P., 1070

KAISERMAN, I., KAISERMAN, N., ELHAYANY, A., and VINKER, S.: Risk factors for photodynamic therapy of predominantly classic choroidal neovascularization in age-related macular degeneration, 441

KAISERMAN, N.: See KAISERMAN, I., 441

KAKADE, S. J.: See VEDANTHAM, V., 880

KALAVATHY, C. M.: See THOMAS, P. A., 198

KALIAMURTHY, J.: See THOMAS, P. A., 198

KALISH, Y.: See STIEBEL-KALISH, H., 279

KALYVIANAKI, M. I., KATSANEVAKI, V. J., KAVROU-LAKI, D. S., KOUNIS, G. A., DETORAKIS, E. T., and PALLIKARIS, I. G.: Comparison of corneal sensitivity and tear function following Epi-LASIK or laser in situ keratomileusis for myopia, 669

KAMPIK, A.: See GANDORFER, A., 892

KANG, N.-Y., and DEMER, J. L.: Comparison of orbital magnetic resonance imaging in Duane syndrome and abducens palsy, 827

KANG, S. J.: See SCHMACK, I., 310

KARABAS ELIBOL, L., YUKSEL, O., GURKAN, N., ALTINTAS, Y., CAGLAR, O., Y.: Probing for nasolacrimal duct obstruction using intranasal midazolam sedation as an alternative to general anesthesia, 534

KARADAYI, K., AKIN, T., CIFTCI, F., TOP, C., KESKIN, O., KARDESOGLU, E., and BILGE, A. H.: Hypermetropia is not associated with hypertension: The Blue Mountains Eye Study, 359

KARDESOGLU, E.: See KARADAYI, K., 359

KASS, M. A.: See HERMAN, D. C., 800

KATSANEVAKI, V. J.: See KALYVIANAKI, M. I., 669

KATZ, B. J.: See ADAMS, W. H., 82

KAVROULAKI, D. S.: See KALYVIANAKI, M. I., 669

KAWAGUCHI, N.: See SHINODA, K., 358

KAWAKITA, T.: See KAWASHIMA, M., 304

KAWAMOTO, K., MORISHIGE, N., YAMADA, N., CHIKAMA, T.-I., and NISHIDA, T.: Delayed corneal epithelial wound healing after penetrating keratoplasty in individuals with lattice corneal dystrophy, 173

KAWANO, J., TOMIDOKORO, A., MAYAMA, C., KUNI-MATSU, S., TOMITA, G., and ARAIE, M.: Correlation between hemifield visual field damage and corresponding parapapillary atrophy in normal-tension glaucoma, 40

KAWASAKI, A., and BORRUAT, F.-X.: Photophobia associated with a demyelinating lesion of the retrochiasmal visual pathway, 854

KAWASHIMA, M., KAWAKITA, T., DEN, S., SHIMMURA, S., TSUBOTA, K., and SHIMAZAKI, J.: Comparison of deep lamellar keratoplasty and penetrating keratoplasty for lattice and macular corneal dystrophies, 304

KAZI, L.: See CHHABRA, S., 852

KE, T., WANG, Q. K., JI, B., WANG, X., LIU, P., ZHANG, X., TANG, Z., REN, X., and LIU, M.: Novel HSF4 mutation causes congenital total white cataract in a Chinese family, 298

KEANE, P. A., RAVIKUMAR, K., O'SHEA, S. I., and CLEARY, P. E.: Anti-β2 glycoprotein 1 and the anti-phospholipid syndrome, 701

KESKIN, O.: See KARADAYI, K., 359

KHAROD JOHNSON, B., NESTI, P., RHEE, H., DJ.: Effect of written instructions on accuracy of self-reporting medication regimen in glaucoma patients, 715

KHONG, J. J., ANDERSON, P., GRAY, T. L., HAMMERTON, M., SELVA, D., and DAVID, D.: Ophthalmic findings in apert syndrome prior to craniofacial surgery, 328

KHURANA, R. N., LABREE, L. D., SCOTT, G., SMITH, R. E., and YIU, S. C.: Esterified estrogens combined with methyltestosterone raise intraocular pressure in postmenopausal women, 494

KIFLEY, A.: See CHUA, B., 322

KIFLEY, A.: See ROBAEI, D., 112

KIFLEY, A.: See ROBAEI, D., 1085

KILLER, H. E., JAGGI, G. P., FLAMMER, J., MILLER, N. R., HUBER, A. R.: The optic nerve: a new window into cerebrospinal fluid composition?, 534

KIM, B. T.: See ALDAVE, A. J., 174

KIM, B. Y., SMITH, S. D., and KAISER, P. K.: Optical coherence tomographic patterns of diabetic macular edema, 405

KIM, H. J., SHIELDS, C. L., EAGLE, R. C., Jr, and SHIELDS, J. A.: Fibrous histiocytoma of the conjunctiva, 1036

KIM, I.-G.: See LEE, S. Y., 501

KIM, Y.-D.: See PARK, W. C., 456

KING, J. A.: See ALDAVE, A. J., 174

KINOSHITA, S.: See INATOMI, T., 757

KINOSHITA, S.: See KAIDO, M., 917

KIRCHHOF, B.: See JOUSSEN, A. M., 17

KIRKWOOD, B. J., PESUDOVS, K., LATIMER, P., COSTER, D. G.: The efficacy of a nurse-led preoperative cataract assessment and postoperative care clinic, 536

KIRWAN, C., and O'KEEFE, M.: Stereopsis in refractive surgery, 218

KIRWAN, C., O'KEEFE, M., LANIGAN, B.: Corneal hysteresis and intraocular pressure measurement in children using the reichert ocular response analyzer, 990

KISS, C. G., BARISANI-ASENBAUER, T., MACA, S., RICH-TER-MUEKSCH, S., and RADNER, W.: Reading performance of patients with uveitis-associated cystoid macular edema, 620

KITA, M.: See MURAKAMI, T., 318

KLEIN, B. E. K.: See KLEIN, R., 539

KLEIN, B. E. K.: See MOSHER, A., 875

KLEIN, R.: See LIEW, G., 105

KLEIN, R.: See MOSHER, A., 875

KLEIN, R., KLEIN, B. E. K., LEE, K. E., CRUICKSHANKS, K. J., and GANGNON, R. E.: Changes in visual acuity in a population over a 15-year period: The Beaver Dam Eye Study, 539

KLEIN, S. R., EPSTEIN, R. J., RANDLEMAN, J. B., STULT-ING, R. D.: Corneal ectasia after laser in situ keratomileusis in patients without apparent preoperative risk factors, 714

KNAPPSKOG, P. M.: See RØDAHL, E., 520

KNUDTSON, M. D.: See MOSHER, A., 875

KO, T. H.: See WITKIN, A. J., 945

KOBAYASHI, L.: See DOSHIRO, A., 337

KOCH, D. D.: See RACINE, L., 227

KOHLHAAS, M., SPOERL, E., BOEHM, A. G., POLLACK, K.: A correction formula for real intraocular pressure after LASIK for the correction of myopic astigmatism, 533

KOIZUMI, H., IIDA, T., and MARUKO, I.: Morphologic features of group 2A idiopathic juxtafoveolar retinal telangiectasis in three-dimensional optical coherence tomography, 340

KOIZUMI, N.: See INATOMI, T., 757

KOJYO, M.: See INATOMI, T., 757

KOSKOSAS, A.: See TOPOUZIS, F., 60

KOSKOSAS, A.: See TOPOUZIS, F., 1076

KOSKOSAS, A.: See TOPOUZIS, F., 200

KOTLUS, B. S., WYMBS, R. A., VELLOZZI, E. M., and UDELL, I. J.: *In vitro* activity of fluoroquinolones, vancomycin, and gentamicin against methicillin-resistant *Staphylococcus aureus* ocular isolates, 726

KOUNIS, G. A.: See KALYVIANAKI, M. I., 669

KOUSSA, S.: See TAHER, A., 704

KOVÁCS, I.: See FERENCZ, M., 765

KOWALSKI, B. R.: See KOWALSKI, R. P., 730

KOWALSKI, R. P., KOWALSKI, B. R., ROMANOWSKI, E. G., MAH, F. S., THOMPSON, P. P., and GORDON, Y. J.: The *in vitro* impact of moxifloxacin and gatifloxacin concentration (0.5% vs 0.3%) and the addition of benzalkonium chloride on antibacterial efficacy, 730

KREISSIG, I.: See JONAS, J. B., 529

KREPLER, K.: See ERGUN, E., 10

KROLL, P.: See SCHULZE, S. D., 207

KUMAR, M.: See SHUKLA, P. K., 199

KUMAR, S., TAY-KEARNEY, M. L., CHAVES, F., CONSTA-BLE, I. J., YOGESAN, K.: Remote ophthalmology services: cost comparison of telemedicine and alternative service delivery options, 717

KUMAR, S., TAY-KEARNEY, M. L., CHAVES, F., CONSTA-BLE, I. J., YOGESAN, K.: Remote ophthalmology services: cost comparison of telemedicine and alternative service delivery options, 896

KUMARASAMY, N.: See BABU, R. B., 413

KUMP, L. I., CERVANTES-CATANEDA, R. A., ANDROUDI, S. N., FOSTER, C. S. F., CHRISTEN, W. G.:
Patterns of exacerbations of chronic noninfectious uveitis in pregnancy and puerperium, 1097

KUNIMATSU, S.: See KAWANO, J., 40

KUNIMOTO, D. Y.: See CHHABRA, S., 852

KUO, Y.-H.: See LIANG, C.-L., 518

KURIMOTO, Y.: See YU, S., 475

KUSHNER, B. J.: HIPAA and research: How have the first two years gone?, 356

KUSUHARA, A.: See NAKAMURA, M., 332

KWEE, I. L.: See UEKI, S., 591

KWOK, A. K. H.: See SANGTAM, T., 357

KYMES, S.: Cost-effectiveness of monotherapy treatment of glaucoma and ocular hypertension with the lipid class of medications, 354

KYMIONIS, G. D., TSILIMBARIS, M. K., and PALLIKARIS, I. G.: Reply to Pitchon, E. M.: How to measure the whole ocular rigidity?, 707

L

LABREE, L. D.: See KHURANA, R. N., 494

LAFUMA BREZIN, A., FAGNANI, A., MESBAH, F., BER-DEAUX, M., GH.: Prevalence of visual impairment in relation to the number of ophthalmologists in a given area: a nationwide approach, 896

LAI, J. C.: See DERAMO, V. A., 721

LAI, W. W.: See LAM, R. F., 938

LAI, J. S. M., THAM, C. C. Y., CHAN, J. C. H.: The clinical outcomes of cataract extraction by phacoemulsification in eyes with primary angle-closure glaucoma (PACG) and coexisting cataract: a prospective case series, 533

LAIBSON, P. R.: See AYRES, B. D., 490

LAIBSON, P. R.: See REZENDE, R. A., 563

LAIRD, P. W., MOHNEY, B. G., and RENAUD, D. L.: Bull's-eye maculopathy in an infant with leigh disease, 186

LALEZARY, M., MEDEIROS, F. A., WEINREB, R. N., BOWD, C., SAMPLE, P. A., TAVARES, I. M., TAFRESHI, A., and ZANGWILL, L. M.: Baseline optical coherence tomography predicts the development of glaucomatous change in glaucoma suspects, 576

LAM, D. S. C.: See LAM, R. F., 938

LAM, R. F., LAI, W. W., CHEUNG, B. T. O., YUEN, C. Y. F., WONG, T.-H., SHANMUGAM, M. P., and LAM, D. S. C.: Pars plana vitrectomy and perfluoropropane (C₃F₈) tamponade for retinal detachment due to myopic macular hole: a prognostic factor analysis, 938

LAMBERT, S. R.: See LENHART, P. D., 644

LAMPING, K. A.: See HERMAN, D. C., 800

LANE, I.: See PARK, W. C., 456

LANIGAN, B.: See KIRWAN, C., 990

LANZETTA, P., POLITO, A., DEL BORRELLO, M., NARAY-ANAN, R., SHAH, V. A., FRATTOLILLO, A., and BANDELLO, F.: Idiopathic macular hole surgery with low-concentration infracyanine green-assisted peeling of the internal limiting membrane, 771

LANZINI, M.: See MASTROPASQUA, L., 736

LARSON, D. A.: See VAGEFI, M. R., 343

LAURENT, E.: See SÉNÉCHAL, A., 702

LECLEIRE-COLLET, A.: See AUDREN, F., 794

LECLEIRE-COLLET, A., MURAINE, M., MÉNARD, J.-F., and BRASSEUR, G.: Evaluation of macular changes before and after successful retinal detachment surgery using stratus-optical coherence tomography, 176

LEE, C. S.: See HONG, S., 185

LEE, G. A.: See HOLCOMBE, D. I., 568

LEE, H. B. H., and BRADLEY, E. A.: Surgical repair of lateral canthal web, 339

LEE, H. G.: See LEE, S. Y., 501

LEE, K. E.: See KLEIN, R., 539

LEE, M. J.: See JEOUNG, J. W., 709

LEE, P. P.: See MUIR, K. W., 223

LEE, S. M.: See AIRIANI, S., 164

LEE, S. Y., YOON, Y. H., LEE, H. G., CHUNG, H., and KIM, J.-G.: Intravitreal triamcinolone acetonide in eyes with recurrent postvitrectomy diabetic vitreous hemorrhage, 501

LEE, T. Y. Y .: See CHUO, J. Y., 931

LEMPERT, P.: Relationship between anisometropia, patient age, and the development of amblyopia, 891

LENHART, P. D., LAMBERT, S. R., NEWMAN, N. J., BI-OUSSE, V., ATKINSON, D. S., Jr, TRABOULSI, E. I., and HUTCHINSON, A. K.: Intracranial vascular anomalies in patients with morning glory disk anomaly, 644

LEROUX, K., DEN BAKKER, M. A., and PARIDAENS, D.: Acquired capillary hemangioma in the lacrimal sac region, 873

LESCH, B.: See FERENCZ, M., 765

LESKE, D. A., BIRCH, E. E., and HOLMES, J. M.: Real depth vs Randot stereotests, 699

LEVECQ, L.: See DE POTTER, P., 864

LEVIN, A. V.: See WYGNANSKI-JAFFE, T., 233

LEVINSON, R. D.: See HOLLAND, G. N., 1013

LEVY-CLARKE, G. A.: See PATRONAS, M., 1088

LEYS, A.: See MAUGET-FAYSSE, M., 970

LI, J.: See LI, Y., 788

LI, K.: See XIAO, Y., 691

LI, Y.: See XU, L., 688

LI, Y., XU, L., JONAS, J. B., HUA YANG, MA, Y., and LI, J.:
Prevalence of age-related maculopathy in the adult
population in china: the Beijing Eye Study, 788

LIANG, C.-L., WANG, H.-S., HUNG, K.-S., HSI, E., SUN, A., KUO, Y.-H., and JUO, S. H.: Evaluation of MMP3 and TIMP1 as candidate genes for high myopia in young Taiwanese men, 518

LIAO, S. L., CHANG, T. C., and LIN, L. L.: Reply to Bernardino, C. R.: Transcaruncular orbital decompression: an alternative procedure for Graves ophthalmopathy with compressive optic neuropathy, 712

LIAO, S. L., CHANG, T. C., and LIN, L. L.: Reply to Perry, J. D.: Transcaruncular orbital decompression: an alternate procedure for Graves ophthalmopathy with compressive optic neuropathy, 889

LIBERA, R. D.: See MELO, G. B., 858

LIEBMANN, J. M.: See BARKANA, Y., 375

LIETMAN, T. M.: See PRABRIPUTALOONG, T., 745

LIEW, G., MITCHELL, P., WANG, J. J., and WONG, T. Y.: Reply to Karadayi, K.: Hypermetropia is not associated with hypertension: The Blue Mountains Eye Study, 360

LIEW, G., SHANKAR, A., WANG, J. J., KLEIN, R., BRAY, M. S., COUPER, D. J., and WONG, T. Y.: Apolipoprotein

E gene polymorphisms are not associated with diabetic retinopathy: the Atherosclerosis Risk in Communities Study, 105

LIGGETT, P. E., COLINA, J., CHAUDHRY, N. A., TOM, D., and HAFFNER, G.: Triple therapy of intravitreal triamcinolone, photodynamic therapy, and pegaptanib sodium for choroidal neovascularization, 1072

LIM, L. L., and ROSENBAUM, J. T.: Borrelia hermsii causing relapsing fever and uveitis, 348

LIM, L. S., HO, C.-L., ANG, L. P. K., AUNG, T., and TAN, D. T. H.: Inferior corneal decompensation following laser peripheral iridotomy in the superior iris, 166

LIMA, A. L. H.: See REZENDE, R. A., 563

LIN, L. L.: See LIAO, S. L., 712

LIN, L. L.: See LIAO, S. L., 889

LIN, R. J., BLUMENKRANZ, M. S., BINKLEY, J., WU, K., and VOLLRATH, D.: A novel His158Arg mutation in TIMP3 causes a late-onset form of Sorsby fundus dystrophy. 839

LINDEBOOM, R.: See BALDESCHI, L., 353

LIU, G. T.: See MAHONEY, N. R., 651

LIU, G. T.: See RAPHAEL, B. A., 1026

LIU, G. T.: See VOLPE, N. J., 75

LIU, M.: See KE, T., 298

LIU, P.: See KE, T., 298

LIVINGSTON, K. G.: See VOLPE, N. J., 75

LLACER, H.: See JOUSSEN, A. M., 17

LOCHHEAD, J.: See CHEN, S. D. M., 710

LONGO, A.: See AVITABILE, T., 197

LONGO, A.: See AVITABILE, T., 531

LU, D.-W.: See CHEN, P.-L., 469

LUEDER, G. T., and NORMAN, A. A.: Strabismus surgery for elimination of bifocals in accommodative esotropia, 632

LÜKE, M.: See TATAR, O., 95

LUSKY, M.: See STIEBEL-KALISH, H., 279

M

MA, Y.: See LI, Y., 788

MAAIJWEE, K. J. M.: See JOUSSEN, A. M., 17

MAÁR, N.: See ERGUN, E., 10

MABERLEY, D. A. L.: See CHUO, J. Y., 931

MACA, S.: See KISS, C. G., 620

MACANDIE, K.: See BALDESCHI, L., 353

MACEDO, C. R.: See FILHO, J. P. S., 625

MACKEY, D. A.: See HEWITT, A. W., 324

MACKIEWICZ, Z., MAATTA, M., STENMAN, M., KONTI-NEN, L., TERVO, T., KONTTINEN, Y.: Collagenolytic proteinases in keratoconus, 1096

MACKOOL, R. J.: Explantation of an AcrySof natural intraocular lens because of a color vision disturbance, 890

MACNAB, A. J., BENNETT, M.: Refrigerator blindness: selective loss of visual acuity in association with a common foraging behavior, 536

MADHAVI, C.: See JALALI, S., 181

MADSEN, R.: See THOMAS, E. R., 860

MAEDA, H.: See NAKAMURA, M., 332

MAESAWA, A.: See BABA, T., 483

MAGUIRE, J.: See CHHABRA, S., 852

MAGUIRE, M. G.: See RAPHAEL, B. A., 1026

MAH, F. S.: See KOWALSKI, R. P., 730

MAHONEY, N. R., LIU, G. T., MENACKER, S. J., WILSON, M. C., HOGARTY, M. D., and MARIS, J. M.: Pediatric Horner syndrome: etiologies and roles of imaging and urine studies to detect neuroblastoma and other responsible mass lesions, 651

MAJJI, A. B.: See JALALI, S., 608

MALECAZE, F.: See COULLET, J., 909

MANDAI, M.: See SASAHARA, M., 601

MANGIONE, C. M.: See RAPHAEL, B. A., 1026

MANNI, G.: See CENTOFANTI, M., 1059

MANNIS, M. J.: Keratoconus: why and when do we turn to surgical therapy?, 1044

MARDELLI, P. G.: Closure of persistent cyclodialysis cleft using the haptics of the intraocular lens, 676

MARGO, C. E.: See FRIEDMAN, S. M., 887

MARGOLIS, T. P.: See PRABRIPUTALOONG, T., 745

MARGOLIS, T. P.: See STONE, D. U., 695

MARGOLIS, T. P., WHITCHER, J. P.: Fusarium—a new culprit in the contact lens case, 897

MARIS, J. M.: See MAHONEY, N. R., 651

MARKOWITZ, C. E.: See RAPHAEL, B. A., 1026

MARLER, R. J.: See BAKRI, S. J., 162

MARR, B. P.: See SHIELDS, J. A., 511

MARTICORENA, J., GOMEZ-ULLA, F., FERNANDEZ, M., PAZOS, B., JOSE RODRIGUEZ-CID, M., and SANCHEZ-SALORIO, M.: Combined photodynamic therapy and intravitreal triamcinolone acetonide for the treatment of myopic subfoveal choroidal neovascularization, 335

MARTIN, P. A.: See NEMET, A. Y., 293

MARTINS, E. N.: See FREITAS, D. D., 393

MARTINS, M. C.: See FILHO, J. P. S., 625

MARTINS-FILHO, O. A.: See PINHEIRO, S. R. A. A., 811

MARTÍNEZ-GAMA, E.: See MORALES, A. J., 400

MARUKO, I.: See KOIZUMI, H., 340

MARUYAMA, K., SHIRATO, S.: Additive effect of dorzolamide or carteolol to latanoprost in primary open-angle glaucoma: a prospective randomized crossover trial, 1096

MASAKI, T.: See HIROKAZU, T., 1093

MASAMI, P.: See HIROKAZU, T., 1093

MASON, J. O., III, NIXON, P. A., and WHITE, M. F.: Intravitreal injection of bevacizumab (Avastin) as adjunctive treatment of proliferative diabetic retinopathy, 685

MASSIN, P.: See AUDREN, F., 794

MASTROPASQUA, L., NUBILE, M., LANZINI, M., CARPINETO, P., CIANCAGLINI, M., PANNELLINI, T., DI NICOLA, M., and DUA, H. S.: Epithelial dendritic cell distribution in normal and inflamed human cornea: in vivo confocal microscopy study, 736

MATHAI, A.: See BOBBILI, R. B., 531

MATHAI, A.: See TANEIA, N., 710

MATHER, R.: See PRABRIPUTALOONG, T., 745

MATSUMOTO, Y.: See GOTO, E., 264

MATSUZAWA, H.: See UEKI, S., 591

MAUGET-FAYSSE, M., CORNUT, P.-L., QUARANTA EL-MAFTOUHI, M., and LEYS, A.: Polypoidal choroidal vasculopathy in tilted disk syndrome and high myopia with staphyloma, 970

MAVROUDIS, L.: See TOPOUZIS, F., 60

MAVROUDIS, L.: See TOPOUZIS, F., 1076

MAYAMA, C.: See KAWANO, J., 40

MCCANN, J. D.: See MCINNES, A. W., 344

MCCANNEL, C. A.: See BAKRI, S. J., 162

MCINNES, A. W., BURROUGHS, J. R., ANDERSON, R. L., and MCCANN, J. D.: Temporary suture tarsorrhaphy, 344

MCLEAN, DONALD E., I. W.: See XIAO, Y., 693

MCMAHON, T. T.: See JOSLIN, C. E., 212

MEDEIROS, F. A.: See LALEZARY, M., 576

MELAMUD, A., SIMPSON, E., and TRABOULSI, E. I.: Introducing a new computer-based test for the clinical evaluation of color discrimination, 953

MELO, L. A. S., Jr: See MELO, G. B., 858

MELO, G. B., LIBERA, R. D., BARBOSA, A. S., PEREIRA, L. M. G., DOI, L. M., and MELO, L. A. S., Jr: Comparison of optic disk and retinal nerve fiber layer thickness in nonglaucomatous and glaucomatous patients with high myopia, 858

MENACKER, S. J.: See MAHONEY, N. R., 651

MÉNARD, J.-F.: See LECLEIRE-COLLET, A., 176

MENGKEGALE, M.: See FUSE, N., 1074

MEREDITH, S. P.: See CHUO, J. Y., 931

MEYER, D. R.: See MILLS, D. M., 1046

MILLER, D.: See ALFONSO, E. C., 154

MILLER, K. M., SHAH, S. A., and OLSON, M. D.: Reply to Mackool, R. J.: Explantation of an AcrySof natural intraocular lens because of a color vision disturbance,

MILLS, D. M., TSAI, S., MEYER, D. R., BELDEN, C.: Pediatric ophthalmic computed tomographic scanning and associated cancer risk, 1046

MISHRA, N. K.: See SHUKLA, P. K., 199

MITCHELL, P.: See CHUA, B., 322

MITCHELL, P.: See IP, J. M., 495

MITCHELL, P.: See LIEW, G., 360

MITCHELL, P.: See ROBAEI, D., 112

MITCHELL, P.: See ROBAEI, D., 1085

MITCHELL, P.: See WANG, X. Y., 505

MIYAMOTO, K.: See MURAKAMI, T., 318

MIYAZAWA, A.: See FUSE, N., 1074

MIZUTANI, Y.: See SHIMADA, H., 871

MOCHIZUKI, M.: See SHIMADA, N., 497

MOHNEY, B. G.: See LAIRD, P. W., 186

MONNET, D.: See HOLLAND, G. N., 1013

MORALES, A. J., ZADOK, D., MORA-RETANA, R., MAR-

TÍNEZ-GAMA, E., ROBLEDO, N. E., and CHAYET, A. S.: Intraoperative mitomycin and corneal endothelium after photorefractive keratectomy, 400

MORA-RETANA, R.: See MORALES, A. J., 400

MORI, R.: See SHIMADA, H., 871

MORIMOTO, L.: See ROCHA, K. M., 750

MORIN, J. D.: See WYGNANSKI-JAFFE, T., 233

MORISHIGE, N.: See KAWAMOTO, K., 173

MORISHITA, S.: See YU, S., 475

MORRIS, A. H.: See CHUO, J. Y., 931

MOSHER, A., KLEIN, B. E. K., KLEIN, R., KNUDTSON, M. D., and FERRIER, N. J.: Comparison of retinal vessel measurements in digital vs film images, 875

MOSLEHI, R., DEVESA, S. S., SCHAIRER, C., FRAUMENI, Jr, J. F.: Rapidly increasing incidence of ocular non-Hodgkin lymphoma, 895

MUIR, K. W., SANTIAGO-TURLA, C., STINNETT, S. S., HERNDON, L. W., ALLINGHAM, R. R., CHALLA, P., and LEE, P. P.: Health literacy and adherence to glaucoma therapy, 223

MURAINE, M.: See LECLEIRE-COLLET, A., 176

MURAKAMI, T., TAKAGI, H., KITA, M., NISHIWAKI, H., MIYAMOTO, K., OHASHI, H., WATANABE, D., and YOSHIMURA, N.: Intravitreal tissue plasminogen activator to treat macular edema associated with branch retinal vein occlusion, 318

MURRAY, T. G.: See CALLANAN, D., 509 MUSASHI, K.: See SASAHARA, M., 601

N

NAKADA, T.: See UEKI, S., 591

NAKAMURA, M., DARHAD, U., TATSUMI, Y., FUJIOKA, M., KUSUHARA, A., MAEDA, H., and NEGI, A.: Agreement of rebound tonometer in measuring intraocular pressure with three types of applanation tonometers, 332

NAKAMURA, T.: See INATOMI, T., 757

NAKASHIZUKA, H.: See SHIMADA, H., 871

NAMEN-LOPES, S.: See PINHEIRO, S. R. A. A., 811

NANO-SCHIAVI, M. L.: See RAPHAEL, B. A., 1026

NARAYANAN, R.: See LANZETTA, P., 771

NATTA, M. V.: See SHAH, K. H., 284

NEGI, A.: See NAKAMURA, M., 332

NEMES, J.: See FERENCZ, M., 765

NEMET, A. Y., DECKEL, Y., MARTIN, P. A., CHILOV, M., SHARMA, V., and BENGER, R.: Management of periocular basal and squamous cell carcinoma: A series of 485 cases, 293

NETTO, M. V., MOHAN, R. R., SINHA, S., SHARMA, A., GUPTA, P. C., WILSON, S. E.: Effect of prophylactic and therapeutic mitomycin C on corneal apoptosis, cellular proliferation, haze, and long-term keratocyte density in rabbits, 894

NEUMAYER, T., BUEHL, W., and FINDL, O.: Effect of topical prednisolone and diclofenac on the short-term change in morphology of posterior capsular opacification, 550

NEWKIRK, M.: See QUINN, L. M., 983

NEWMAN, N. J.: See BRUCE, B. B., 878

NEWMAN, N. J.: See LENHART, P. D., 644

NG, D., ZANGWILL, L. M., RACETTE, L., BOWD, C., PASCUAL, J. P., BOURNE, R. R. A., BODEN, C., WEINREB, R. N., and SAMPLE, P. A.: Agreement and repeatability for standard automated perimetry and confocal scanning laser ophthalmoscopy in the Diagnostic Innovations in Glaucoma Study, 381

NGUYEN, Q. D., TATLIPINAR, S., SHAH, S. M., HALLER, J. A., QUINLAN, E., SUNG, J., ZIMMER-GALLER, I., DO, D. V., and CAMPOCHIARO, P. A.: Vascular endothelial growth factor is a critical stimulus for diabetic macular edema, 961

NISHIDA, T.: See KAWAMOTO, K., 173

NISHINA, S.: See AZUMA, N., 636

NISHIWAKI, H.: See MURAKAMI, T., 318

NIU, G.: See XIAO, Y., 691

NIXON, D. R., and APPLE, D. J.: Evaluation of lens epithelial cell migration in vivo at the haptic-optic junction of a one-piece hydrophobic acrylic intraocular lens, 557

NIXON, P. A.: See MASON, J. O., III, 685

NOBLE, J., FOROOGHIAN, F., SPROULE, M., WESTALL, C., and O'CONNOR, P.: Utility of the National Eye Institute VFQ-25 questionnaire in a heterogeneous group of multiple sclerosis patients, 464

NODA, Y.: See BABA, T., 483

NOECKER, R. J., and WALT, J. G.: Reply to Kymes, S.: Cost-effectiveness of monotherapy treatment of glaucoma and ocular hypertension with the lipid class of medications, 354

NORMAN, A. A.: See LUEDER, G. T., 632

NOSÉ, W.: See ROCHA, K. M., 750

NOUREDDIN, B. N.: See BASHSHUR, Z. F., 1

NOUROUZI, H., RAJAVI, J., and OKHOVATPOUR, M. A.: Time to resolution of corneal edema after long-term contact lens wear, 671

NUBILE, M.: See MASTROPASQUA, L., 736

NUIJTS, R. M. M. A.: See TAHZIB, N. G., 31

NUSINOWITZ, S.: See HOLLAND, G. N., 1013

NUSINOWITZ, S.: See SHAH, K. H., 284

NUTHETI, R.: See JALALI, S., 181

0

OBER, M. D., BARILE, G. R., TARI, S. R., TOSSI, G. M., SCHIFF, W. M., and CHANG, S.: Measurement of the actual dose of triamcinolone acetonide delivered by common techniques of intravitreal injection, 597

O'BRIEN, T. P.: See ALFONSO, E. C., 154

O'CONNOR, P.: See NOBLE, J., 464

ODASHIRO, A. N.: See FILHO, J. P. S., 625

ODDONE, F.: See CENTOFANTI, M., 1059

OEHRENS, A. M., and STALMANS, P.: Optical coherence tomographic documentation of the formation of a traumatic macular hole, 866

OHASHI, H.: See MURAKAMI, T., 318

OHGUCHI, T.: See JIN, X.-H., 1064

OHNO, S.: See JIN, X.-H., 1064

OHNO-MATSUI, K.: See SHIMADA, N., 497

OHTSUKI, H.: See HAMASAKI, I., 849

O'KEEFE, M.: See KIRWAN, C., 218

O'KEEFE, M.: See KIRWAN, C., 990

OKHOVATPOUR, M. A.: See NOUROUZI, H., 671

OLAFSSON, H. E.: See GORDON, M. O., 923

OLSEN, T. W., FENG, X., WABNER, K., CONSTON, S. R., SIERRA, D. H., FOLDEN, D. V., SMITH, M. E., and CAMERON, J. D.: Cannulation of the suprachoroidal space: a novel drug delivery methodology to the posterior segment, 777

OLSON, M. D.: See MILLER, K. M., 890

OLSON, R. J.: See ADAMS, W., 320

OLSON, R. J.: See FLOYD, M. S., 387

ORÉFICE, F.: See ORÉFICE, J. L., 503

ORÉFICE, J. L., COSTA, R. A., CAMPOS, W., CALUCCI, D., SCOTT, I. U., and ORÉFICE, F.: Third-generation optical coherence tomography findings in punctate retinal toxoplasmosis, 503

ORGÜL, S.: See HAUFSCHILD, T., 179

O'SHEA, S. I.: See KEANE, P. A., 701

OSHIMA, Y., SAKAGUCHI, H., GOMI, F., and TANO, Y.: Regression of iris neovascularization after intravitreal injection of bevacizumab in patients with proliferative diabetic retinopathy, 155

OTA, T.: See UEDA, T., 856

OTANI, A.: See SASAHARA, M., 601

OXFORD, K. W.: See CALLANAN, D., 509

OZDEK, S. C.: See ERDINÇ, A., 197

P

PALLIKARIS, I. G.: See KALYVIANAKI, M. I., 669

PALLIKARIS, I. G.: See KYMIONIS, G. D., 707

PANNELLINI, T.: See MASTROPASQUA, L., 736

PAPPAS, T.: See TOPOUZIS, F., 60

PAPPAS, T.: See TOPOUZIS, F., 1076

PAPPAS, T.: See TOPOUZIS, F., 200

PAREL, J.-M.: See GAYER, S., 500

PARIDAENS, D.: See LEROUX, K., 873

PARK, K. H.: See PARK, U.-C., 1005

PARK, M.: See TAKAHASHI, H., 88

PARK, U.-C., AHN, J. K., PARK, K. H., and YU, H. G.: Phacotrabeculectomy with mitomycin C in patients with uveitis, 1005

PARK, W. C., WHITE, W. A., WOOG, J. J., GARRITY, J. A., KIM, Y.-D., LANE, J., WITTE, R., and BABOVIC-VUKSANOVIC, D.: The role of high-resolution computed tomography and magnetic resonance imaging in the evaluation of isolated orbital neurofibromas, 456

PARK, Y. G.: See AHN, J. K., 429

PARMAR, P.: See SALMAN, A., 170

PARODI, M. B.: See ISOLA, V., 680

PARRA, S. L.: See JALALI, S., 608

PARSA, C. F.: HIPAA and research: how have the first two years gone?, 530

PASCUAL, J. P.: See NG, D., 381

PASSARO, D. J.: See JOSLIN, C. E., 212

PATEL, B. C. K.: See ADAMS, W. H., 82

PATEL, C. K.: See CHEN, S. D. M., 710

PATRONAS, M., SMITH, J. A., LEVY-CLARKE, G. A., REED, G. F., and BUGGAGE, R. R.: Hypergammaglobulinemia and corneal opacities in patients with human T-cell lymphotrophic virus type-1, 1088

PAVAN-LANGSTON, D.: See FREITAS, D. D., 393

PAWLYK, B. S.: See ADAMIAN, M., 515

PAZOS, B.: See MARTICORENA, J., 335

PECE, A.: See ISOLA, V., 680

PECE, A.: See ISOLA, V., 885

PEREIRA, L. M. G.: See MELO, G. B., 858

PERRY, J. D.: Transcaruncular orbital decompression: an alternate procedure for Graves ophthalmopathy with compressive optic neuropathy, 889

PETERS, S.: See GRISANTI, S., 158

PETERSON, R. C., WOLFFSOHN, J. S., and FOWLER, C. W.: Optimization of anterior eye fluorescein viewing, 572

PFEIFFER, N.: See BARLEON, L., 583

PFLUGFELDER, S. C.: Is autologous serum a tonic for the ailing corneal epithelium?, 316

PFLUGFELDER, S. C.: See DE PAIVA, C. S., 356

PIERRO, L.: See ISOLA, V., 885

PIROUZMANESH, A.: See HERRETES, S., 271

PITCHON, E. M.: How to measure the whole ocular rigidity?, 706

POLITO, A.: See LANZETTA, P., 771

PRABRIPUTALOONG, T., MARGOLIS, T. P., LIETMAN, T. M., WONG, I. G., MATHER, R., and GRITZ, D. C.: Atopic disease and herpes simplex eye disease: a population-based case-control study, 745

PRAKASH, M., and HAN, D. P.: Recurrent bullous retinal detachments from photodynamic therapy for idiopathic polypoidal choroidal vasculopathy, 1079

PRAMOD REDDY, G.: See JALALI, S., 181

PRENNER, J.: See ROTH, D. B., 492

PRINZ, B.: See JOUSSEN, A. M., 17

PROCIANOY, E., and PROCIANOY, L.: Bilateral lateral rectus recession vs unilateral recess-resect procedure for exotropia with a dominant eye, 708

PROCIANOY, L.: See PROCIANOY, E., 708

PROCOP, G. W.: See TARABISHY, A. B., 678

PROIETTI, F. A.: See PINHEIRO, S. R. A. A., 811

PULIDO, J. S.: See BAKRI, S. J., 162

PULIDO, J. S.: See HARDWIG, P. W., 883

0

QUARANTA EL-MAFTOUHI, M.: See MAUGET-FAYSSE, M., 970

QUERQUES, G., and DELLE NOCI, N.: Ultrastructure of the vitreomacular interface in full-thickness idiopathic macular holes: a consecutive analysis of 100 cases, 892

QUINLAN, E.: See DONG NGUYEN, Q., 961

QUINN, L. M., GARDINER, S. K., WHEELER, D. T., NEWKIRK, M., and JOHNSON, C. A.: Frequency doubling technology perimetry in normal children, 983 RACETTE, L.: See NG, D., 381

RACINE, L., WANG, L., and KOCH, D. D.: Size of corneal topographic effective optical zone: Comparison of standard and customized myopic laser in situ keratomileusis, 227

RADNER, W.: See KISS, C. G., 620

RAJAMOHAN, M.: See SALMAN, A., 170

RAJAVI, J.: See NOUROUZI, H., 671

RALLI M, NOURI-MAHDAVI K, and CAPRIOLI J.

RAMASAMY, K.: See VEDANTHAM, V., 880

RAPHAEL, B. A., GALETTA, K. M., JACOBS, D. A., MARKOWITZ, C. E., LIU, G. T., NANO-SCHIAVI, M. L., GALETTA, S. L., MAGUIRE, M. G., MANGIONE, C. M., GLOBE, D. R., and BALCER, L. J.: Validation and test characteristics of a 10-item neuro-ophthalmic supplement to the NEI-VFQ-25, 1026

RAPUANO, C. J.: See AYRES, B. D., 490

RAPUANO, C. J.: See REZENDE, R. A., 563

RAVIKUMAR, K.: See KEANE, P. A., 701

RAZEGHINEJAD, M. R., and SAFAVIAN, H.: Central corneal thickness in patients with Weill-Marchesani syndrome, 507

RÉCSÁN, Z.: See FERENCZ, M., 765

REED, G. F.: See PATRONAS, M., 1088

REGILLO, C. D.: See CHHABRA, S., 852

REIBALDI, A.: See AVITABILE, T., 197

REIBALDI, A.: See AVITABILE, T., 531

REICHEL, E.: See WITKIN, A. J., 945

REN, X.: See KE, T., 298

RENARD, L.: See DE POTTER, P., 864

RENAUD, D. L.: See LAIRD, P. W., 186

RENUCCI, A. M., MARANGON, F. B., CULBERTSON, W. W.: Wound dehiscence after penetrating keratoplasty: clinical characteristics of 51 cases treated at Bascom Palmer Eye Institute, 894

REPKA, M. X., GOLDENBERG-COHEN, N., and EDWARDS, A. R.: Retinal nerve fiber layer thickness in amblyopic eves, 247

REYES, J. M. G.: See HERRETES, S., 271

REYES, R. C.: See CHUO, J. Y., 931

REZENDE, R. A., BISOL, T., HAMMERSMITH, K., RAPUANO, C. J., LIMA, A. L. H., WEBSTER, G. F., FREITAS, J. F., LAIBSON, P. R., and COHEN, E. J.: Efficacy of oral antiviral prophylaxis in preventing ocular Herpes Simplex Virus recurrences in patients with and without self-reported atopy, 563

RIBAS, J. G. R.: See PINHEIRO, S. R. A. A., 811

RIBEIRO, M. P. D.: See ANDREOLA, C., 346

RICHTER-MUEKSCH, S.: See KISS, C. G., 620

RIJKERS, G. T.: See VAN KOOIJ, B., 192

RILEY, C.: See GORDON, M. O., 923

RITCH, R.: See BARKANA, Y., 375

ROBAEI, D.: See IP, J. M., 495

ROBAEI, D., HUYNH, S. C., KIFLEY, A., and MITCHELL, P.: Correctable and non-correctable visual impairment in a population-based sample of 12-year-old australian children, 112

ROBAEI, D., KIFLEY, A., and MITCHELL, P.: Factors associated with a previous diagnosis of strabismus in a population-based sample of 12-year-old Australian Children, 1085

ROBLEDO, N. E.: See MORALES, A. J., 400

ROCHA, K. M., SORIANO, E. S., CHALITA, M. R., YAMADA, A. C., BOTTÓS, K., BOTTÓS, J., MORIMOTO, L., and NOSÉ, W.: Wavefront analysis and contrast sensitivity of aspheric and spherical intraocular lenses: a randomized prospective study, 750

ROCHTCHINA, E.: See IP, J. M., 495

ROCHTCHINA, E.: See WANG, X. Y., 505

RØDAHL, E., GINDERDEUREN, R. V., KNAPPSKOG, P. M., BREDRUP, C., and BOMAN, H.: A second decorin frame shift mutation in a family with congenital stromal corneal dystrophy, 520

ROHRSCHNEIDER, K.: See JOUSSEN, A. M., 17

ROMANOWSKI, E. G.: See KOWALSKI, R. P., 730

ROSENBAUM, J. T.: See LIM, L. L., 348

ROSENFELD, P. J.: Intravitreal Avastin: the low cost alternative to Lucentis?, 141

ROSSETTI, L., GANDOLFI, S., TRAVERSO, C., MONTAN-ARI, P., UVA, M., MANNI, G., CARASSA, R., MAS-TROPASQUA, L., QUARANTA, L., MARCHINI, G., RATIGLIA, R., ORZALESI, N.: An evaluation of the rate of nonresponders to latanoprost therapy, 894

ROSSITER, J. D.: See CHUO, J. Y., 931

ROTH, D. B., SCOTT, I. U., GULATI, N., and PRENNER, J.: Patient perceptions of discomfort and changes in vision and functional status associated with intravitreal triamcinolone injection, 492

ROTHOVA, A.: See VAN KOOIJ, B., 192

ROTHSTEIN TALBOTT, M., MK.: Compelled disclosure of health information: protecting against the greatest potential threat to privacy, 1096

RUBIN, P. A. D.: See BERNARDINO, C. R., 711

RUCKER, J. C., HAMILTON, S. R., BARDENSTEIN, D., ISADA, C. M., LEE, M. S.: Linezolid-associated toxic optic neuropathy, 534

RUSSELL W. READ, MD, YU, F., ACCORINTI, M., BOD-AGHI, O., CHEE, S.-P., FARDEAU, C., GOTO, H., HOLLAND, G. N., KAWASHIMA, H., KOJIMA, E., LEHOANG, P., LEMAITRE, C., OKADA, A. A., PIVETTI-PEZZI, P., SECCHI, A., SEE, R. F., TAB-BARA, K. F., USUI, M., and RAO, N. A.: Evaluation of the effect on outcomes of the route of administration of corticosteroids in acute Vogt-Koyanagi-Harada disease, 119

RUTAR, T., and COCKERHAM, K. P.: Periorbital zygomycosis (mucormycosis) treated with posaconazole, 187

S

SACCO, R. L.: See GOLDSTEIN, L. B., 716 SAFAVIAN, H.: See RAZEGHINEJAD, M. R., 507 SAIKI, M.: See GOTO, E., 264 SAKAGUCHI, H.: See OSHIMA, Y., 155 SALACZ, G.: See FERENCZ, M., 765 SALM, M., BELSKY, D., and SLOAN, F. A.: Trends in cost of major eye diseases to medicare, 1991 to 2000, 976

SALMAN, A., PARMAR, P., RAJAMOHAN, M., VANILA, C. G., THOMAS, P. A., and JESUDASAN, C. A. N.: Optical coherence tomography in choroidal tuberculosis, 170

SAMPLE, P. A.: See LALEZARY, M., 576

SAMPLE, P. A.: See NG, D., 381

SANCHEZ-SALORIO, M.: See MARTICORENA, J., 335

SANGTAM, T., TAN, C. S. H., AU EONG, K.-G., BEATTY, S., and KWOK, A. K. H.: Visual sensation during vitrectomy under retrobulbar anesthesia, 357

SANTIAGO-TURLA, C.: See MUIR, K. W., 223

SARFARAZI, M.: See HOLLANDER, D. A., 993

SARRA, G.-M.: See ILIEV, M. E., 1054

SASAHARA, M., TSUJIKAWA, A., MUSASHI, K., GOTOH, N., OTANI, A., MANDAI, M., and YOSHIMURA, N.: Polypoidal choroidal vasculopathy with choroidal vascular hyperpermeability, 601

SASAKI, H.: See ARNARSSON, A., 419

SASAKI, K.: See ARNARSSON, A., 419

SAVINI, G., BARBONI, P., and ZANINI, M.: The incidence and risk factors for developing dry eye after myopic LASIK, 355

SAYANAGI, K., IKUNO, Y., and TANO, Y.: Tractional internal limiting membrane detachment in highly myopic eyes, 850

SAYEGH, R. R.: See TOBAIGY, F. M., 901

SBARBARO, J. A.: See VOLPE, N. J., 75

SCHAKAL, A.: See BASHSHUR, Z. F., 1

SCHAUMBERG, D. A.: See GULATI, A., 125

SCHEIN, O. D.: See ALFONSO, E. C., 154

SCHEIN, O. D.: See HERMAN, D. C., 800

SCHIFF, W. M.: See D. OBER, M., 597

SCHMACK, I., HUBBARD, G. B., KANG, S. J., AABERG, T. M., Jr, and GROSSNIKLAUS, H. E.: Ischemic necrosis and atrophy of the optic nerve after periocular carboplatin injection for intraocular retinoblastoma, 310

SCHULZE, S. D., SEKUNDO, W., and KROLL, P.: Autologous serum for the treatment of corneal epithelial abrasions in diabetic patients undergoing vitrectomy, 207

SCHUMAN, J. S.: See KAGEMANN, L., 862

SCHUMAN, J. S.: See WITKIN, A. J., 945

SCOTT, G.: See KHURANA, R. N., 494

SCOTT, I. U.: See CALLANAN, D., 509

SCOTT, I. U.: See ORÉFICE, J. L., 503

SCOTT, I. U.: See ROTH, D. B., 492

SEARS, J. E.: See SINGH, R. P., 160

SEHI, M., and GREENFIELD, D. S.: Assessment of retinal nerve fiber layer using optical coherence tomography and scanning laser polarimetry in progressive glaucomatous optic neuropathy, 1056

SEKUNDO, W.: See SCHULZE, S. D., 207

SELVA, D.: See KHONG, J. J., 328

SÉNÉCHAL, A., HUMBERT, G., SURGET, M.-O., BAZAL-GETTE, C., BAZALGETTE, C., ARNAUD, B., ARNDT, C., LAURENT, E., BRABET, P., and HAMEL, C. P.: Screening genes of the retinoid metabolism: novel *LRAT* mutation in Leber congenital amaurosis, 702

SEO, K. Y.: See HONG, S., 185

SEONG, G. J.: See HONG, S., 185

SHAFIQ, A.: See WYGNANSKI-JAFFE, T., 233

SHAH, C. P., HSU, J., GARG, S. J., FISCHER, D. H., and KAISER, R.: Retinal pigment epithelial tear after intravitreal bevacizumab injection, 1070

SHAH, K. H.: See HOLLAND, G. N., 1013

SHAH, K. H., HOLLAND, G. N., YU, F., NATTA, M. V., and NUSINOWITZ, S.: Contrast sensitivity and color vision in HIV-infected individuals without infectious retinopathy, 284

SHAH, S. A.: See MILLER, K. M., 890

SHAH, S. M.: See DONG NGUYEN, Q., 961

SHAH, V. A.: See JALALI, S., 608

SHAH, V. A.: See LANZETTA, P., 771

SHAMSEDDEEN, W. A.: See TAHER, A., 704

SHANKAR, A.: See LIEW, G., 105

SHANMUGAM, M. P.: See LAM, R. F., 938

SHARMA, V.: See NEMET, A. Y., 293

SHIELDS, C. L.: See KIM, H. J., 1036

SHIELDS, C. L.: See SHIELDS, J. A., 511

SHIELDS, J. A.: See KIM, H. J., 1036

SHIELDS, J. A., EAGLE, R. C., Jr, SHIELDS, C. L., and MARR, B. P.: Orbital-conjunctival glomangiomas involving two ocular rectus muscles, 511

SHIMADA, H., NAKASHIZUKA, H., MORI, R., MIZUTANI, Y., and HATTORI, T.: 25-Gauge scleral tunnel transconjunctival vitrectomy, 871

SHIMADA, N., OHNO-MATSUI, K., BABA, T., FU-TAGAMI, S., TOKORO, T., and MOCHIZUKI, M.: Natural course of macular retinoschisis in highly myopic eyes without macular hole or retinal detachment, 497

SHIMAZAKI, J.: See KAIDO, M., 917

SHIMAZAKI, J.: See KAWASHIMA, M., 304

SHIMMURA, S.: See KAWASHIMA, M., 304

SHINODA, K.: See TATAR, O., 95

SHINODA, K., INOUE, M., KAWAGUCHI, N., and SUG-ISAKA, E.: Reply to Sangtam, T.: Visual sensation during vitrectomy under retrobulbar anesthesia, 358

SHIRAGA, F.: See HIROOKA, K., 523

SHIWA, T.: See SUZUKI, H., 525

SHOJI, T.: See TAKAHASHI, H., 88

SHUKLA, P. K., KUMAR, M., and MISHRA, N. K.: Reply to Thomas, P. A.: Sensitive and rapid polymerase chain reaction based diagnosis of mycotic keratitis through single stranded conformation polymorphism, 199

SHULER MJ and BEAR MF.

SHUPER, A.: See STIEBEL-KALISH, H., 279

SIERRA, D. H.: See OLSEN, T. W., 777

SIGURDSSON, H.: See ARNARSSON, A., 419

SIMPSON, E.: See MELAMUD, A., 953

SINGH, R. P., and SEARS, J. E.: Retinal pigment epithelial tears after pegaptanib injection for exudative age-related macular degeneration, 160

SJÖ, L. D., RALFKIAER, E., JUHL, B. R., PRAUSE, J. U., KIVELÄ, T., AUW-HAEDRICH, C., BACIN, F., CARRERA, M., COUPLAND, S. E., DELBOSC, B., DUCREY, N., KANTELIP, B., KEMENY, J. L., MEYER, P., SJÖ, N. C., HEEGAARD, S.: Primary lymphoma of the lacrimal sac: an EORTC ophthalmic oncology task force study, 897

SLOAN, F. A.: See SALM, M., 976

SMITH, C.: See WYGNANSKI-JAFFE, T., 233

SMITH, J. A.: See PATRONAS, M., 1088

SMITH, M. E.: See OLSEN, T. W., 777

SMITH, R. E.: See KHURANA, R. N., 494

SMITH, S. D.: See KIM, B. Y., 405

SNYERS, B., and DAHAN, K.: Blau syndrome associated with a CARD15/NOD2 Mutation, 1089

SOLTAU, J. B.: See HERMAN, D. C., 800

SOMFAI, G. M.: See FERENCZ, M., 765

SORIANO, E. S.: See ROCHA, K. M., 750

SOTOZONO, C.: See INATOMI, T., 757

SOTOZONO, C.: See KAIDO, M., 917

SPAETH, G. L.: Allergic contact dermatitis caused by topical eye drops, 706

SPANDAU, U. H. M., and JONAS, J. B.: Retinal pigment epithelium tear after intravitreal bevacizumab for exudative age-related macular degeneration, 1068

SPANDAU, U. H.: See JONAS, J. B., 529

SPILEERS, W.: See CRETEN, O., 194

SPROULE, M.: See NOBLE, J., 464

SRINIVASAN, V. J.: See KAGEMANN, L., 862

STALMANS, P.: See CRETEN, O., 194

STALMANS, P.: See OEHRENS, A. M., 866

STALMANS, P.: See TATAR, O., 95

STAYNER, L. T.: See JOSLIN, C. E., 212

STEFÁNSSON, E.: See ARNARSSON, A., 419

STEGER-MAY, K.: See GORDON, M. O., 923

STEPHENS, D.: See WYGNANSKI-JAFFE, T., 233

STIEBEL-KALISH, H., KALISH, Y., LUSKY, M., GATON, D. D., EHRLICH, R., and SHUPER, A.: Puberty as a risk factor for less favorable visual outcome in idiopathic intracranial hypertension, 279

STINNETT, S. S.: See MUIR, K. W., 223

STINNETT, S. S.: See YEH, D. L., 1066

STOILOV, I.: See HOLLANDER, D. A., 993

STONE, D. U., CHAR, D. H., CRAWFORD, J. B., MARGO-LIS, T. P., VAN GELDER, R. N., and STRAUSS, E. C.: Metaplastic squamous epithelial downgrowth after clear corneal cataract surgery, 695

STOUT, A. U.: See CURTIS, T. H., 697

STRAUSS, E. C.: See STONE, D. U., 695

STUR, M.: See ERGUN, E., 10

SUDHARSHAN, S.: See BABU, R. B., 413

SUGAR, J.: See JOSLIN, C. E., 212

SUGAR, J.: The contact lens/Fusarium "outbreak", 146

SUGISAKA, E.: See SHINODA, K., 358

SULLIVAN, D. A.: See GULATI, A., 125

SULLIVAN, R.: See GULATI, A., 125

SUN, A.: See LIANG, C.-L., 518

SUN, J.: See WU, H., 822

SUNDARAM, V.: See CHEN, S. D. M., 710

SUNG, J.: See DONG NGUYEN, Q., 961

SURGET, M.-O.: See SÉNÉCHAL, A., 702

SUWAN-APICHON, O.: See HERRETES, S., 271

SUZUKI, H., TAKAHASHI, H., HORI, J., HIRAOKA, M., IGARASHI, T., and SHIWA, T.: Phacoemulsification associated corneal damage evaluated by corneal volume, 525

SUZUKI, Y.: See AZUMA, N., 636

SVERRISSON, T.: See ARNARSSON, A., 419

SZCZOTKA-FLYNN, L.: See GORDON, M. O., 923

T

TAFRESHI, A.: See LALEZARY, M., 576

TAHER, A., BASHSHUR, Z., SHAMSEDDEEN, W. A., AB-DULNOUR, R. E., AOUN, E., KOUSSA, S., and BAZ, P.: Ocular findings among thalassemia patients, 704

TAHZIB, N. G., BOOTSMA, S. J., EGGINK, F. A. G. J., and NUIJTS, R. M. M. A.: Functional outcome and patient satisfaction after artisan phakic intraocular lens implantation for the correction of myopia, 31

TAKAGI, H.: See MURAKAMI, T., 318

TAKAGI, M.: See UEKI, S., 591

TAKAHASHI, H.: See SUZUKI, H., 525

TAKAHASHI, H., GOTO, T., SHOJI, T., TANITO, M., PARK, M., and CHIHARA, E.: Diabetes-associated retinal nerve fiber damage evaluated with scanning laser polarimetry, 88

TAMAI, M.: See FUSE, N., 1074

TAMAKI, Y.: See KADONOSONO, K., 513

TAN, C. S. H.: See SANGTAM, T., 357

TAN, D. T. H.: See LIM, L. S., 166

TANABE, T.: See YU, S., 475

TANAKA M, DOGRU M, TAKANO Y, MIYAKE-KASHIMA M, ASANO-KATO N, FUKAGAWA K, TSUBOTA K, and FUJISHIMA H.

TANAKA, S.: See BABA, T., 483

TANEJA, N., and MATHAI, A.: Retinal blood flow and macular edema after radial optic neurotomy for central retinal vein occlusion, 710

TANG, Z.: See KE, T., 298

TANGA, L.: See CENTOFANTI, M., 1059

TANITO, M.: See TAKAHASHI, H., 88

TANO, Y.: See OSHIMA, Y., 155

TANO, Y.: See SAYANAGI, K., 850

TARABISHY, A. B., HALL, G. S., PROCOP, G. W., and JENG, B. H.: Bacterial culture isolates from hospitalized pediatric patients with conjunctivitis, 678

TARI, S. R.: See D. OBER, M., 597

TATAR, O.: See GRISANTI, S., 158

TATAR, O., ADAM, A., SHINODA, K., STALMANS, P., ECKARDT, C., LÜKE, M., BARTZ-SCHMIDT, K. U., and GRISANTI, S.: Expression of vegf and pedf in choroidal neovascular membranes following verteporfin photodynamic therapy, 95

TATLIPINAR, S.: See DONG NGUYEN, Q., 961

TATSUMI, Y.: See NAKAMURA, M., 332

TAVARES, I. M.: See LALEZARY, M., 576

TELANDER, D. G., HOLLAND, G. N., WAX, M. B., and VAN GELDER, R. N.: Rubeosis and anterior segment ischemia associated with systemic cryoglobulinemia, 689

TERAMATSU, T.: See BABA, T., 483

THANH HA, N.: See JIN, X.-H., 1064

THERESE, JYOTIRMAY BISWAS, MS, FNAMS, L.: See BABU, R. B., 413

THOMAS, E. R., WANG, J., EGE, E., MADSEN, R., and HAINSWORTH, D. P.: Intravitreal triamcinolone acetonide concentration after subtenon injection, 860

THOMAS, P. A.: See SALMAN, A., 170

THOMAS, P. A., KALAVATHY, C. M., and KALIAMUR-THY, J.: Sensitive and rapid polymerase chain reaction based diagnosis of mycotic keratitis through single stranded conformation polymorphism, 198

THOMPSON, P. P.: See KOWALSKI, R. P., 730

THURET, G.: See CHIQUET, C., 325

TOBAIGY, F. M., GHANEM, R. C., SAYEGH, R. R., HAL-LAK, J. A., and AZAR, D. T.: A control-matched comparison of laser epithelial keratomileusis and laser in situ keratomileusis for low to moderate myopia, 901

TOKORO, T.: See SHIMADA, N., 497

TOM, D.: See LIGGETT, P. E., 1072

TOMIDOKORO, A.: See KAWANO, J., 40

TOMITA, G.: See KAWANO, J., 40

TOP, C.: See KARADAYI, K., 359

TOPOUZIS, F., COLEMAN, A. L., HARRIS, A., ANASTA-SOPOULOS, E., YU, F., KOSKOSAS, A., PAPPAS, T., MAVROUDIS, L., and WILSON, M. R.: Prevalence of age-related macular degeneration in Greece: The Thessaloniki Eye Study, 1076

TOPOUZIS, F., COLEMAN, A. L., HARRIS, A., JONESCU-CUYPERS, C., YU, F., MAVROUDIS, L., ANASTA-SOPOULOS, E., PAPPAS, T., KOSKOSAS, A., and WILSON, M. R.: Association of blood pressure status with the optic disk structure in non-glaucoma subjects: The Thessaloniki Eye Study, 60

TOPOUZIS, F., TRANOS, P., KOSKOSAS, A., PAPPAS, T., ANASTASOPOULOS, E., and WILSON, M. R.: Reply to Agrawal, S.: Risk of sudden visual loss following filtration surgery in end-stage glaucoma, 200

TOSSI, G. M.: See D. OBER, M., 597

TRABOULSI, E. I.: See LENHART, P. D., 644

TRABOULSI, E. I.: See MELAMUD, A., 953

TRANOS, P.: See TOPOUZIS, F., 200

TRIVEDI WILSON, R., GOLUB, M., RL.: Incidence and risk factors for glaucoma after pediatric cataract surgery with and without intraocular lens implantation, 714

TROKEL, S. L.: See AIRIANI, S., 164

TSAI, S.: See MILLS, D. M., 1046

TSILIMBARIS, M. K.: See KYMIONIS, G. D., 707

TSUBOTA, K.: See GOTO, E., 264

TSUBOTA, K.: See KAIDO, M., 917

TSUBOTA, K.: See KAWASHIMA, M., 304

TSUJIKAWA, A.: See SASAHARA, M., 601

TU, E. Y.: See JOSLIN, C. E., 212

TUNC, M., and ERBILEN, E.: Topical cyclosporine-A combined with mitomycin C for conjunctival and corneal squamous cell carcinoma. 673

TÜRKÇÜOĞLU P., KADAYIFÇILAR, S., and ELDEM, B.: The role of serum endothelin-1 level in the etiopathogenesis of central serous chorioretinopathy, 349

TYCHSEN, L., PACKWOOD, E., HOEKEL, J., LUEDER, G. J.: Refractive surgery for high bilateral myopia in children with neurobehavioral disorders: 1. Clear lens extraction and refractive lens exchange, 1095

TYCHSEN, L., HOEKEL, J.: Refractive surgery for high bilateral myopia in children with neurobehavioral disorders: 2. Laser-assisted subepithelial keratectomy (LASEK), 1095

U

UCHINO, M.: See GOTO, E., 264

UCHIO, E.: See KADONOSONO, K., 513

UCHIYAMA, H.: See DOSHIRO, A., 337

UDELL, I. J.: See DERAMO, V. A., 721

UDELL, I. J.: See KOTLUS, B. S., 726

UEDA, T., OTA, T., YUKAWA, E., and HARA, Y.: Frequency doubling technology perimetry after clear and yellow intraocular lens implantation, 856

UEKI, S., FUJII, Y., MATSUZAWA, H., TAKAGI, M., ABE, H., KWEE, I. L., and NAKADA, T.: Assessment of axonal degeneration along the human visual pathway using diffusion trace analysis, 591

UFFER, S.: See KAESER, P.-F., 448

UHLIG, C. E., BUSSE, H., and GROPPE, M.: Use of fibrin glue in fixation of amniotic membranes in sterile corneal ulceration, 189

UNO, F.: See JORGE, R., 869

UY, H. S., and CHAN, P. S. T.: Pigment release and secondary glaucoma after implantation of single-piece acrylic intraocular lenses in the ciliary sulcus, 330

V

VAGEFI, M. R., LARSON, D. A., and HORTON, J. C.: Optic nerve sheath meningioma: Visual improvement during radiation treatment, 343

VALENTINE, J. R.: See FLOYD, M. S., 387

VAN GELDER, R. N.: See STONE, D. U., 695

VAN GELDER, R. N.: See TELANDER, D. G., 689

VAN KOOIJ, B., ROTHOVA, A., RIJKERS, G. T., and DE GROOT-MIJNES, J. D. F.: Distinct cytokine and chemokine profiles in the aqueous of patients with uveitis and cystoid macular edema, 192

VAN MEURS, J.: See JOUSSEN, A. M., 17

VANDER, J.: See CHHABRA, S., 852

VANILA, C. G.: See SALMAN, A., 170

VASSENEIX, C., GARGALA, G., FRANCOIS, A., HELLOT, M. F., DUCLOS, C., MURAINE, M., BENICHOU, J., BALLET, J. J., BRASSEUR G, FAVENNEC L.: A keratitis rat model for evaluation of anti-Acanthamoeba polyphagia agents, 1095

VATS, M. M.: See VEDANTHAM, V., 880

VEDANTHAM, V., VATS, M. M., KAKADE, S. J., and RAMASAMY, K.: Diffuse unilateral subacute neuroretinitis with unusual findings, 880

VELLOZZI, E. M.: See KOTLUS, B. S., 726

VIANNA, R. N. G.: See FILHO, J. P. S., 625

VINKER, S.: See KAISERMAN, I., 441

VOLLRATH, D.: See LIN, R. J., 839

VOLPE, N. J., SBARBARO, J. A., LIVINGSTON, K. G., GALETTA, S. L., LIU, G. T., and BALCER, L. J.: Occult thyroid eye disease in patients with unexplained ocular misalignment identified by standardized orbital echography, 75

W

WABNER, K.: See OLSEN, T. W., 777

WAKELKAMP, I. M. M. J.: See BALDESCHI, L., 353

WAKUSAWA, R.: See FUSE, N., 1074

WALT, J. G.: See NOECKER, R. J., 354

WANG, H.-S.: See LIANG, C.-L., 518

WANG, I.-J.: See CHANG, P.-Y., 488

WANG, J.: See THOMAS, E. R., 860

WANG, J. J.: See LIEW, G., 105

WANG, J. J.: See LIEW, G., 360

WANG, J.-Y.: See CHANG, P.-Y., 488

WANG, L.: See RACINE, L., 227

WANG, L., CHEN, D., and WANG, Z.: New technique for lacrimal system intubation, 252

WANG, Q. K.: See KE, T., 298

WANG, S.: See XU, L., 688

WANG, X.: See KE, T., 298

WANG, X. Y., HUYNH, S. C., ROCHTCHINA, E., and MITCHELL, P.: Influence of birth parameters on peripapillary nerve fiber layer and macular thickness in six-year-old children, 505

WANG, Y.: See JONAS, J. B., 168

WANG, Y.: See WANG, Y., 241

WANG, Y.: See XIAO, Y., 691

WANG, Y., XU, L., HU, L., WANG, Y., YANG, H., and JONAS, J. B.: Frequency of optic disk hemorrhages in adult chinese in rural and urban china: The Beijing Eye Study, 241

WANG, Z.: See WANG, L., 252

WARNER, J. E. A.: See ADAMS, W. H., 82

WATANABE, D.: See MURAKAMI, T., 318

WAX, M. B.: See TELANDER, D. G., 689

WEBSTER, G. F.: See REZENDE, R. A., 563

WEDRICH, A.: See ERGUN, E., 10

WEINREB, R. N.: See LALEZARY, M., 576

WEINREB, R. N.: See NG, D., 381

WEISSMAN, B. A.: See GORDON, M. O., 923

WESTALL, C.: See NOBLE, J., 464

WHEELER, D. T.: See QUINN, L. M., 983

WHITE, M. F.: See MASON, J. O., III, 685

WHITE, W. A.: See PARK, W. C., 456

WIERSINGA, W. M.: See BALDESCHI, L., 353

WILHELMUS, K. R.: See HASSAN, S. S., 1062

WILLIAMS, A. J., and FEKRAT, S.: Disappearance of myelinated retinal nerve fibers after pars plana vitrectomy, 521

WILLIAMS, A. J., and FEKRAT, S.: Progression of choroidal neovascularization following injection of pegaptanib sodium (Macugen) in two eyes with neovascular agerelated macular degeneration, 683

WILSON, M. C.: See MAHONEY, N. R., 651

WILSON, M. R.: See TOPOUZIS, F., 60

WILSON, M. R.: See TOPOUZIS, F., 1076

WILSON, M. R.: See TOPOUZIS, F., 200

WIMPISSINGER, B.: See ERGUN, E., 10

WINGERCHUK, D. M., LENNON, V. A., PITTOCK, S. J., LUCCHINETTI, C. F., and WEINSHENKER, B. G.: Revised diagnostic criteria for neuromyelitis optica, 715

WITKIN, A. J., KO, T. H., FUJIMOTO, J. G., CHAN, A., DREXLER, W., SCHUMAN, J. S., REICHEL, E., and DUKER, J. S.: Ultra-high resolution optical coherence tomography assessment of photoreceptors in retinitis pigmentosa and related diseases, 945

WITTE, R.: See PARK, W. C., 456

WOJTKOWSKI, M.: See KAGEMANN, L., 862

WOLF, S.: See ILIEV, M. E., 1054

WOLFFSOHN, J. S.: See PETERSON, R. C., 572

WOLF-SCHNURRBURSCH, U.: See ILIEV, M. E., 1054

WOLLSTEIN, G.: See KAGEMANN, L., 862

WONG, I. G.: See PRABRIPUTALOONG, T., 745

WONG, T. Y.: See CHUA, B., 322

WONG, T. Y.: See LIEW, G., 105

WONG, T. Y.: See LIEW, G., 360

WONG, T.-H.: See LAM, R. F., 938

WOOD, I. S.: See HOLLANDER, D. A., 993

WOOG, J. J.: See PARK, W. C., 456

WRIGHT, T. M., and AFSHARI, N. A.: Microbial keratitis following corneal transplantation, 1061

WU, H., SUN, J., XIA, X., XU, L., and XU, X.: Binocular status after surgery for constant and intermittent exotropia, 822

WU, K.: See LIN, R. J., 839

WYGNANSKI-JAFFE, T., LEVIN, A. V., SHAFIQ, A., SMITH, C., ENZENAUER, R. W., ELDER, J. E., MORIN, J. D., STEPHENS, D., and ATENAFU, E.: Postmortem orbital findings in shaken baby syndrome, 233

WYMBS, R. A.: See KOTLUS, B. S., 726

X

XIA, X.: See WU, H., 822

XIAO, Y., WANG, Y., NIU, G., and LI, K.: Transpupillary argon laser photocoagulation and Nd:YAG laser cystotomy for peripheral iris pigment epithelium cyst, 691

XU, L.: See JONAS, J. B., 168

XU, L.: See LI, Y., 788

XU, L.: See WANG, Y., 241

XU, L.: See WU, H., 822

XU, L., WANG, S., LI, Y., and JONAS, J. B.: Retinal vascular abnormalities and prevalence of age-related macular degeneration in adult Chinese: The Beijing Eye Study, 688

XU, X.: See WU, H., 822

Y

YAGO, K.: See FURUTA, M., 1019

YAMADA, A. C.: See ROCHA, K. M., 750

YAMADA, M.: See KAIDO, M., 917

YAMADA, N.: See KAWAMOTO, K., 173

YAMAKAWA, T.: See KADONOSONO, K., 513

YAMAMOTO, S.: See BABA, T., 483

YANAGI, Y.: See KADONOSONO, K., 513

YANG, H.: See WANG, Y., 241

YEH, D. L., STINNETT, S. S., and AFSHARI, N. A.: Analysis of bacterial cultures in infectious keratitis, 1997 to 2004, 1066

YIU, S. C.: See KHURANA, R. N., 494

YOON, Y. H.: See LEE, S. Y., 501

YOSHIDA, M.: See FUSE, N., 1074

YOSHIDA, Y.: See DOSHIRO, A., 337

YOSHIMURA, N.: See MURAKAMI, T., 318

YOSHIMURA, N.: See SASAHARA, M., 601

YOSHIMURA, N.: See YU, S., 475

YU, F.: See ANASTASOPOULOS, E., 1081

YU, F.: See HOLLAND, G. N., 1013

YU, F.: See SHAH, K. H., 284

YU, F.: See TOPOUZIS, F., 60

YU, F.: See TOPOUZIS, F., 1076

YU, H. G.: See AHN, J. K., 429

YU, H. G.: See PARK, U.-C., 1005

YU, S., TANABE, T., HANGAI, M., MORISHITA, S., KURI-MOTO, Y., and YOSHIMURA, N.: Scanning laser polarimetry with variable corneal compensation and optical coherence tomography in tilted disk, 475

YUEN, C. Y. F.: See LAM, R. F., 938

YUKAWA, E.: See UEDA, T., 856

Z

ZADNIK, K.: See GORDON, M. O., 923

ZADOK, D.: See MORALES, A. J., 400

ZANGWILL, L. M.: See LALEZARY, M., 576

ZANGWILL, L. M.: See NG, D., 381

ZANINI, M.: See SAVINI, G., 355

ZHANG, L.: See JONAS, J. B., 168

ZHANG, X.: See KE, T., 298

ZHANG KEDAR, X., LYNN, S., NEWMAN, M., BIOUSSE, N., V.: Homonymous hemianopia in stroke, 1097

ZHANG, N., O'DONNELL, K., SUTTON, D. A., NAIM, F. A., SUMMERBELL, R. C., PADHYE, A. A., GEISER, D. M.: Members of the *Fusarium solani* species complex that cause infections in both humans and plants are common in the environment, 897

ZHANG SCHWEERS, J., DYER, B., MA.: The first knockout mouse model of retinoblastoma, 535

ZIEMSSEN, F.: See GRISANTI, S., 158

ZIMMER-GALLER, I.: See DONG NGUYEN, Q., 961

ZOGRAFOS, L.: See KAESER, P.-F., 448

A

Ablation

Laser in situ keratomileusis: ablation on the flap and stromal bed in a primary treatment, 533

Acanthamoeba polyphagia

Keratitis rat model for evaluation of anti-Acanthamoeba polyphagia agents, 1095

Acute myelitis

Revised diagnostic criteria for neuromyelitis optica, 715

Age-related macular degeneration

Complement factor H polymorphism, complement activators, and risk of age-related macular degeneration, 716

Dietary glycemic index and carbohydrate in relation to early age-related macular degeneration, 535

Aged

See Elderly

Alzheimer dementia

Cognitive profile of posterior cortical atrophy, 202

Antiprotozoal agents

Keratitis rat model for evaluation of anti-Acanthamoeba polyphagia agents, 1095

Apoptosis

Effect of prophylactic and therapeutic mitomycin C on corneal apoptosis, cellular proliferation, haze, and long-term keratocyte density in rabbits, 894

Apraclonidine

Effect of topical apraclonidine on subconjunctival hemorrhage and flap adherence in LASIK patients, 714

Aspirin

Clopidogrel and aspirin versus aspirin alone for the prevention of atherothrombotic events, 366

Astigmatism

Correction formula for real intraocular pressure after LASIK for the correction of myopic astigmatism, 533

Atherothrombosis

Clopidogrel and aspirin versus aspirin alone for the prevention of atherothrombotic events, 366

B

Bausch & Lomb ReNu®

Fusarium keratitis-multiple states 2006, 201

Blindness

Prevalence of visual impairment in relation to the number of ophthalmologists in a given area: a nationwide approach, 896

Refrigerator blindness: selective loss of visual acuity in association with a common foraging behavior, 536

Brain injury

Traumatic homonymous hemianopia, 1100

Brain lesions

Brain abnormalities in neuromyelitis optica, 203

C

Carbohydrates

Dietary glycemic index and carbohydrate in relation to early age-related macular degeneration, 535

Carotid stenosis

Distribution of carotid arterial lesions in Chinese patients with transient monocular blindness, 1100

Carteolol

Additive effect of dorzolamide or carteolol to latanoprost in primary open-angle glaucoma: a prospective randomized crossover trial, 1099

Cataract

Efficacy of a nurse-led preoperative cataract assessment and postoperative care clinic, 368, 536

Cataract surgery

Clinical outcomes of cataract extraction by phacoemulsification in eyes with primary angle-closure glaucoma (PACG) and coexisting cataract: a prospective case series, 533

Incidence and risk factors for glaucoma after pediatric cataract surgery with and without intraocular lens implantation, 714

Cell proliferation

Effect of prophylactic and therapeutic mitomycin C on corneal apoptosis, cellular proliferation, haze, and long-term keratocyte density in rabbits, 894

Cerebral infarction

Type of stroke after transient monocular blindness or retinal infarction of presumed arterial origin, 534

Cerebrospinal fluid

Optic nerve: a new window into cerebrospinal fluid composition?, 534

Children

Incidence and risk factors for glaucoma after pediatric cataract surgery with and without intraocular lens implantation, 714

Microbial keratitis at extremes of age, 204

Refractive surgery for high bilateral myopia in children with neurobehavioral disorders: 1. Clear lens extraction and refractive lens exchange, 1095

Refractive surgery for high bilateral myopia in children with neurobehavioral disorders: 2. Laser-assisted subepithelial keratectomy (LASEK), 1095

Choroidal colobomas

Structural organization of choroidal colobomas of young and adult patients and mechanism of retinal detachment, 367

Choroidal neovascularization

Drusen complement components C3a and C5a promote choroidal neovascularization, 201

Ciliary body

Differential gene expression in anatomical compartments of the human eye, 717

Clear lens extraction

Refractive surgery for high bilateral myopia in children with neurobehavioral disorders: 1. Clear lens extraction and refractive lens exchange, 1095

Clopidogrel

Clopidogrel and aspirin versus aspirin alone for the prevention of atherothrombotic events, 366

Cognition

Cognitive profile of posterior cortical atrophy, 202

Collagenases

Collagenolytic proteinases in keratoconus, 1099

Complement component C3a

Drusen complement components C3a and C5a promote choroidal neovascularization, 201

Complement component C5a

Drusen complement components C3a and C5a promote choroidal neovascularization, 201

Complement factor H

Complement factor H polymorphism, complement activators, and risk of age-related macular degeneration, 716

Conductive keratoplasty

See also Penetrating keratoplasty

Conductive keratoplasty: a radiofrequency-based technique for the correction of hyperopia, 367

Optics of conductive keratoplasty: implications for presbyopia management, 366

Confidentiality

Compelled disclosure of health information: protecting against the greatest potential threat to privacy, 1099

Conjunctival hyperemia

Effect of topical apraclonidine on subconjunctival hemorrhage and flap adherence in LASIK patients, 714

Contact lens

Fusarium keratitis-multiple states 2006, 201

Fusarium—a new culprit in the contact lens case, 897

Contact lens solution

Multistate outbreak of Fusarium keratitis associated with use of a contact lens solution, 896

Corner

Collagenolytic proteinases in keratoconus, 1099

Corneal ectasia after laser in situ keratomileusis in patients without apparent preoperative risk factors, 714

Differential gene expression in anatomical compartments of the human eye, 717

Effect of prophylactic and therapeutic mitomycin C on corneal apoptosis, cellular proliferation, haze, and long-term keratocyte density in rabbits, 894

Optics of conductive keratoplasty: implications for presbyopia management, 366

Corneal subepithelial haze

Effect of prophylactic and therapeutic mitomycin C on corneal apoptosis, cellular proliferation, haze, and long-term keratocyte density in rabbits, 894

Corticosteroids

Home versus outpatient administration of intravenous steroids for multiple-sclerosis relapses: a randomized controlled trial, 535

Treatment of traumatic optic neuropathy with high-dose corticosteroid, 203

D

Delivery of health care

Remote ophthalmology services: cost comparison of telemedicine and alternative service delivery options, 717, 896

Dorzolamide

Additive effect of dorzolamide or carteolol to latanoprost in primary open-angle glaucoma: a prospective randomized crossover trial, 1099

Drug prescription

Effect of written instructions on accuracy of self-reporting medication regimen in glaucoma patients, 715

Dry eyes

Dry eye after LASIK enhancement by flap lifting, 364

Dynamic contour tonometry

Intraocular pressure measurement-comparison of dynamic contour tonometry and Goldmann applanation, 204

F

Ectasia

Corneal ectasia after laser in situ keratomileusis in patients without apparent preoperative risk factors, 714

Elderly

Microbial keratitis at extremes of age, 204

Electronic health records

Compelled disclosure of health information: protecting against the greatest potential threat to privacy, 1099

Endovascular coiling

Outcome of oculomotor nerve palsy from posterior communicating artery aneurysms: comparison of clipping and coiling, 1100

F

Feeding behavior

Refrigerator blindness: selective loss of visual acuity in association with a common foraging behavior, 536

Fellowship training

Causes and risk factors for graft failure in surgeries performed by physicians in fellowship training, 365

Forensic medicine

Retina in forensic medicine. Applications of ophthalmic endoscopy: the first 100 cases, 718

Fusarium keratitis

Fusarium keratitis-multiple states 2006, 201

Fusarium—a new culprit in the contact lens case, 897

Multistate outbreak of Fusarium keratitis associated with use of a contact lens solution, 896

Fusarium solani species complex

Members of the Fusarium solani species complex that cause infections in both humans and plants are common in the environment, 897

Gene expression profiling

Differential gene expression in anatomical compartments of the human eye, 717

General anesthesia

Probing for nasolacrimal duct obstruction using intranasal midazolam sedation as an alternative to general anesthesia, 534

Glaucoma

See Open-angle glaucoma

Effect of written instructions on accuracy of self-reporting medication regimen in glaucoma patients, 715

Incidence and risk factors for glaucoma after pediatric cataract surgery with and without intraocular lens implantation, 714

Glycemic index

Dietary glycemic index and carbohydrate in relation to early age-related macular degeneration, 535

Goldmann applanation tonometry

Intraocular pressure measurement-comparison of dynamic contour tonometry and Goldmann applanation, 204

Graft failure

Causes and risk factors for graft failure in surgeries performed by physicians in fellowship training, 365

Guidelines

American Heart Association; American Stroke Association Stroke Council. Primary prevention of ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council: co-sponsored by the Atherosclerotic Peripheral Vascular Disease Interdisciplinary Working Group; Cardiovascular Nursing Council; Clinical Cardiology Council; Nutrition, Physical Activity, and Metabolism Council; and the Quality of Care and Outcomes Research Interdisciplinary Working Group, 716

American Heart Association/American Stroke Association Council on Stroke; Council on Cardiovascular Radiology and Intervention; American Academy of Neurology. Guidelines for prevention of stroke in patients with ischemic stroke or transient ischemic attack: a statement for healthcare professionals from the American Heart Association/American Stroke Association Council on Stroke: co-sponsored by the Council on Cardiovascular Radiology and Intervention: the American Academy of Neurology affirms the value of this guideline, 716

H

Health care costs

Remote ophthalmology services: cost comparison of telemedicine and alternative service delivery options, 717, 896

Hemorrhage

See Birth-related hemorrhages; Retinal hemorrhages

Home care services

Home versus outpatient administration of intravenous steroids for multiple-sclerosis relapses: a randomized controlled trial, 535

Homonymous hemianopia

Homonymous hemianopia in stroke, 1100

Homonymous hemianopias: clinical-anatomic correlations in 904 cases, 365

Natural history of homonymous hemianopia, 366

Traumatic homonymous hemianopia, 1100

Hyperopia

Conductive keratoplasty: a radiofrequency-based technique for the correction of hyperopia, 367

Optics of conductive keratoplasty: implications for presbyopia management, 366

Hypertension

See Ocular hypertension

1

Immune system

Termination of systemic immunity in the presence of intraocular tumors: influence of ocular immune privilege on tumor vaccines, 201

Infants

Incidence, distribution, and duration of birth-related hemorrhages: a prospective study, 895

Information disclosure

Compelled disclosure of health information: protecting against the greatest potential threat to privacy, 1099

Intraocular lens

Clinical outcomes of cataract extraction by phacoemulsification in eyes with primary angle-closure glaucoma (PACG) and coexisting cataract: a prospective case series, 533

Incidence and risk factors for glaucoma after pediatric cataract surgery with and without intraocular lens implantation, 714

Intraocular pressure

Additive effect of dorzolamide or carteolol to latanoprost in primary open-angle glaucoma: a prospective randomized crossover trial, 1099

Correction formula for real intraocular pressure after LASIK for the correction of myopic astigmatism, 533

Evaluation of the rate of nonresponders to latanoprost therapy, 894

Intraocular pressure measurement-comparison of dynamic contour tonometry and Goldmann applanation, 204

Selective laser trabeculoplasty as initial and adjunctive treatment for open-angle glaucoma, 364

Intraocular tumors

Termination of systemic immunity in the presence of intraocular tumors: influence of ocular immune privilege on tumor vaccines, 201

Iris

Differential gene expression in anatomical compartments of the human eye, 717

Ischemia

American Heart Association; American Stroke Association Stroke Council. Primary prevention of ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council: co-sponsored by the Atherosclerotic Peripheral Vascular Disease Interdisciplinary Working Group; Cardiovascular Nursing Council; Clinical Cardiology Council; Nutrition, Physical Activity, and Metabolism Council; and the Quality of Care and Outcomes Research Interdisciplinary Working Group, 716

K

Keratitis

See also Fusarium keratitis

Keratitis rat model for evaluation of anti-Acanthamoeba polyphagia agents, 1095

Keratoconjunctivitis

Quantitative evaluation of the early changes in ocular surface inflammation following MMC-aided papillary resection in severe allergic patients with corneal complications, 364

Keratoconus

Collagenolytic proteinases in keratoconus, 1099

Keratocyte

Effect of prophylactic and therapeutic mitomycin C on corneal apoptosis, cellular proliferation, haze, and long-term keratocyte density in rabbits, 894

Keratoplasty

See Penetrating keratoplasty

L

Lacrimal sac

Primary lymphoma of the lacrimal sac: an EORTC ophthalmic oncology task force study, 897

LASEK

See Laser-assisted subepithelial keratectomy

Laser-assisted subepithelial keratectomy

Refractive surgery for high bilateral myopia in children with neurobehavioral disorders: 2. Laser-assisted subepithelial keratectomy (LASEK), 1095

Laser in situ keratomileusis

Corneal ectasia after laser in situ keratomileusis in patients without apparent preoperative risk factors, 714

Correction formula for real intraocular pressure after LASIK for the correction of myopic astigmatism, 533

Dry eye after LASIK enhancement by flap lifting, 364

Effect of topical apraclonidine on subconjunctival hemorrhage and flap adherence in LASIK patients, 714

Laser in situ keratomileusis: ablation on the flap and stromal bed in a primary treatment, 533

Laser suture lysis

Outcomes of laser suture lysis after initial trabeculectomy with adjunctive mitomycin C, 203

LASIK

See Laser in situ keratomileusis

Latanoprost

Additive effect of dorzolamide or carteolol to latanoprost in primary open-angle glaucoma: a prospective randomized crossover trial, 1099

Evaluation of the rate of nonresponders to latanoprost therapy, 894

Linezolid

Linezolid-associated toxic optic neuropathy, 534

Low vision

Prevalence of visual impairment in relation to the number of ophthalmologists in a given area: a nationwide approach, 896

Lumbar puncture

Optic nerve: a new window into cerebrospinal fluid composition?. 534

Lymphoma

See also Non-Hodgkin lymphoma

Primary lymphoma of the lacrimal sac: an EORTC ophthalmic oncology task force study, 897

M

Macular degeneration

See Age-related macular degeneration

Magnetic resonance imaging

High-resolution MR imaging of the human eye 2005, 895

Magnetic resonance imaging of tissue and vascular layers in the cat retina, 365

Medical education

British academic ophthalmology in crisis, 202

Microbial keratitis

Microbial keratitis at extremes of age, 204

Midazolam

Probing for nasolacrimal duct obstruction using intranasal midazolam sedation as an alternative to general anesthesia, 534

Mitomycin C

Effect of prophylactic and therapeutic mitomycin C on corneal apoptosis, cellular proliferation, haze, and long-term keratocyte density in rabbits, 894

Outcomes of laser suture lysis after initial trabeculectomy with adjunctive mitomycin C, 203

Quantitative evaluation of the early changes in ocular surface inflammation following MMC-aided papillary resection in severe allergic patients with corneal complications, 364

Multiple sclerosis

Home versus outpatient administration of intravenous steroids for multiple-sclerosis relapses: a randomized controlled trial, 535

Optical coherence tomography in multiple sclerosis, 1100

Mycoses

Members of the *Fusarium solani* species complex that cause infections in both humans and plants are common in the environment. 897

Myocardial infarction

Clopidogrel and aspirin versus aspirin alone for the prevention of atherothrombotic events, 366

Myofibroblasts

Effect of prophylactic and therapeutic mitomycin C on corneal apoptosis, cellular proliferation, haze, and long-term keratocyte density in rabbits, 894

Myopia

Correction formula for real intraocular pressure after LASIK for the correction of myopic astigmatism, 533

Refractive surgery for high bilateral myopia in children with

- neurobehavioral disorders: 1. Clear lens extraction and refractive lens exchange, 1095
- Refractive surgery for high bilateral myopia in children with neurobehavioral disorders: 2. Laser-assisted subepithelial keratectomy (LASEK), 1095
- Retinal detachment in myopic eyes after phakic intraocular lens implantation, 204

N

Nasolacrimal duct obstruction

Probing for nasolacrimal duct obstruction using intranasal midazolam sedation as an alternative to general anesthesia, 534

National Health Information Network

Compelled disclosure of health information: protecting against the greatest potential threat to privacy, 1099

Neovascularization

See Choroidal neovascularization

Neurobehavioral disorders

- Refractive surgery for high bilateral myopia in children with neurobehavioral disorders: 1. Clear lens extraction and refractive lens exchange, 1095
- Refractive surgery for high bilateral myopia in children with neurobehavioral disorders: 2. Laser-assisted subepithelial keratectomy (LASEK), 1095

Neuromyelitis optica

Brain abnormalities in neuromyelitis optica, 203

Revised diagnostic criteria for neuromyelitis optica, 715

Non-Hodgkin lymphoma

Rapidly increasing incidence of ocular non-Hodgkin lymphoma, 895

Nurse

Efficacy of a nurse-led preoperative cataract assessment and postoperative care clinic, 368, 536

0

Occipital lobe

Homonymous hemianopia in stroke, 1100

Ocular hypertension

Evaluation of the rate of nonresponders to latanoprost therapy, 894

Ocular immune privilege

Termination of systemic immunity in the presence of intraocular tumors: influence of ocular immune privilege on tumor vaccines, 201

Ocular surface inflammation

Quantitative evaluation of the early changes in ocular surface inflammation following MMC-aided papillary resection in severe allergic patients with corneal complications, 364

Oculomotor nerve palsy

Outcome of oculomotor nerve palsy from posterior communicating artery aneurysms: comparison of clipping and coiling, 1100

Open-angle glaucoma

- Additive effect of dorzolamide or carteolol to latanoprost in primary open-angle glaucoma: a prospective randomized crossover trial, 1099
- Evaluation of the rate of nonresponders to latanoprost therapy, 894
- Selective laser trabeculoplasty as initial and adjunctive treatment for open-angle glaucoma, 364

Ophthalmic endoscopy

The retina in forensic medicine. Applications of ophthalmic endoscopy: the first 100 cases, 718

Ophthalmologists

- Efficacy of a nurse-led preoperative cataract assessment and postoperative care clinic, 368
- Prevalence of visual impairment in relation to the number of ophthalmologists in a given area: a nationwide approach, 896

Ophthalmology

British academic ophthalmology in crisis, 202

Remote ophthalmology services: cost comparison of telemedicine and alternative service delivery options, 896

Optic nerve

- Differential gene expression in anatomical compartments of the human eye, 717
- Optic nerve: a new window into cerebrospinal fluid composition?, 534

Optic nerve drusen

Drusen complement components C3a and C5a promote choroidal neovascularization, 201

Optic neuritis

- Quantifying axonal loss after optic nerve neuritis with optical coherence tomography, 715
- Revised diagnostic criteria for neuromyelitis optica, 715

Optic neuropathy

Linezolid-associated toxic optic neuropathy, 534

Treatment of traumatic optic neuropathy with high-dose corticosteroid, 203

Optical coherence tomography

Optical coherence tomography in multiple sclerosis, 1100

Quantifying axonal loss after optic nerve neuritis with optical coherence tomography, 715

Outcomes

- Effect of topical apraclonidine on subconjunctival hemorrhage and flap adherence in LASIK patients, 714
- Efficacy of a nurse-led preoperative cataract assessment and postoperative care clinic, 368
- Outcome of oculomotor nerve palsy from posterior communicating artery aneurysms: comparison of clipping and coiling, 1100

Outpatient

Home versus outpatient administration of intravenous steroids for multiple-sclerosis relapses: a randomized controlled trial. 535

Papillary resection

Quantitative evaluation of the early changes in ocular surface inflammation following MMC-aided papillary resection in severe allergic patients with corneal complications, 364

Parasitic sensitivity tests

Keratitis rat model for evaluation of anti-Acanthamoeba polyphagia agents, 1095

Patient compliance

Effect of written instructions on accuracy of self-reporting medication regimen in glaucoma patients, 715

Patient satisfaction

Efficacy of a nurse-led preoperative cataract assessment and postoperative care clinic, 536

Pediatrics

See Children; Infants

Penetrating keratoplasty

See also Conductive keratoplasty

Causes and risk factors for graft failure in surgeries performed by physicians in fellowship training, 365

Wound dehiscence after penetrating keratoplasty: clinical characteristics of 51 cases treated at Bascom Palmer Eye Institute, 894

Phacoemulsification

Clinical outcomes of cataract extraction by phacoemulsification in eyes with primary angle-closure glaucoma (PACG) and coexisting cataract: a prospective case series, 533

Phakic intraocular lens

Retinal detachment in myopic eyes after phakic intraocular lens implantation, 204

Polymorphism

Complement factor H polymorphism, complement activators, and risk of age-related macular degeneration, 716

Posterior communicating artery aneurysms

Outcome of oculomotor nerve palsy from posterior communicating artery aneurysms: comparison of clipping and coiling, 1100

Posterior cortical atrophy

Cognitive profile of posterior cortical atrophy, 202

Postoperative care

Efficacy of a nurse-led preoperative cataract assessment and postoperative care clinic, 368, 536

Postpartum period

Patterns of exacerbations of chronic noninfectious uveitis in pregnancy and puerperium, 1100

Pregnancy

Patterns of exacerbations of chronic noninfectious uveitis in pregnancy and puerperium, 1100

Preoperative care

Efficacy of a nurse-led preoperative cataract assessment and postoperative care clinic, 368, 536

Preparatory techniques

High-resolution MR imaging of the human eye 2005, 895

Presbyopia

Optics of conductive keratoplasty: implications for presbyopia management, 366

Primary angle-closure glaucoma

Clinical outcomes of cataract extraction by phacoemulsification in eyes with primary angle-closure glaucoma (PACG) and coexisting cataract: a prospective case series, 533

Proteinases

Collagenolytic proteinases in keratoconus, 1099

R

Refractive surgery

Refractive surgery for high bilateral myopia in children with neurobehavioral disorders: 1. Clear lens extraction and refractive lens exchange, 1095

Refractive surgery for high bilateral myopia in children with neurobehavioral disorders: 2. Laser-assisted subepithelial keratectomy (LASEK), 1095

Remote ophthalmology services

Remote ophthalmology services: cost comparison of telemedicine and alternative service delivery options, 717

Retina

Differential gene expression in anatomical compartments of the human eye, 717

Magnetic resonance imaging of tissue and vascular layers in the cat retina, 365

Optical coherence tomography in multiple sclerosis, 1100

Retina in forensic medicine. Applications of ophthalmic endoscopy: the first 100 cases, 718

Retinal detachment

Retinal detachment in myopic eyes after phakic intraocular lens implantation, 204

Structural organization of choroidal colobomas of young and adult patients and mechanism of retinal detachment, 367

Retinal hemorrhages

Incidence, distribution, and duration of birth-related hemorrhages: a prospective study, 895

Retinal infarction

Type of stroke after transient monocular blindness or retinal infarction of presumed arterial origin, 534

Retinal nerve fiber layer

Quantifying axonal loss after optic nerve neuritis with optical coherence tomography, 715

Retinoblastoma

First knockout mouse model of retinoblastoma, 535

5

Sedation

Probing for nasolacrimal duct obstruction using intranasal midazolam sedation as an alternative to general anesthesia, 534

Selective laser trabeculoplasty

Selective laser trabeculoplasty as initial and adjunctive treatment for open-angle glaucoma, 364

Statistical analysis

Correction formula for real intraocular pressure after LASIK for the correction of myopic astigmatism, 533

Stroke

American Heart Association; American Stroke Association Stroke Council. Primary prevention of ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council: co-sponsored by the Atherosclerotic Peripheral Vascular Disease Interdisciplinary Working Group; Cardiovascular Nursing Council; Clinical Cardiology Council; Nutrition, Physical Activity, and Metabolism Council; and the Quality of Care and Outcomes Research Interdisciplinary Working Group, 716

American Heart Association/American Stroke Association Council on Stroke; Council on Cardiovascular Radiology and Intervention; American Academy of Neurology. Guidelines for prevention of stroke in patients with ischemic stroke or transient ischemic attack: a statement for healthcare professionals from the American Heart Association/American Stroke Association Council on Stroke: co-sponsored by the Council on Cardiovascular Radiology and Intervention: the American Academy of Neurology affirms the value of this guideline, 716

Clopidogrel and aspirin versus aspirin alone for the prevention of atherothrombotic events, 366

Homonymous hemianopia in stroke, 1100

Type of stroke after transient monocular blindness or retinal infarction of presumed arterial origin, 534

Stroma

Laser in situ keratomileusis: ablation on the flap and stromal bed in a primary treatment, 533

Subconjunctival hemorrhage

Effect of topical apraclonidine on subconjunctival hemorrhage and flap adherence in LASIK patients, 714

Surgical clipping

Outcome of oculomotor nerve palsy from posterior communicating artery aneurysms: comparison of clipping and coiling, 1100

Surgical flap

Dry eye after LASIK enhancement by flap lifting, 364

Effect of topical apraclonidine on subconjunctival hemorrhage and flap adherence in LASIK patients, 714

Laser in situ keratomileusis: ablation on the flap and stromal bed in a primary treatment, 533

T

Telemedicine

Remote ophthalmology services: cost comparison of telemedicine and alternative service delivery options, 717, 896

Trabeculectomy

Outcomes of laser suture lysis after initial trabeculectomy with adjunctive mitomycin C, 203

Transient ischemic attack

American Heart Association/American Stroke Association Council on Stroke; Council on Cardiovascular Radiology and Intervention; American Academy of Neurology. Guidelines for prevention of stroke in patients with ischemic stroke or transient ischemic attack: a statement for healthcare professionals from the American Heart Association/American Stroke Association Council on Stroke: co-sponsored by the Council on Cardiovascular Radiology and Intervention: the American Academy of Neurology affirms the value of this guideline, 716

Transient monocular blindness

Distribution of carotid arterial lesions in Chinese patients with transient monocular blindness, 1100

Type of stroke after transient monocular blindness or retinal infarction of presumed arterial origin, 534

Tumor cell vaccine

Termination of systemic immunity in the presence of intraocular tumors: influence of ocular immune privilege on tumor vaccines, 201

U

Uveitis

Patterns of exacerbations of chronic noninfectious uveitis in pregnancy and puerperium, 1100

V

Vascular tissue

Magnetic resonance imaging of tissue and vascular layers in the cat retina, 365

Visual acuity

Conductive keratoplasty: a radiofrequency-based technique for the correction of hyperopia, 367

Optics of conductive keratoplasty: implications for presbyopia management, 366

Refrigerator blindness: selective loss of visual acuity in association with a common foraging behavior, 536

Wound dehiscence after penetrating keratoplasty: clinical characteristics of 51 cases treated at Bascom Palmer Eye Institute, 894

Visual cortex

Reward timing in the primary visual cortex, 202

Visual field defects

Homonymous hemianopias: clinical-anatomic correlations in 904 cases, 365

Visual impairment

Prevalence of visual impairment in relation to the number of ophthalmologists in a given area: a nationwide approach, 896

Visual sensory

Reward timing in the primary visual cortex, 202

W

Wound dehiscence

Wound dehiscence after penetrating keratoplasty: clinical characteristics of 51 cases treated at Bascom Palmer Eye Institute, 894